




Fastener Catalog



Nails & Brads

Staples

Screws

Tools & Parts Kits

Air Accessories

INTERCHANGE®
www.interchangebrands.com




The Interchange Brands Story

Interchange® Brands, LLC was founded in 1982 with the idea of selling replacement nails and staples, and rapidly became one of the largest suppliers of interchangeable fasteners in the country. At that time, replacement sources were very fragmented, and to a great extent, involved importing the fasteners from France, Germany and other European countries. Hence, very few fasteners were available as replacements. Additionally, some nails were covered by patents and others were protected because of the uniqueness of their collation.

Essentially, Interchange Brands set out to bring order out of chaos. Supplying dealers with staples from a number of different suppliers was the first goal of the company, but soon they branched out. Other tool manufacturers had entered the nail and staple gun market with excellent tools, but did not have a fastener program, so Interchange Brands set out to rectify that.

The company's founders recognized the need for a merchandising program and uniform packaging to clearly and consistently identify the fasteners. The name "Interchange" was chosen for obvious reasons: the fasteners were interchangeable to fit with a number of tools.

The Interchange Collated Fasteners Catalog was developed soon thereafter, and is considered the "bible" of the industry and continues to be the most comprehensive listing of pneumatic and cordless tools and the fasteners they use.



Fasteners and Corrosion

The performance of fasteners in wood is primarily determined by three factors:

- the fastener metal and any coating;
- chemical composition of the wood;
- and the environment they live in.

Galvanizing adds rust resistance to carbon steel. Galvanized fasteners and many woods work well together outdoors. Salt air, high humidity and industrial air pollution may eventually cause a breakdown of the zinc to allow rust and bleeding.

Some woods contain chemicals that react with certain metals to produce a chemical precipitate. Redwood and cedar contain tannin

which reacts with zinc galvanizing producing brown to black stains. The natural acidity of some woods can cause metal deterioration. The chemical composition of woods may change with the addition of chemical preservatives and fire retardants which contain salts that can destroy certain fasteners.

Common sense and experience will dictate the proper fastener in most applications. Really tough conditions may call for aluminum or stainless steel fasteners. Special, unusual or untried applications may require consultation with your lumber dealer. Local or national building associates, wood product manufacturers or engineers at your insurance company may provide good information at no cost.

Interchange® Brands supplies fasteners for pneumatic and cordless staplers, nailers and screw guns and their fasteners are of the highest manufacturing tolerances. All fasteners are similar to and interchange with fasteners produced by the tool manufacturers. They meet or exceed architectural and building codes for which they were designed.

Interchange Brands is not responsible for consequential damages caused by misuse or failure of Interchange Brands fasteners. No other warranties expressed or implied shall apply, including the implied warranties of merchantability and fitness for a particular purpose.

Interchange Brands does not practice architecture, engineering or construction design and makes no recommendation as to the effectiveness of galvanized fasteners for any particular application.

All material in this catalog including the Interchange Brands name, logo, illustrations, copy, format and photographs are the property of Interchange Brands. This material may not be reproduced in any form without prior written permission of Interchange Brands.

© 2018 INTERCHANGE® Brands, LLC

INDEX

NAILS

STAPLES

SCREWS

Fasteners

NailsIN-3 thru IN-14

Brads and PinsIN-15 thru IN-19

Staples..... IS-3 thru IS-17

Interchange Industrial Fasteners. .IN-18, IN-19, IS-8

Screw Systems ISC

Screws ISC-1 thru ISC-7

Fastener and Tool Indexes49-53

Tools, Hose, Air Accessories

Air Accessories 8, IS-7

Hose 8, IS-13

Interchange Tools 4-6

Oils and Lubricants 8, IS-2

Parts Kits for Interchange Tools 7, IS-2

For Your Information

Interchange Industrial Fasteners.....48

Fasteners and Corrosion2, 48

Nail Gauge and Angle50


Hot Dip Galvanized Explanation IN-4, 48

RedLock Coating Explanation..... IN-4, 48

ACQ Fastener RecommendationsIN-12, 48

Your
COMPLETE
Pneumatic
Fastening
Program!

www.interchangebrands.com



INTERCHANGE

Pneumatic Nailers

Model No. CN55-15 Item No. 65530
15° Coil Nailer
Drives Wire Collated Coil Nails
 1-1/4" to 2-1/4" / 32mm to 57mm
Shank: .083" to .092" / 2.1mm to 2.3mm



Model No. CN70-15 Item No. 65560
15° Coil Nailer
Drives Wire Collated Coil Nails
 1-3/4" to 2-3/4" / 45mm to 70mm
Shank: .092" to .113" / 2.3mm to 2.9mm



Ask for Genuine
INTERCHANGE
HWCF Nails

Model No. CN80-15 Item No. 65565
15° Coil Nailer
Drives Wire Collated Coil Nails
 2" to 3-1/4" / 50mm to 83mm
Shank: .099" to .131" / 2.5mm to 3.3mm



Model No. CN80F-15 Item No. 65566
15° Framing Coil Nailer
Drives Wire Collated Coil Nails
 2" to 3-1/4" / 50mm to 83mm
Shank: .099" to .131" / 2.5mm to 3.3mm



Model No. CN57-I Item No. 65705
15° Pallet Coil Nailer
Drives Wire Collated Coil Nails
 1" to 2-1/4" / 25mm to 57mm
Shank: .083" to .090" / 2.1mm to 2.3mm



Interchange
Industrial

Model No. CN70-I Item No. 65710
15° Pallet Coil Nailer
Drives Wire Collated Coil Nails
 1-3/4" to 2-3/4" / 45mm to 70mm
Shank: .092" to .113" / 2.3mm to 2.9mm



Ask for Genuine
INTERCHANGE
HWCF Nails

Interchange
Industrial

Model No. CN80-I Item No. 65715
15° Pallet Coil Nailer
Drives Wire Collated Coil Nails
 2" to 3-1/4" / 50mm to 83mm
Shank: .099" to .131" / 2.5mm to 3.3mm



Interchange
Industrial

Model No. CN565-15 Item No. 65555
15° Siding Coil Nailer
Drives Wire Collated Coil Nails
 1-3/4" to 2-1/2" / 45mm to 65mm
Plastic Sheet Collated Coil Nails
 1-1/4" to 2-1/2" 32mm to 65mm
Shank: .092" to .099"
 2.3mm to 2.5mm



Ask for Genuine
INTERCHANGE
HWCF or MPC
Nails

Model No. CRN4500 Item No. 65690
15° Coil Roofing Nailer
Drives Coil Roofing Nails
 7/8" to 1-3/4" / 22mm to 45mm
Shank: .120" / 3.05mm



Ask for Genuine
INTERCHANGE
CR Nails

Model No. CRN45-15 Item No. 65510
15° Coil Roofing Nailer
Drives Coil Roofing Nails
 3/4" to 1-3/4" / 19mm to 45mm
Shank: .120" / 3.05mm



Model No. MPN Item No. 64350
Mini Palm Nailer
Shoots 16d Bulk Nails up to 3-1/2"



Model No. NP3523 Item No. 65250
23 Ga. Pin Nailer
Drives 23 Ga. Pins
 1/2" to 1-3/8" / 12mm to 35mm



Ask for Genuine
INTERCHANGE
MP23 Pin Nails

Also Available:

Model No. CN70-PAL Item No. 65660
Model No. CN100-15 Item No. 65595



Model No. NSR83-21
Item No. 65600
21° Round Head Framing Nailer
Drives 21° Round Head, Plastic Strip Collated Nails
2" to 3-1/4" / 50mm to 83mm
Shank: .113" to .148" / 2.87mm to 3.76mm


Ask for Genuine INTERCHANGE DPS Nails

Also available:

Model No. NSR83-21SPS with Single Piece Safety Item No. 65605

Model No. NSR83-21XP with Fixed Trigger Item No. 65607

Model No. NSR83-21HD
Item No. 65720
21° Round Head Framing Nailer
Drives 21° Round Head, Plastic Strip Collated Nails
2" to 3-1/2" / 50mm to 90mm
Shank: .113" to .148" / 2.9mm to 3.8mm



Ask for Genuine INTERCHANGE DPS Nails



Model No. NSC83-28
Item No. 65650
28° Clipped Head Framing Nailer
Drives 28° Clipped Head, Wire or Paper Tape Collated Strip Nails
2" to 3-1/4" / 50mm to 83mm
Shank: .113" to .131" / 2.87mm to 3.33mm

Ask for Genuine INTERCHANGE BW or BT Nails

Model No. NSC83-34
Item No. 65640
34° Clipped Head Framing Nailer
Drives 34° Clipped Head or Offset Round Head Paper Tape Collated Strip Nails
2" to 3-1/4" / 50mm to 83mm
Shank: .113" to .131" / 2.87mm to 3.33mm



Ask for Genuine INTERCHANGE PT or PTOR Nails



Model No. NSJH38-34
Item No. 65670
34° Round Head Joist Hanger Framing Nailer
Drives 34° Round Head, Paper Collated Strip Nails 1-1/2" / 38mm
Shank: .131" and .148" / 3.33mm and 3.76mm

Ask for Genuine INTERCHANGE PTJH Nails



Model No. NSJH64-34
Item No. 65680
34° Round Head Joist Hanger Framing Nailer
Drives 34° Round Head, Paper Collated Strip Nails 1-1/2" and 2-1/2" / 38 and 64mm
Shank: .131", .148" and .162" / 3.33mm, 3.76mm and 4.14mm



Ask for Genuine INTERCHANGE PTJH Nails



Model No. NF6515-34 Item No. 65420
15 Ga. Finish Nailer
Drives 15 Ga. 34° Angled Finish Nails
1-1/4" to 2-1/2" / 32mm to 65mm



Ask for Genuine INTERCHANGE DA Finish Nails

Model No. NF6516 Item No. 65315
16 Ga. Brad Nailer
Drives 16 Ga. Finish Nails
1" to 2-1/2" / 25mm to 65mm



Ask for Genuine INTERCHANGE PB16 Finish Nails

Model No. NB5018 Item No. 65220
18 Ga. Brad Nailer
Drives 18 Ga. Brad Nails
5/8" to 2" / 15mm to 50mm



Ask for Genuine INTERCHANGE PX Brad Nails

Model No. NB3518C Item No. 65240
18 Ga. Composite Brad Nailer
Drives 18 Ga. Brad Nails
1/2" to 1-3/8" / 10mm to 35mm



Ask for Genuine INTERCHANGE PX Brad Nails

INTERCHANGE

Pneumatic Staplers

Model No. SL4018 Item No. 64257
18 Ga. Narrow Crown Stapler
Drives 18 Ga. 1/4" Crown Staples
 3/4" to 1-1/2" / 19mm to 38mm



Ask for Genuine
 INTERCHANGE
 L Staples

Model No. SN5016 Item No. 64405
16 Ga. Medium Crown Stapler
Drives 16 Ga. 7/16" Crown Staples
 1" to 2" / 25mm to 51mm



Ask for Genuine
 INTERCHANGE
 N Staples

Model No. SP4016 Item No. 64417
16 Ga. Wide Crown Stapler
Drives 16 Ga. 1" Crown Staples
 3/4" to 1-1/2" / 19mm to 38mm



Ask for Genuine
 INTERCHANGE
 P Staples

Model No. SM4018V Item No. 65260
18 Ga. Medium Crown Vinyl Siding Stapler
Drives 18 Ga. 3/8" Crown Staples
 3/4" to 1-5/8" / 19mm to 40mm



Ask for Genuine
 INTERCHANGE
 M Staples

Model No. SG5W5016 Item No. 64415
16 Ga. Wide Crown Stapler
Drives 16 Ga. 15/16" Crown Staples
 5/8" to 2" / 16mm to 51mm



Ask for Genuine
 INTERCHANGE
 GSW Staples

Model No. SBC5016 Item No. 64419
16 Ga. Wide Crown Stapler
Drives 16 Ga. 1" Crown Staples
 5/8" to 2" / 16mm to 51mm



Ask for Genuine
 INTERCHANGE
 BCS Staples

Model No. SFNC4010 Item No. 64248
10-1/2 Ga. Medium Crown Fence Stapler
Drives 10-1/2 Ga. 1/2" Crown Staples
 1" to 1-5/8" / 25mm to 40mm



Ask for Genuine INTERCHANGE
 FNC40 Fence Staples

For current information on Interchange Tools,
 go to: www.interchangebrands.com

Model No. S5016AL Item No. 64260
20 Ga. Medium Crown Stapler with Long Magazine
Drives 20 Gauge, 1/2" Crown Staples
 3/16" to 5/8" / 5mm to 16mm

Ask for Genuine INTERCHANGE
 5000 Series Staples



Model No. SA1116AL Item No. 64280
20 Ga. Medium Crown Stapler with Long Magazine
Drives 20 Gauge, 3/8" Crown Staples
 3/16" to 5/8" / 5mm to 16mm

Ask for Genuine INTERCHANGE
 A11 Series Staples

Model No. S7116AL Item No. 64270
22 Ga. Medium Crown Stapler with Long Magazine
Drives 22 Gauge, 3/8" Crown Staples
 3/16" to 5/8" / 5mm to 16mm

Ask for Genuine INTERCHANGE
 C Series Staples

Model No. S7116 Item No. 64275
22 Ga. Medium Crown Stapler
Drives 22 Gauge, 3/8" Crown Staples
 3/16" to 5/8" / 5mm to 16mm

Ask for Genuine INTERCHANGE
 C Series Staples



Hammer Tackers

Model No. ICB-A11-Tacker
 Item No. 64210
Hammer Tacker
Shoots 20 Gauge, 3/8" Crown Staples
 1/4", 5/16" and 3/8" / 6, 8 and 9mm

Ask for Genuine INTERCHANGE
 A11 Series Staples



Model No. ICB-50HT
 Item No. 64220
Hammer Tacker
Shoots 20 Gauge, 1/2" Crown Staples
 1/4", 5/16" and 3/8" / 6, 8 and 9mm

Ask for Genuine INTERCHANGE
 5000 Series Staples



Carton Closing Staplers



The Carton Closing
 Staplers shoot
 1-1/4" crown,
 5/8" or 3/4" length
 staples.



SRB-GR
 Pneumatic
 Shoots GR158 and GR134
 Roll Staples



SAB150-C
 Pneumatic
 Shoots C58 and C34 Staples



SHB150-C
 Manual
 Shoots C58 and C34 Staples



SAB100-A
 Pneumatic
 Shoots A58 and A34 Staples



SHB100-A
 Manual
 Shoots A58 and A34 Staples

DURA by INTERCHANGE PARTS

Professional Grade Replacement Parts

Interchange Brands offers parts kits for some of the most in-demand pneumatic tools in the field. If you would like to have parts on-hand for either maintenance or repair, Interchange Parts Kits may be the solution.



- Kit #1 O-Ring/Gasket Kit
- Kit #2 Piston/Driver Assembly Kit
- Kit #3 Head Cap Assembly
- Kit #4 Trigger Valve Assembly with Trigger
- Kit #5 Magazine Assembly
- Kit #6 Guide Body Assembly
- Kit #7 Safety Kit
- Kit #8 Feeder Kit
- Kit #9 Bumper Kit



Keep your tools working for you with Interchange Parts Kits!

ORDER NO.	DESC. CODE	KIT #	ORDER NO.	DESC. CODE	KIT #	ORDER NO.	DESC. CODE	KIT #	ORDER NO.	DESC. CODE	KIT #
CN55-15 Coil Nailer			CRN4500 Coil Nailer			NSJH3834 Joist Hanger Nailer			S5016AL, S7116AL, SA1116AL Staplers		
98460	CN55K1	Kit #1	98201	CRN4500K1	Kit #1	98682	NSJH38K1	Kit #1	98120	S16K1	Kit #1
98465	CN55K2	Kit #2	98202	CRN4500K2	Kit #2	98683	NSJH38K2	Kit #2	98122	S5016K2	Kit #2
98470	CN55K3	Kit #3	98203	CRN4500K3	Kit #3	98684	NSJH38K3	Kit #3	98124	S7116K2	Kit #2
98475	CN55K4	Kit #4	98204	CRN4500K4	Kit #4	98685	NSJH38K4	Kit #4	98126	SA1116K2	Kit #2
98480	CN55K5	Kit #5	98205	CRN4500K5	Kit #5	98686	NSJH38K5	Kit #5	98121	S16K4 (standard)	Kit #4
98485	CN55K6	Kit #6	98206	CRN4500K6	Kit #6	98687	NSJH38K6	Kit #6	98128	S16AK4 (auto-fire)	Kit #4
98486	CN55K7	Kit #7	98207	CRN4500K7	Kit #7	98688	NSJH38K7	Kit #7	98130	S5016ALK8	Kit #8
98487	CN55K8	Kit #8	98208	CRN4500K8	Kit #8	98689	NSJH38K8	Kit #8	98132	S7116ALK8	Kit #8
98488	CN55K9	Kit #9	98209	CRN4500K9	Kit #9	98669	NSJH38K9	Kit #9	98134	SA1116ALK8	Kit #8
CN70-15 Coil Nailer			NSR83-21 Framing Nailer			NSJH6434 Joist Hanger Nailer			SL4018 Stapler		
98300	CN70K1	Kit #1	98648	NSR83K1	Kit #1	98690	NSJH64K1	Kit #1	98678	SL4018K1	Kit #1
<i>(also fits CN80-15 & CN80F-15)</i>			98650	NSR83K2	Kit #2	98691	NSJH64K2	Kit #2	<i>(also fits NB5018)</i>		
98310	CN70K2	Kit #2	98652	NSR83K3	Kit #3	98692	NSJH64K3	Kit #3	98679	SL4018K2	Kit #2
98320	CN70K3	Kit #3	98654	NSR83K4	Kit #4	98693	NSJH64K4	Kit #4	98680	SL4018K4	Kit #4
98330	CN70K4	Kit #4	98656	NSR83K5	Kit #5	98694	NSJH64K5	Kit #5	<i>(also fits NB5018)</i>		
98340	CN70K5	Kit #5	98658	NSR83K6	Kit #6	98695	NSJH64K6	Kit #6	98681	SL4018K8	Kit #8
98350	CN70K6	Kit #6	98659	NSR83K7	Kit #7	98696	NSJH64K7	Kit #7	SM4018V Vinyl Siding Stapler		
98351	CN70K7	Kit #7	98660	NSR83K8	Kit #8	98697	NSJH64K8	Kit #8	98780	SM4018VK1	Kit #1
98352	CN70K8	Kit #8	98661	NSR83K9	Kit #9	98668	NSJH64K9	Kit #9	98781	SM4018VK2	Kit #2
98353	CN70K9	Kit #9	NSR83-21SPS Framing Nailer			NF6515-34 Finish Nailer			98782	SM4018VK4	Kit #4
CN80-15 Coil Nailer			98648	NSR83K1	Kit #1	98580	NF6515K1	Kit #1	98783	SM4018VK8	Kit #8
98550	CN80K1	Kit #1	98650	NSR83K2	Kit #2	98585	NF6515K2	Kit #2	SN5016 Stapler		
<i>(also fits CN70-15 & CN80F-15)</i>			98652	NSR83K3	Kit #3	98590	NF6515K3	Kit #3	98490	SN5016K1	Kit #1
98555	CN80K2	Kit #2	98654	NSR83K4	Kit #4	98600	NF6515K4	Kit #4	<i>(also fits CN565-15)</i>		
98560	CN80K3	Kit #3	98657	NSR83K5B	Kit #5B	98605	NF6515K5	Kit #5	98495	SN5016K2	Kit #2
98565	CN80K4	Kit #4	98658	NSR83K6	Kit #6	98610	NF6515K6	Kit #6	98500	SN5016K3	Kit #3
98570	CN80K5	Kit #5	98665	NSR83K7B	Kit #7B	98611	NF6515K7	Kit #7	<i>(also fits CN565-15)</i>		
98575	CN80K6	Kit #6	98663	NSR83K8B	Kit #8B	98612	NF6515K8	Kit #8	98505	SN5016K4	Kit #4
98576	CN80K7	Kit #7	98661	NSR83K9	Kit #9	98613	NF6515K9	Kit #9	98510	SN5016K5	Kit #5
98577	CN80K8	Kit #8	NSR83-21XP Framing Nailer			NF6516 Finish Nailer			98515	SN5016K6	Kit #6
98578	CN80K9	Kit #9	98648	NSR83K1	Kit #1	98770	NF6515K1	Kit #1	98516	SN5016K7	Kit #7
CN80F-15 Coil Nailer			98650	NSR83K2	Kit #2	98771	NF6515K2	Kit #2	98517	SN5016K8	Kit #8
<i>(same parts kits as CN80-15 except for #7 - parts for safety are available)</i>			98652	NSR83K3	Kit #3	98772	NF6515K3	Kit #3	98518	SN5016K9	Kit #9
CN565-15 Coil Nailer			98657	NSR83K5B	Kit #5B	98773	NF6515K4	Kit #4	SP4016 Stapler		
98520	CN565K1	Kit #1	98658	NSR83K6	Kit #6	98774	NF6515K5	Kit #5	98101	SP4016K1	Kit #1
<i>(also fits SN5016)</i>			98663	NSR83K8B	Kit #8B	98775	NF6515K6	Kit #6	98108	SP4016K2	Kit #2
98525	CN565K2	Kit #2	98661	NSR83K9	Kit #9	98776	NF6515K7	Kit #7	98102	SP4016K3	Kit #3
98530	CN565K3	Kit #3	NSC83-28 Framing Nailer			98777	NF6515K8	Kit #8	98103	SP4016K4	Kit #4
<i>(also fits SN5016)</i>			98636	NSC83K1	Kit #1	98778	NF6515K9	Kit #9	98104	SP4016K5	Kit #5
98535	CN565K4	Kit #4	98638	NSC83K2	Kit #2	NB3518C Composite Brad Nailer			98105	SP4016K6	Kit #6
98540	CN565K5	Kit #5	98640	NSC83K3	Kit #3	<i>Parts are available</i>			98106	SP4016K7	Kit #7
98545	CN565K6	Kit #6	98642	NSC83K4	Kit #4	NB5018 Brad Nailer			98107	SP4016K8	Kit #8
98556	CN565K7	Kit #7	98662	NSC83-28K5	Kit #5	98670	NB5018K1	Kit #1	98109	SP4016K9	Kit #9
98547	CN565K8	Kit #8	98646	NSC83K6	Kit #6	<i>(also fits SL4018)</i>			SBCS5016 Stapler		
98548	CN565K9	Kit #9	98647	NSC83K7	Kit #7	98671	NB5018K2	Kit #2	98111	SGSW5016K1	Kit #1
CRN45-15 Coil Nailer			98649	NSC83K8	Kit #8	98672	NB5018K4	Kit #4	98371	SBCS5016K2	Kit #2
98400	CRN45K1	Kit #1	98651	NSC83K9	Kit #9	<i>(also fits SL4018)</i>			98362	SGSW5016K3	Kit #3
98410	CRN45K2	Kit #2	NSC83-34 Framing Nailer			98673	NB5018K8	Kit #8	98114	SGSW5016K4	Kit #4
98420	CRN45K3	Kit #3	98636	NSC83K1	Kit #1	NP3523 Pin Nailer			98374	SBCS5016K5	Kit #5
98430	CRN45K4	Kit #4	98638	NSC83K2	Kit #2	98674	NP3523K1	Kit #1	98375	SBCS5016K6	Kit #6
98440	CRN45K5	Kit #5	98640	NSC83K3	Kit #3	98675	NP3523K2	Kit #2	98117	SGSW5016K7	Kit #7
98450	CRN45K6	Kit #6	98642	NSC83K4	Kit #4	98676	NP3523K4	Kit #4	98377	SBCS5016K8	Kit #8
98451	CRN45K7	Kit #7	98644	NSC83-34K5	Kit #5	98677	NP3523K8	Kit #8	98368	SGSW5016K9	Kit #9
98452	CRN45K8	Kit #8	98646	NSC83K6	Kit #6	S7116 Stapler			SGSW5016 Stapler		
98453	CRN45K9	Kit #9	98647	NSC83K7	Kit #7	98120	S16K1	Kit #1	98111	SGSW5016K1	Kit #1
			98649	NSC83K8	Kit #8	98124	S7116K2	Kit #2	98112	SGSW5016K2	Kit #2
			98651	NSC83K9	Kit #9	98121	S16K4 (standard)	Kit #4	98362	SGSW5016K3	Kit #3
						98128	S16AK4 (auto-fire)	Kit #4	98114	SGSW5016K4	Kit #4
						98135	S7116K8	Kit #8	98364	SGSW5016K5	Kit #5
									98365	SGSW5016K6	Kit #6
									98117	SGSW5016K7	Kit #7
									98118	SGSW5016K8	Kit #8
									98368	SGSW5016K9	Kit #9

Air Hose



DURA
by **INTERCHANGE** **FLX**
Professional Grade Hose

A complete line of high quality air hose:

Professional Grade Reinforced Polyurethane Air Hose

- Polyurethane Air Hose with 1/4" M-NPT Male Fittings
Available Packaged in Titanium, Orange or Green

Commercial Quality Thermoplastic PVC Air Hose

- Thermoplastic Air Hose with various fitting options
Available: Packaged or Bulk Reels

Self Storing Air Hose

- Nylon or Polyurethane with 1/4" or 3/8" M-NPT Male Swivel Fittings

Premium Quality Heavy Duty Rubber Air Hose

- Black Rubber Hose with 1/4" M-NPT Male Reusable Fittings
Available: Packaged or Bulk Reels
- Gray Rubber Push On Hose with various fitting options
Available: Packaged or Bulk Reels
- Red Rubber Air Hose with 1/4" or 3/8" M-NPT Male Fittings
Available: Packaged or Bulk Reels

Air Accessories

Interchange Brands features a complete line of accessories for pneumatic tools and air equipment used in construction and industrial applications. Most of these air accessories are available in either bulk or retail packaging.

- | | |
|---------------------|---------------------------|
| ■ Bushing Adapters | ■ Hose Accessory Kits |
| ■ Circle Clamps | ■ Hose Repair Kits |
| ■ Coupler Plugs | ■ Lubricators |
| ■ Coupler Plug Sets | ■ Reducer Bushings |
| ■ Crosses and Tees | ■ Regulators |
| ■ Gauges | ■ Regulator Repair Kits |
| ■ Filters | ■ Three Way Manifold |
| ■ Hex Manifolds | ■ Three Way Manifold Kits |
| ■ Hex Manifold Kits | and more! |
| ■ Hex Nipples | |



DURA
by **INTERCHANGE** **FLO**
Professional Grade Air Accessories

Oils & Lubricants


Interchange Brands lubricants for compressors and pneumatic tools are the highest quality available on the market. All sizes, except the gallon, are packed 12 bottles per carton. The gallon bottles are packed 4 bottles per carton.

- | | | |
|----------|-------|--|
| ■ CEOQ | 95500 | 4-Cycle engine oil, all-season, 32 oz. (quart) |
| ■ CPOQS | 95510 | Compressor pump oil, summer weight, 32 oz. (quart) |
| ■ CPOQW | 95520 | Compressor pump oil, winter weight, 32 oz. (quart) |
| ■ CPOGS | 95515 | Compressor pump oil, summer weight, 128 oz. (gallon) |
| ■ PTOHP | 95540 | Pneumatic tool oil, 8 oz. (half pint) |
| ■ PTOHPW | 95545 | Pneumatic tool oil, winter, 8 oz. (half pint) |
| ■ PTOQ | 95550 | Pneumatic tool oil, 32 oz. (quart) |
| ■ PTOG | 95530 | Pneumatic tool oil, 128 oz. (gallon) |



Clipped Head Wire Collated Strip Nails

APPLICATIONS: Framing, subflooring, decking, sheathing, siding, truss construction and fencing.



INTERCHANGE
NSC83-28



BOSTITCH
F28WW, N16, N70S, N79WW, N80S,
N80SB, N86S, N88WW, N88WWB, N100S



HITACHI
NR90AF



MAX
SN883CH/28, SN890CH/28




DUO-FAST
CN-325B



FASCO
F5C HHN 28-90, F6 HHN 28-90,
R5C HHN 28-90SS-CT



PORTER CABLE
FM350, FM350A



28° Clipped Head Strip Nails - BW Series (Wire Collated)

ORDER NO.	DESCRIPTION CODE	DESCRIPTION	POINT	QTY/STRIP	M/CTN
10011	BW06D113	2" x .113 Bright Decking Nail	Diamond	25	2.0 M
10022	BW06D113-R	2" x .113 Bright Ring Decking Nail	Diamond	25	2.0 M
10023	BW06D113-G	2" x .113 Galvanized Decking Nail	Diamond	25	2.0 M
10035	BW06D113-HDGR	2" x .113 Hot Dip Galvanized Ring Decking Nail	Diamond	25	2.0 M
10041	BW08D113	2-3/8" x .113 Bright Decking Nail	Diamond	25	2.0 M
10051	BW08D113-R	2-3/8" x .113 Bright Ring Decking Nail	Diamond	25	2.0 M
10061	BW08D113-G	2-3/8" x .113 Galvanized Decking Nail	Diamond	25	2.0 M
10077	BW08D113-HDGR	2-3/8" x .113 Hot Dip Galvanized Ring Decking Nail	Diamond	25	2.0 M
10081	BW10D120	3" x .120 Bright Framing Nail	Diamond	25	2.0 M
10106	BW10D120-G	3" x .120 Galvanized Framing Nail	Diamond	25	2.0 M
10099	BW10D120-HDGR	3" x .120 Hot Dip Galvanized Ring Framing Nail	Diamond	25	2.0 M
10101	BW10D131	3" x .131 Bright Framing Nail	Diamond	25	2.0 M
10111	BW10D131-G	3" x .131 Galvanized Framing Nail	Diamond	25	2.0 M
10121	BW12D120	3-1/4" x .120 Bright Framing Nail	Diamond	25	2.0 M
10131	BW12D131	3-1/4" x .131 Bright Framing Nail	Diamond	25	2.0 M
10141	BW12D131-G	3-1/4" x .131 Galvanized Framing Nail	Diamond	25	2.0 M
10143	BW12D131-HDGR	3-1/4" x .131 Hot Dip Galvanized Ring Framing Nail	Diamond	25	2.0 M
10151	BW16D131	3-1/2" x .131 Bright Framing Nail	Diamond	25	2.0 M
10161	BW16D131-G	3-1/2" x .131 Galvanized Framing Nail	Diamond	25	2.0 M

Some items may be available as Electro-Galvanized.

The coating on the HDG nails could be hot dipped zinc, hot dipped wire zinc or thermal diffusion zinc and all comply with ASTM A153 Standards.

NAILS

STANDARD - Nails are Bright Wire, Smooth Shank and Diamond Point unless otherwise specified

Other Finishes:

Red highlighted items are Stainless Steel (SS) 304 Grade

Blue highlighted items are Hot Dip Galvanized (HDG) ASTM A153

Yellow highlighted items are Electro-Galvanized (G) ASTM A641

Gray highlighted items are Heat Treated (HT) or High Carbon (HC)

The tool pictures may vary from actual tool.

The information in this catalog represents current information related to the compatibility between the fasteners and the pneumatic or cordless tools.

Use this information as a guideline only.

Clipped Head and Offset Round Head Paper Tape Collated Strip Nails

APPLICATIONS: Framing, decking, sheathing, siding, truss construction and fencing.

Strip Nails
Paper Tape Collated



INTERCHANGE
NSC83-34



SENCO
SN2, SN2+, SN3, SN4,
SN70, SN325, SN325+



SENCO
FramePro 601/651, FramePro 701XP/751XP,
SN901XP, SN951XP



SENCO
GT90CH



PASLODE
5300, 5325, 5350, 5350-90S Power
Master, GK312, GN212, SK312



PASLODE
325CT, 5350S, 900420, CF325 (902200),
IMCT, Impulse 325, Impulse 300,
Impulse 350, PF250S



PASLODE
F350S Power Master Plus,
F400S Power Master Plus, PF350S



HITACHI
NR83AA, NR83AA2, NR83AA3,
NR83AA3(S)



HITACHI
NR90AA, NR90AD, NR90AD(S),
NR90ADPR



HITACHI
NR90GC



MAX
SN883CH/34, SN890CH/34, SN890CH2/34



MAX
GS683CH-EX



BOSTITCH
F33PT, LPF33PT, N79PT, N90PT



FASCO
F5C, F6 HHN 31-90, F6AC HHN31,
R5C HHN 31-90SS-CT



MAKITA
AN942, AN943



PORTER CABLE
FC350, FC350A



SPOTNAILS
NTD90, YTD90

The fasteners that fit these tools are listed on the next page.

These INTERCHANGE nails are designed to fit the brands of tools shown. Not all tools accept the full range of fastener sizes listed. Refer to the tool model's specifications for the fastener size recommendations.

Additional sizes may be available.

Some of the items may be available by special order only.

For information, contact your INTERCHANGE Brands representative.



Interchange Brands hot dipped galvanized PT and PTOR nails meet the requirements of the 1991 ICBO Uniform Building Code (UBC) standards for power driven nails as specified in Table 25-17-T in Part IV. Furthermore, they exceed ASTM A641-91, Class II specifications for coating weight, which calls for a .5 ounce/ft².

Interchange hot dipped galvanized nail specification calls for a minimum thickness of 1.0 ounce/ft², doubling Class II specifications, exceeding ASTM A641-91, Class III.





Interchange Brands **RedLock** red coating fasteners have increased withdrawal values and are tested to exceed most standard coating holding power by at least 40%.

RedLock®
COATED NAILS
Exceeds standard holding power!

Clipped Head & Offset Round Head Paper Tape Collated Strip Nails


APPLICATIONS: Framing, decking, sheathing, siding, truss construction and fencing.



Strip Nails
Paper Tape Collated

34° Clipped Head Strip Nails - PT Series (Paper Tape Collated)

ORDER NO.	DESCRIPTION CODE	DESCRIPTION	POINT	QTY/STRIP	M/CTN
10410	PT06D113	2" x .113 Bright Decking Nail	Diamond	37	5.0 M
10430	PT06D113-G	2" x .113 Galvanized Decking Nail	Diamond	37	5.0 M
10440	PT06D113-GR	2" x .113 Galvanized Ring Decking Nail	Diamond	37	5.0 M
10435	PT06D113-HDG	2" x .113 Hot Dip Galvanized Decking Nail	Diamond	37	5.0 M
10445	PT06D113-HDGR	2" x .113 Hot Dip Galvanized Ring Decking Nail	Diamond	37	5.0 M
10420	PT06D113-R	2" x .113 Bright Ring Decking Nail	Diamond	37	5.0 M
10450	PT07D113-HC	2-1/4" x .113 High Carbon Decking Nail	Diamond	37	1.0 M
10460	PT08D113	2-3/8" x .113 Bright Decking Nail	Diamond	37	5.0 M
10480	PT08D113-G	2-3/8" x .113 Galvanized Decking Nail	Diamond	37	5.0 M
10490	PT08D113-GR	2-3/8" x .113 Galvanized Ring Decking Nail	Diamond	37	5.0 M
10485	PT08D113-HDG	2-3/8" x .113 Hot Dip Galvanized Decking Nail	Diamond	37	5.0 M
10495	PT08D113-HDGR	2-3/8" x .113 Hot Dip Galvanized Ring Decking Nail	Diamond	37	5.0 M
10470	PT08D113-R	2-3/8" x .113 Bright Ring Decking Nail	Diamond	37	5.0 M
10494	PT08D120	2-3/8" x .120 Bright Decking Nail	Diamond	37	5.0 M
10491	PT08D120-HDG	2-3/8" x .120 Hot Dip Galvanized Decking Nail	Diamond	37	5.0 M
10492	PT08D120-HDGR	2-3/8" x .120 Hot Dip Galvanized Ring Decking Nail	Diamond	37	5.0 M
10496	PT08D120-R	2-3/8" x .120 Bright Ring Decking Nail	Diamond	37	5.0 M
10500	PT10D120	3" x .120 Bright Framing Nail	Diamond	37	2.5 M
10515	PT10D120-G	3" x .120 Galvanized Framing Nail	Diamond	37	2.5 M
10520	PT10D120-GR	3" x .120 Galvanized Ring Framing Nail	Diamond	37	2.5 M
10524	PT10D120-HDG	3" x .120 Hot Dip Galvanized Framing Nail	Diamond	37	2.5 M
10525	PT10D120-HDGR	3" x .120 Hot Dip Galvanized Ring Framing Nail	Diamond	37	2.5 M
10510	PT10D120-R	3" x .120 Bright Ring Framing Nail	Diamond	37	2.5 M
10530	PT10D131	3" x .131 Bright Framing Nail	Diamond	37	2.5 M
10540	PT10D131-G	3" x .131 Galvanized Framing Nail	Diamond	37	2.5 M
10545	PT10D131-HDG	3" x .131 Hot Dip Galvanized Framing Nail	Diamond	37	2.5 M
10546	PT10D131-HDGR	3" x .131 Hot Dip Galvanized Ring Framing Nail	Diamond	37	2.5 M
10537	PT10D131-R	3" x .131 Bright Ring Framing Nail	Diamond	37	2.5 M
10535	PT10D131-S	3" x .131 Bright Screw Framing Nail	Diamond	37	2.5 M
10547	PT12D120	3-1/4" x .120 Bright Framing Nail	Diamond	37	2.5 M
10548	PT12D120-GR	3-1/4" x .120 Galvanized Ring Framing Nail	Diamond	37	2.5 M
10549	PT12D120-HDGR	3-1/4" x .120 Hot Dip Galvanized Ring Framing Nail	Diamond	37	2.5 M
10550	PT12D131	3-1/4" x .131 Bright Framing Nail	Diamond	37	2.5 M
10560	PT12D131-G	3-1/4" x .131 Galvanized Framing Nail	Diamond	37	2.5 M
10565	PT12D131-HDG	3-1/4" x .131 Hot Dip Galvanized Framing Nail	Diamond	37	2.5 M
10567	PT12D131-HDGR	3-1/4" x .131 Hot Dip Galvanized Ring Framing Nail	Diamond	37	2.5 M
10555	PT12D131-R	3-1/4" x .131 Bright Ring Framing Nail	Diamond	37	2.5 M
10570	PT16D131	3-1/2" x .131 Bright Framing Nail	Diamond	37	2.5 M
10580	PT16D131-G	3-1/2" x .131 Galvanized Framing Nail	Diamond	37	2.5 M
10585	PT16D131-HDG	3-1/2" x .131 Hot Dip Galvanized Framing Nail	Diamond	37	2.5 M



The coating on the HDG nails could be hot dipped zinc, hot dipped wire zinc or thermal diffusion zinc and all comply with ASTM A153 Standards.

34° Offset Round Head Strip Nails - PTOR Series (Paper Tape Collated)

ORDER NO.	DESCRIPTION CODE	DESCRIPTION	POINT	QTY/STRIP	M/CTN
10678	PTOR06D113-HDG	2" x .113 Hot Dip Galvanized Decking Nail	Diamond	37	5.0 M
10680	PTOR06D113-HDGR	2" x .113 Hot Dip Galvanized Ring Decking Nail	Diamond	37	5.0 M
10681	PTOR08D113	2-3/8" x .113 Bright Decking Nail	Diamond	37	5.0 M
10682	PTOR08D113-HDG	2-3/8" x .113 Hot Dip Galvanized Decking Nail	Diamond	37	5.0 M
10684	PTOR08D113-HDGR	2-3/8" x .113 Hot Dip Galvanized Ring Decking Nail	Diamond	37	5.0 M
10683	PTOR08D113-R	2-3/8" x .113 Bright Ring Decking Nail	Diamond	37	5.0 M
10686	PTOR10D120	3" x .120 Bright Framing Nail	Diamond	37	2.5 M
10688	PTOR10D120-HDG	3" x .120 Hot Dip Galvanized Framing Nail	Diamond	37	2.5 M
10692	PTOR10D120-HDGR	3" x .120 Hot Dip Galvanized Ring Framing Nail	Diamond	37	2.5 M
10694	PTOR10D131	3" x .131 Bright Framing Nail	Diamond	37	2.5 M
10696	PTOR10D131-HDG	3" x .131 Hot Dip Galvanized Framing Nail	Diamond	37	2.5 M
10698	PTOR10D131-HDGR	3" x .131 Hot Dip Galvanized Ring Framing Nail	Diamond	37	2.5 M
10699	PTOR12D131	3-1/4" x .131 Bright Framing Nail	Diamond	37	2.5 M
10700	PTOR12D131-HDG	3-1/4" x .131 Hot Dip Galvanized Framing Nail	Diamond	37	2.5 M
10705	PTOR16D131	3-1/2" x .131 Bright Framing Nail	Diamond	37	2.5 M

The tool pictures may vary from actual tool.

The information in this catalog represents current information related to the compatibility between the fasteners and the pneumatic or cordless tools.

Use this information as a guideline only.


Round Head Plastic Collated Strip Nails

APPLICATIONS: Framing, decking, sheathing, subflooring and truss construction.

Strip Nails
Plastic Collated



INTERCHANGE
NSR83-21,
NSR83-21SPS, NSR83-21XP



INTERCHANGE
NSR83-21HD



HITACHI
NR83A, NR83A2, NR83A2S, NR83A2S(1),
NR83A2(Y), NR90AC, NR90AC2, NR90AC3



HITACHI
NR90AE, NR90AE(S), NR90AEPR,
NR90GR, NR90GR2



BOSTITCH
F21PL, F21PL2, LPF21PL, KN85PP-1,
N88RH, N88RH-MCN2, N90RHN, N95RHN,
N95-162



BOSTITCH
N79RH, RN90



SENCO
FramePro 502, FramePro 600,
FramePro 602, FramePro 702XP,
FramePro 752XP



SENCO
FramePro 650, FramePro 652,
FramePro 700XL, FramePro 750XL



SENCO
SN60, SN65, SN65C



SENCO
SN902XP, SN952XP



SENCO
GT90FRH



MAX
GS683RH-EX



MAX
SN80, SN90, SN90A, SN883RH,
SN883RH2, SN890RH



PASLODE
5325/SRH, 5350/SRH-20



DUO-FAST
DF350CN



DUO-FAST
CN-137, CN-350, CN-350B,
CN-350B-SH, NSP-350F1,
NSP-350F2, SNP-83



FASCO
F5C RHN20-83, F6 RHN20-90,
F6C RHN20-100, R5C RHN20-90SS-CT



MAKITA
AN922, AN923, AN8300



PORTER CABLE
FR350, FR350A, FR350MAG, FR350NC,



SPOTNAILS
NPR90, YPR90

These INTERCHANGE nails are designed to fit the brands of tools shown. Not all tools accept the full range of fastener sizes listed. Refer to the tool model's specifications for the fastener size recommendations.

Additional sizes may be available.

Some of the items may be available by special order only.


For information, contact your INTERCHANGE Brands representative.

The fasteners that fit these tools are listed on the next page.

Round Head Plastic Collated Strip Nails

APPLICATIONS: Framing, decking, sheathing, subflooring and truss construction.

The tools that shoot these fasteners are shown on the previous page.



21° Round Head Strip Nails - DPS Series (Plastic Collated)

ORDER NO.	DESCRIPTION CODE	DESCRIPTION	POINT	QTY/STRIP	M/CTN
12015	DPS06D113	2" x .113 Bright Decking Nail	Diamond	25	6.0 M
12016	DPS06D113-G	2" x .113 Galvanized Decking Nail	Diamond	25	6.0 M
12017	DPS06D113-GR	2" x .113 Galvanized Ring Decking Nail	Diamond	25	6.0 M
12008	DPS06D113-HDGR	2" x .113 Hot Dip Galvanized Ring Decking Nail	Diamond	25	6.0 M
12022	DPS07D120-HCHDGS	2-1/4" x .120 High Carbon Hot Dip Galvanized Screw Decking Nail	Diamond	25	3.0 M
12020	DPS07D120-HC	2-1/4" x .120 High Carbon Decking Nail	Diamond	25	5.0 M
12025	DPS08D113	2-3/8" x .113 Bright Decking Nail	Diamond	25	5.0 M
12040	DPS08D113-G	2-3/8" x .113 Galvanized Decking Nail	Diamond	25	5.0 M
12042	DPS08D113-GR	2-3/8" x .113 Galvanized Ring Decking Nail	Diamond	25	5.0 M
12037	DPS08D113-HDG	2-3/8" x .113 Hot Dip Galvanized Decking Nail	Diamond	25	5.0 M
12038	DPS08D113-HDGR	2-3/8" x .113 Hot Dip Galvanized Ring Decking Nail	Diamond	25	5.0 M
12032	DPS08D113-HDGS	2-3/8" x .113 Hot Dip Galvanized Screw Decking Nail	Diamond	25	5.0 M
12030	DPS08D113-R	2-3/8" x .113 Bright Ring Decking Nail	Diamond	25	5.0 M
12035	DPS08D113-S	2-3/8" x .113 Bright Screw Decking Nail	Diamond	25	5.0 M
12050	DPS08D131	2-1/2" x .131 Bright Decking Nail	Diamond	25	5.0 M
12073	DPS09D120-S	2-3/4" x .120 Bright Screw Decking Nail	Diamond	25	4.0 M
12060	DPS10D120	3" x .120 Bright Framing Nail	Diamond	25	4.0 M
12066	DPS10D120-GR	3" x .120 Galvanized Ring Framing Nail	Diamond	25	4.0 M
12053	DPS10D120-HDGR	3" x .120 Hot Dip Galvanized Ring Framing Nail	Diamond	25	4.0 M
12072	DPS10D120-HDGS	3" x .120 Hot Dip Galvanized Screw Framing Nail	Diamond	25	4.0 M
12064	DPS10D120-R	3" x .120 Bright Ring Framing Nail	Diamond	25	4.0 M
12063	DPS10D120-S	3" x .120 Bright Screw Framing Nail	Diamond	25	4.0 M
12070	DPS10D131	3" x .131 Bright Framing Nail	Diamond	25	4.0 M
12085	DPS10D131-G	3" x .131 Galvanized Framing Nail	Diamond	25	4.0 M
12087	DPS10D131-GR	3" x .131 Galvanized Ring Framing Nail	Diamond	25	4.0 M
12082	DPS10D131-HDG	3" x .131 Hot Dip Galvanized Framing Nail	Diamond	25	4.0 M
12083	DPS10D131-HDGR	3" x .131 Hot Dip Galvanized Ring Framing Nail	Diamond	25	4.0 M
12074	DPS10D131-R	3" x .131 Bright Ring Framing Nail	Diamond	25	4.0 M
12075	DPS10D131-S	3" x .131 Bright Screw Framing Nail	Diamond	25	4.0 M
12110	DPS12D120	3-1/4" x .120 Bright Framing Nail	Diamond	25	4.0 M
12115	DPS12D131	3-1/4" x .131 Bright Framing Nail	Diamond	25	4.0 M
12130	DPS12D131-G	3-1/4" x .131 Galvanized Framing Nail	Diamond	25	4.0 M
12122	DPS12D131-GS	3-1/4" x .131 Galvanized Screw Framing Nail	Diamond	25	4.0 M
12140	DPS12D131-HDG	3-1/4" x .131 Hot Dip Galvanized Nail	Diamond	25	4.0 M
12142	DPS12D131-HDGS	3-1/4" x .131 Hot Dip Galvanized Screw Framing Nail	Diamond	25	4.0 M
12117	DPS12D131-S	3-1/4" x .131 Bright Screw Framing Nail	Diamond	25	4.0 M
12148	DPS16D131	3-1/2" x .131 Bright Framing Nail	Diamond	25	4.0 M

The coating on the HDG nails could be hot dipped zinc, hot dipped wire zinc or thermal diffusion zinc and all comply with ASTM A153 Standards.

NAILS

STANDARD - Nails are Bright Wire, Smooth Shank and Diamond Point unless otherwise specified

Other Finishes:

Red highlighted items are Stainless Steel (SS) 304 Grade

Blue highlighted items are Hot Dip Galvanized (HDG) ASTM A153

Yellow highlighted items are Electro-Galvanized (G) ASTM A641

Gray highlighted items are Heat Treated (HT) or High Carbon (HC)

Ask for Interchange Brands Fasteners, in the Green Boxes



Strip Nails
Plastic Collated

The tool pictures may vary from actual tool.

The information in this catalog represents current information related to the compatibility between the fasteners and the pneumatic or cordless tools.

Use this information as a guideline only.

Joist Hanger Plastic and Paper Tape Collated Nails

APPLICATIONS: Joist hanger and metal connector installation. Some tools may also be used for framing, exterior decking, sheathing, siding, fencing and truss construction.




HITACHI
NR90AC, NR90AC2, NR90AC3,
NR90AE, NR90AEPR, NR90AE(S)



BOSTITCH
F21PL, F21PL2, N88RH-MCN-2



SENCO
SN60MC



21° Joist Hanger/Plywood Nails - DPS Series (Plastic Collated)

ORDER NO.	DESCRIPTION CODE	DESCRIPTION	POINT	QTY/STRIP	M/CTN
12205	DPS04D131	1-1/2" x .131 Joist Hanger Nail	Diamond	25	5.0 M
12210	DPS04D148	1-1/2" x .148 Joist Hanger Nail	Diamond	25	6.0 M
12216	DPS06D148	2-1/8" x .148 Joist Hanger Nail	Diamond	25	5.0 M
14862	DPS07D148	2-1/4" x .148 Joist Hanger Nail	Diamond	25	4.0 M
12223	DPS07D148-R	2-1/4" x .148 Ring Shank Joist Hanger Nail	Diamond	25	5.0 M
14864	DPS07D148-S	2-1/4" x .148 Screw Shank Joist Hanger Nail	Diamond	25	4.0 M
12232	DPS08D148-R	2-3/8" x .148 Ring Shank Joist Hanger Nail	Diamond	25	4.0 M
12217	DPS08D162	2-3/8" x .162 Joist Hanger Nail	Diamond	25	4.0 M
12300	DPS10D148	3" x .148 Joist Hanger Nail	Diamond	25	4.0 M
12343	DPS12D148	3-1/4" x .148 Joist Hanger Nail	Diamond	25	3.0 M
12350	DPS16D162	3-1/2" x .162 Joist Hanger Nail	Diamond	25	2.5 M



INTERCHANGE
NSJH38-34



INTERCHANGE
NSJH64-34



PASLODE
5250/655 PP, 5250S PP



PASLODE
F250S-PP, IMPULSE 325-PP, PF150S-PP



BOSTITCH
MCN150, MCN250



HITACHI
NR65AK, NR65AK(S)

34° Joist Hanger/Plywood Nails - PTJH Series (Round Head, Paper Tape Collated)

ORDER NO.	DESCRIPTION CODE	DESCRIPTION	POINT	QTY/STRIP	M/CTN
10605	PTJH04D131-HC	1-1/2" x .131 High Carbon Smooth Shank Joist Hanger Nail	Diamond	22	4.0 M
10610	PTJH04D148-HC	1-1/2" x .148 High Carbon Smooth Shank Joist Hanger Nail	Diamond	22	3.0 M
10608	PTJH04D148-HDG	1-1/2" x .148 Hot Dip Galvanized Smooth Joist Hanger Nail	Diamond	22	3.0 M
10620	PTJH08D148-HC	2-1/2" x .148 High Carbon Smooth Shank Joist Hanger Nail	Diamond	22	2.5 M
10616	PTJH08D162-HC	2-1/2" x .162 High Carbon Smooth Shank Joist Hanger Nail	Diamond	22	2.0 M



INTERCHANGE


Mini Palm Nailer
Model No. MPN Item No. 64350

*Shoots 16d Bulk Nails
up to 3-1/2"*



Round Head Wire Collated Coil Nails

APPLICATIONS: Floor and wall framing, siding, decking, sheathing, subflooring, fencing, wood shingles, pallets, boxes and crating.



**Coil Nails - Wire Collated
(Framing & Decking)**



INTERCHANGE
CN70-15, CN80-15, CN80F-15

INTERCHANGE
CN70-I, CN80-I



BOSTITCH
N66C, N75C-1, N80C, N80CB, N86C,
N89C, N100C, N100CPP, N400C-1



HITACHI
NV65AB, NV65AC, NV65AE,
NV83A, NV83A2, NV83A3



SENCO
SCN49, SCN60, SCN65, SCN300,
SN200, SCN65XP



MAX
CN70, CN80, CN80F, CN100,
CN665, CN890S, CN890II



MAX
HN90 High Pressure



PASLODE
F275C, F325C, F4250/65CP,
F4275/CN70, 5325/CN80



DUO-FAST
CNW-75, DCN-325/85L



FASCO
F48C CN15W-55, F58 CN15W-70,
F58 CN15W-80, F6AC CN15W-90B



PORTER CABLE
COIL350



MAKITA
AN621, AN901



SPOTNAILS
YC83

15° Framing and Decking Nails - HWCF Series (Flat Coil, Wire Collated)

ORDER NO.	DESCRIPTION CODE	DESCRIPTION	POINT	QTY/COIL	M/CTN
16342	HWCF04D113-HT	1-1/2" x .113 Heat Treated Decking Nail	Diamond	225	4.5M
16239	HWCF07D113-HT	2-1/4" x .113 Heat Treated Decking Nail	Diamond	225	4.5M
16240	HWCF08D113	2-3/8" x .113 Bright Decking Nail	Diamond	250	5.0 M
16243	HWCF08D113-G	2-3/8" x .113 Galvanized Decking Nail	Diamond	250	5.0 M
16134	HWCF08D113-GR	2-3/8" x .113 Galvanized Ring Decking Nail	Diamond	250	5.0 M
16211	HWCF08D113-HDGR	2-3/8" x .113 Hot Dip Galvanized Ring Decking Nail	Diamond	250	4.0 M
16177	HWCF08D113-R	2-3/8" x .113 Bright Ring Decking Nail	Diamond	250	5.0 M
16446	HWCF08D113-GR	2-1/2" x .113 Galvanized Ring Decking Nail	Diamond	250	3.0 M
16439	HWCF08D131	2-1/2" x .131 Bright Decking Nail	Diamond	225	4.5 M
16454	HWCF08D148	2-1/2" x .148 Bright Framing Nail	Diamond	225	4.0 M
16250	HWCF09D120-R	2-3/4" x .120 Bright Ring Framing Nail	Diamond	225	4.5 M
16153	HWCF10D120	3" x .120 Bright Framing Nail	Diamond	225	4.5 M
16180	HWCF10D120-G	3" x .120 Galvanized Framing Nail	Diamond	225	4.0 M
16179	HWCF10D120-HDGR	3" x .120 Hot Dip Galvanized Ring Framing Nail	Diamond	225	4.0 M
16458	HWCF10D120-HDGS	3" x .120 Hot Dip Galvanized Screw Framing Nail	Diamond	225	4.0 M
16451	HWCF10D120-R	3" x .120 Bright Ring Framing Nail	Diamond	225	4.5 M
16169	HWCF10D120-S	3" x .120 Bright Screw Framing Nail	Diamond	225	4.5 M
16260	HWCF10D131	3" x .131 Bright Framing Nail	Diamond	225	4.5 M
16164	HWCF12D120	3-1/4" x .120 Bright Framing Nail	Diamond	225	4.0 M
16462	HWCF12D120-S	3-1/4" x .120 Bright Screw Framing Nail	Diamond	225	4.5 M
16474	HWCF12D131	3-1/4" x .131 Bright Framing Nail	Diamond	225	4.0 M
16491	HWCF12D131-HDGR	3-1/4" x .131 Hot Dip Galvanized Ring Framing Nail	Diamond	250	2.5 M
16496	HWCF20D120-S	4" x .120 Bright Screw Framing Nail	Diamond	225	4.5 M

The coating on the HDG nails could be hot dipped zinc, hot dipped wire zinc or thermal diffusion zinc and all comply with ASTM A153 Standards.



The tool pictures may vary from actual tool.
The information in this catalog represents current information related to the compatibility between the fasteners and the pneumatic or cordless tools.
Use this information as a guideline only.

Round Head Wire Collated Coil Nails

APPLICATIONS: Pallet, box, fence and crate assembly and repair.



15° Pallet Nails - HWCF Series (Flat Coil, Wire Collated) 8.0 Pitch - for CN70, CN80 and similar models

ORDER NO.	DESCRIPTION CODE	TOOL	DESCRIPTION	POINT	QTY/COIL	M/CTN
16181	HWCF05D092-SBC	CN70	1-3/4" x .092 Bright Screw Nail	Blunt Chisel	300	9.0 M
16182	HWCF05D092-SBD	CN70	1-3/4" x .092 Bright Screw Nail	Blunt Diamond	300	9.0 M
16744	HWCF06D092-SBC	CN70	2" x .092 Bright Screw Nail	Blunt Chisel	300	9.0 M
16183	HWCF06D092-SBD	CN70	2" x .092 Bright Screw Nail	Blunt Diamond	300	9.0 M
16184	HWCF07D092-SBC	CN70	2-1/4" x .092 Bright Screw Nail	Blunt Chisel	300	9.0 M
16185	HWCF07D092-SBD	CN70	2-1/4" x .092 Bright Screw Nail	Blunt Diamond	300	9.0 M
16230	HWCF04D099-SBC	CN70	1-1/2" x .099 Bright Screw Nail	Blunt Chisel	300	7.2 M
16110	HWCF05D099-SBC	CN70	1-3/4" x .099 Bright Screw Nail	Blunt Chisel	300	9.0 M
16111	HWCF05D099-SBD	CN70	1-3/4" x .099 Bright Screw Nail	Blunt Diamond	300	9.0 M
16115	HWCF06D099-SBC	CN70	2" x .099 Bright Screw Nail	Blunt Chisel	300	9.0 M
16116	HWCF06D099-SBD	CN70	2" x .099 Bright Screw Nail	Blunt Diamond	300	9.0 M
16120	HWCF07D099-SBC	CN70	2-1/4" x .099 Bright Screw Nail	Blunt Chisel	300	9.0 M
16119	HWCF07D099-SBD	CN70	2-1/4" x .099 Bright Screw Nail	Blunt Diamond	300	9.0 M
16125	HWCF08D099-SBC	CN70	2-1/2" x .099 Bright Screw Nail	Blunt Chisel	300	9.0 M
16128	HWCF08D099-SBD	CN70	2-1/2" x .099 Bright Screw Nail	Blunt Diamond	300	9.0 M
16251	HWCF09D099-SBC	CN70	2-3/4" x .099 Bright Screw Nail	Blunt Chisel	300	5.0 M
16254	HWCF09D099-SBD	CN70	2-3/4" x .099 Bright Screw Nail	Blunt Diamond	300	5.0 M
16141	HWCF07D113-SBC	CN70	2-1/4" x .113 Bright Screw Nail	Blunt Chisel	250	9.0 M
16186	HWCF07D113-SBD	CN70	2-1/4" x .113 Bright Screw Nail	Blunt Diamond	250	9.0 M
16237	HWCF08D113-SBC	CN70	2-1/2" x .113 Bright Screw Nail	Blunt Chisel	300	6.0 M
16138	HWCF08D113-SBD	CN70	2-1/2" x .113 Bright Screw Nail	Blunt Diamond	300	6.0 M

15° Pallet Nails - HWCF Series (Flat Coil, Wire Collated) 6.8 Pitch for CN55 and similar models

ORDER NO.	DESCRIPTION CODE	TOOL	DESCRIPTION	POINT	QTY/COIL	M/CTN
16714	HWCF04D092-SBC-X	CN55	1-1/2" x .092 Bright Screw Nail	Blunt Chisel	300	9.0 M
16486	HWCF05D086-SBC	CN55	1-3/4" x .086 Bright Screw Nail, Large Head*	Blunt Chisel	350	14.0 M
16095	HWCF05D086-SBD	CN55	1-3/4" x .086 Bright Screw Nail, Large Head*	Blunt Diamond	350	14.0 M
16087	HWCF05D092-SBC-X	CN55	1-3/4" x .092 Bright Screw Nail, Large Head*	Blunt Chisel	300	9.0 M
16088	HWCF05D092-SBD-X	CN55	1-3/4" x .092 Bright Screw Nail, Large Head*	Blunt Diamond	300	9.0 M
16098	HWCF06D086-SBC-X	CN55	2" x .086 Bright Screw Nail, Large Head*	Blunt Chisel	300	9.0 M
16093	HWCF06D092-SBC-X	CN55	2" x .092 Bright Screw Nail, Large Head*	Blunt Chisel	300	9.0 M
16094	HWCF06D092-SBD-X	CN55	2" x .092 Bright Screw Nail, Large Head*	Blunt Diamond	300	9.0 M
16097	HWCF07D092-SBC-X	CN55	2-1/4" x .092 Bright Screw Nail, Large Head*	Blunt Chisel	300	9.0 M

6.8 pitch is the standard for nails .090 and smaller; nails larger than .090 are 8.0 pitch, but they can be special ordered with a 6.8 pitch. Items designated with a -X in the Description Codes above are special order 6.8 pitch nails.

*The heads on the large head nails are 5.7mm

These INTERCHANGE nails are designed to fit the brands of tools shown. Not all tools accept the full range of fastener sizes listed. Refer to the tool model's specifications for the fastener size recommendations.

Additional sizes may be available.

Some of the items may be available by special order only.

For information, contact your INTERCHANGE Brands representative.

INTERCHANGE

Round Head Wire Collated Coil Nails

APPLICATIONS: Pallets, crating, subflooring, siding, wall and roof sheathing, decking, shingles and fencing.



HITACHI
NV50A1



BOSTITCH
N50C, N55C, N64C, N65C, N65CP,
N65CP-1, N65CP-2




SENCO
SCN55S



MAX
CN550S



SPOTNAILS
VCN50



Coil Nails - Wire Collated
(Pallet)

15° Mini Nails - HWCC Series (Cone Coil, Wire Collated)

ORDER NO.	DESCRIPTION CODE	DESCRIPTION	POINT	QTY/COIL	M/CTN
16305	HWCC03D083	1-1/4" x .083 Bright Nail	Diamond	350	16.0 M
16306	HWCC03D083-R	1-1/4" x .083 Bright Ring Nail	Diamond	350	16.0 M
16307	HWCC03D083-S	1-1/4" x .083 Bright Screw Nail	Diamond	350	16.0 M
16309	HWCC03D083-GR	1-1/4" x .083 Galvanized Ring Nail	Diamond	350	16.0 M
16399	HWCC05D083-GR	1-3/4" x .083 Galvanized Ring Nail	Diamond	350	16.0 M
16415	HWCC06D083-GR	2" x .083 Galvanized Ring Nail	Diamond	350	16.0 M
16411	HWCC06D083-R	2" x .083 Bright Ring Nail	Diamond	350	16.0 M

Round Head Wire Collated Nails: Large Coil for Mounted Tools

APPLICATIONS: Pallet manufacturing.



INTERCHANGE
CN70-PAL

Pallet Manufacturing Systems


Note: Special equipment is required to use the high load nails.



15° Pallet Nails - MWCL Series (High Load, Flat Coil, Wire Collated)

ORDER NO.	DESCRIPTION CODE	DESCRIPTION	POINT	QTY/COIL	M/CTN
16786	MWCL04D099-SBC	1-1/2" x .099 Bright Screw Nail	Blunt Chisel	3000	9.0 M
16788	MWCL05D099-SBC	1-3/4" x .099 Bright Screw Nail	Blunt Chisel	3000	9.0 M
16789	MWCL05D099-SBD	1-3/4" x .099 Bright Screw Nail	Blunt Diamond	3000	9.0 M
16790	MWCL06D099-SBC	2" x .099 Bright Screw Nail	Blunt Chisel	3000	9.0 M
16795	MWCL06D099-SBD	2" x .099 Bright Screw Nail	Blunt Diamond	3000	9.0 M
16791	MWCL07D099-SBC	2-1/4" x .099 Bright Screw Nail	Blunt Chisel	3000	9.0 M
16807	MWCL08D099-SBD	2-1/2" x .099 Bright Screw Nail	Blunt Diamond	3000	9.0 M

INTERCHANGE Nails and Brads




The tool pictures may vary from actual tool.

The information in this catalog represents current information related to the compatibility between the fasteners and the pneumatic or cordless tools.

Use this information as a guideline only.

Round Head Wire Collated Coil Nails

APPLICATIONS: Siding, fencing, decking, shingles, subflooring, sheathing, pallets and crating.



INTERCHANGE
CN565-15,
CN55-15, CN70-15, CN80-15

INTERCHANGE
CN57-1,
CN70-1, CN80-1



HITACHI
NV65AB, NV65AE,
NV65AH, NV75AG



BOSTITCH
N50C, N55C, N64C,
N65CP, N65CP-1, N65CP-2



SENCO
SCN45, SCN49, SCN49XP,
SCN55S, SCN56



MAX
CN55, CN550S, CN565D,
CN565S, CN665, CN890S,
CN890II



FASCO
F45C CN15W, F48C CN15W-55,
F58 CN15W-70, F58 CN15W-80,
F6AC CN15W-90B, R4CN15W-50



SPOTNAILS
LCN57, UCNM65



15° Siding and Fencing Nails - HWCF Series (Flat Coil, Wire Collated)

ORDER NO.	DESCRIPTION CODE	DESCRIPTION	POINT	QTY/COIL	M/CTN
16063	HWCF03D092-HDGR	1-1/4" x .092 Hot Dip Galvanized Ring Nail	Diamond	300	3.6 M
15744	HWCF04D090-HDGR	1-1/2" x .090 Hot Dip Galvanized Ring Nail	Diamond	350	3.6 M
16720	HWCF04D092-HDGR	1-1/2" x .092 Hot Dip Galvanized Ring Nail	Diamond	350	3.6 M
16161	HWCF04D099-GR	1-1/2" x .099 Galvanized Ring Nail	Diamond	300	9.0 M
16089	HWCF05D083-GR	1-3/4" x .083 Galvanized Ring Nail	Diamond	350	16.0 M
16736	HWCF05D086-HDGR	1-3/4" x .086 Hot Dip Galvanized Ring Nail	Diamond	350	10.5 M
14685	HWCF05D090-HDGR	1-3/4" x .090 Hot Dip Galvanized Ring Nail	Diamond	350	3.6 M
16066	HWCF05D092-GR	1-3/4" x .092 Galvanized Ring Nail	Diamond	300	3.6 M
16745	HWCF05D092-HDGR	1-3/4" x .092 Hot Dip Galvanized Ring Nail	Diamond	300	3.6 M
16220	HWCF05D099-GR	1-3/4" x .099 Galvanized Ring Nail	Diamond	300	9.0 M
16747	HWCF06D092-GR	2" x .092 Galvanized Ring Nail	Diamond	300	3.6 M
16743	HWCF06D092-HDGR	2" x .092 Hot Dip Galvanized Ring Nail	Diamond	300	3.6 M
16114	HWCF06D099-GR	2" x .099 Galvanized Ring Nail	Diamond	300	9.0 M
16172	HWCF06D099-HDGR	2" x .099 Hot Dip Galvanized Ring Nail	Diamond	300	9.0 M
16753	HWCF07D092-G	2-1/4" x .092 Galvanized Nail	Diamond	300	3.6 M
16764	HWCF07D092-GR	2-1/4" x .092 Galvanized Ring Nail	Diamond	300	3.6 M
16761	HWCF07D092-HDG	2-1/4" x .092 Hot Dip Galvanized Nail	Diamond	300	3.6 M
16766	HWCF07D092-HDGR	2-1/4" x .092 Hot Dip Galvanized Ring Nail	Diamond	300	3.6 M
16130	HWCF08D099-G	2-3/8" x .099 Galvanized Nail	Diamond	300	9.0 M
16127	HWCF08D099-GR	2-3/8" x .099 Galvanized Ring Nail	Diamond	300	9.0 M

The coating on the HDG nails could be hot dipped zinc, hot dipped wire zinc or thermal diffusion zinc and all comply with ASTM A153 Standards.

*Not all tools accept the full range of fastener sizes listed.
Refer to your tool model's specifications for the fastener size recommendations.*

A Note On ACQ (Alkaline Copper Quaternary) and Fastener Recommendations when using Pressure Treated Lumber

On January 1, 2004, government mandates went into effect requiring companies engaged in pressure-treating lumber as a form of preservative to cease using chemical compounds that contain arsenic. Chromated Copper Arsenic, or CCA, was the most common compound used in the market and its use will nearly cease as a result.

In response to this mandate, several formulations have been and will be hitting the market. While they all will conform to the new government standards for toxicity, almost all of them will be extremely corrosive to any form of metal that comes in contact with wood preserved with them. This includes fasteners, framing hardware, strapping and any other metallic objects. Testing to determine

proper recommendations for products that tolerate this corrosive environment have been confusing, contradictory and lacking consensus for the most part.

Until more is understood about the effects of the various formulations on the market with metallic objects in general and fasteners in particular, Interchange Brands, LLC recommends the use of stainless steel as the basis material for fasteners used in pressure-treated lumber. The peace of mind afforded by using stainless steel far outweighs the cost in what is currently an uncertain situation. Fastener failures caused by accelerated corrosion in the applications where preserved lumber is used could have significant consequences that can be avoided by using stainless steel.

These INTERCHANGE nails are designed to fit the brands of tools shown. Not all tools accept the full range of fastener sizes listed. Refer to the tool model's specifications for the fastener size recommendations.


Additional sizes may be available.

Some of the items may be available by special order only.

For information, contact your INTERCHANGE Brands representative.

Round Head Plastic Sheet Collated Coil Nails

APPLICATIONS: Siding, fencing, shingles and decking.



INTERCHANGE
CN565-15



MAX
CN565D, CN565S



MAX
CN890S



HITACHI
NV65AH, NV75AG



BOSTITCH
N63CP, N63CP-1, N63CP-2,
N65CRP, N66C



SENCO
SCN49, SCN49XP,
SCN55S, SCN56



FASCO
F45C CN15W-PS65-CT/SS



MAKITA
AN611

15° Plastic Sheet Collated Coil Nails - MPC Series

ORDER NO.	DESCRIPTION CODE	DESCRIPTION	POINT	QTY/COIL	M/CTN
16846	MPC06D092-HDG	2" x .092 Hot Dip Galvanized Nail	Diamond	300	6.0 M
16847	MPC06D092-HDGR	2" x .092 Hot Dip Galvanized Ring Nail	Diamond	300	6.0 M
16858	MPC07D092-G	2-1/4" x .092 Galvanized Nail	Diamond	300	4.8 M
16860	MPC07D092-HDG	2-1/4" x .092 Hot Dip Galvanized Nail	Diamond	300	4.8 M
16878	MPC08D092-HDG	2-1/2" x .092 Hot Dip Galvanized Nail	Diamond	300	4.8 M
16880	MPC08D092-HDGR	2-1/2" x .092 Hot Dip Galvanized Ring Nail	Diamond	300	4.8 M

The coating on the HDG nails could be hot dipped zinc, hot dipped wire zinc or thermal diffusion zinc and all comply with ASTM A153 Standards.



DUO-FAST
DF225-C

0° Plastic Sheet Collated Coil Nails - DPC Series

ORDER NO.	DESCRIPTION CODE	DESCRIPTION	POINT	QTY/COIL	M/CTN
14016	DPC05D086-HDGR	1-7/8" x .086 Hot Dip Galvanized Ring Nail	Diamond	300	3.6M
14018	DPC05D086-SSR	1-7/8" x .086 Stainless Steel Ring Nail	Diamond	300	3.6M
14008	DPC05D092-G	1-7/8" x .092 Galvanized Nail	Diamond	300	9.0 M
14009	DPC05D092-GR	1-7/8" x .092 Galvanized Ring Nail	Diamond	300	9.0 M
14017	DPC05D099-ALUS	1-7/8" x .099 Aluminum Screw Nail	Diamond	300	9.0 M
14020	DPC06D099-S	2" x .099 Bright Screw Nail	Diamond	300	9.0 M
14032	DPC07D099-S	2-1/4" x .099 Bright Screw Nail	Diamond	300	7.2 M
14036	DPC40D148	5" x .148" Bright Nail	Diamond	150	1.8 M

The tool pictures may vary from actual tool.

The information in this catalog represents current information related to the compatibility between the fasteners and the pneumatic or cordless tools.

Use this information as a guideline only.

Wire Collated Coil Roofing Nails

APPLICATIONS: Asphalt and fiberglass shingles, roofing felt, foam and fiberboard sheathing and insulation board.



INTERCHANGE
CRN4500

INTERCHANGE
CRN45-15



HITACHI
NV45AB, NV45AB2, NV45AB2(S),
NV45AC, NV45AE



MAX
CN445R, CN445R2, CN450R



BOSTITCH
N12, N12B, N12-40, RN45, RN45B,
RN45B-1, RN46, RN46-1



SENCO
SCN40R, SCN200R, RoofPro 450,
RoofPro 455XP



PASLODE
3175/44RCU, R-175C



DUO-FAST
DRN-45, RN-175A



FASCO
F3C CN15W-32CT ROOF, F4 CN15W-45,
F48 CN15W-45, R4 CN15W-45CT



MAKITA
AN451, AN453



PORTER CABLE
134R, RN175, RN175A



SPOTNAILS
CRN114, KR45, VRN45

Galvanized Roofing Nails - CR Series

ORDER NO.	DESCRIPTION CODE	DESCRIPTION	POINT	QTY/COIL	M/CTN
16005	CR34-G	3/4" x .120 Galvanized Roofing Nail	Diamond	120	7.2 M
16010	CR78-G	7/8" x .120 Galvanized Roofing Nail	Diamond	120	7.2 M
16020	CR1-G	1" x .120 Galvanized Roofing Nail	Diamond	120	7.2 M
16021	CR1-HDG	1" x .120 Hot Dip Galvanized Roofing Nail	Diamond	120	7.2 M
16030	CR114-G	1-1/4" x .120 Galvanized Roofing Nail	Diamond	120	7.2 M
16031	CR114-HDG	1-1/4" x .120 Hot Dip Galvanized Roofing Nail	Diamond	120	7.2 M
16037	CR114-SSR	1-1/4" x .120 Stainless Steel Ring Roofing Nail	Diamond	120	7.2 M
16040	CR112-G	1-1/2" x .120 Galvanized Roofing Nail	Diamond	120	7.2 M
16041	CR112-HDG	1-1/2" x .120 Hot Dip Galvanized Roofing Nail	Diamond	120	7.2 M
16050	CR134-G	1-3/4" x .120 Galvanized Roofing Nail	Diamond	120	7.2 M
16051	CR134-HDG	1-3/4" x .120 Hot Dip Galvanized Roofing Nail	Diamond	120	7.2 M

These INTERCHANGE nails are designed to fit the brands of tools shown. Not all tools accept the full range of fastener sizes listed. Refer to the tool model's specifications for the fastener size recommendations.

Additional sizes may be available.

Some of the items may be available by special order only.

For information, contact your INTERCHANGE Brands representative.



NAILS

STANDARD - Nails are Bright Wire, Smooth Shank and Diamond Point unless otherwise specified

Other Finishes:

Red highlighted items are Stainless Steel (SS) 304 Grade

Blue highlighted items are Hot Dip Galvanized (HDG) ASTM A153

Yellow highlighted items are Electro-Galvanized (G) ASTM A641

Gray highlighted items are Heat Treated (HT) or High Carbon (HC)

18 Gauge Brads

APPLICATIONS: Decorative mouldings, picture frame assembly, trim and cabinet building.



Brads



INTERCHANGE
NB5018

INTERCHANGE
NB3518C



SENCO
FinishPro 2N1, FinishPro 15, 15XP,
FinishPro 15Mg,
FinishPro 18, 18XP,
FinishPro 18Mg, FinishPro 25XP



SENCO
LS4, LS5, SLP20, SLP20/LS1,
SLP20XP, SDN18BR



SENCO
FN55AX, FUSION F-18



HITACHI
NT32AE, NT32AE2, NT45A, NT50AD,
NT50AE, NT50AE2, NT50AE2(S), NT50GS



MAX
NF211/18-25, NF211/18-50,
NF221/18-55, NF235-F/18, NF255-ST/18



PASLODE
T125-F18, T200-F18,
Cordless 901000



PASLODE
2138-F18, 2138-F18II,
IM200-F18



BOSTITCH
BT31-1B, BT35B, BT50B, BT125K-2,
BT125SK, BT200K, BT200K-2



BOSTITCH
BT1850K, T29-30, T31-1,
SB-1842BN, SB-1850BN, SB-2IN1



DUO-FAST
BB-4440, DBN-4440, DBN-4450,
DBN-40525C, PRO-5,
SureShot 4450, SureShot 4450ST



FASCO
F2B GN-50 F.S., F20 PGN-31CT,
F20 TGN-40CT, F25A GN-40,
F26C GN-50SS, R3C GN-50CT



OMER
12.20, 12.20D, 12.40, 12.50



PORTER CABLE
BN125, BN125A, BN138, BN200,
BN200A, BN200B, BN200V12



MAKITA
AF501, AF502, AF503, AF505



SPOTNAILS
CB1820, CB1832, CB1850, DB1825,
HLB1520BP, TB1840, WB1850,
WB1850LM

18 Gauge Medium Head Brads - PX Series (Similar to Senco AX Series)

Made of Galvanized Wire (Plating before nails are manufactured)

ORDER NO.	DESCRIPTION CODE	DESCRIPTION	POINT	QTY/STRIP	M/BOX	M/CTN
23110	PX-12 AX08	1/2" x 18 ga. Brad	Chisel	100	5.0 M	180.0 M
23120	PX-58 AX10	5/8" x 18 ga. Brad	Chisel	100	5.0 M	140.0 M
23130	PX-34 AX11	3/4" x 18 ga. Brad	Chisel	100	5.0 M	120.0 M
23140	PX-78 AX12	7/8" x 18 ga. Brad	Chisel	100	5.0 M	120.0 M
23150	PX-1 AX13	1" x 18 ga. Brad	Chisel	100	5.0 M	100.0 M
23160	PX-1316	1-3/16" x 18 ga. Brad	Chisel	100	5.0 M	80.0 M
23170	PX-114 AX15	1-1/4" x 18 ga. Brad	Chisel	100	5.0 M	80.0 M
23180	PX-112 AX17	1-1/2" x 18 ga. Brad	Chisel	100	5.0 M	60.0 M
23188	PX-158 AX18	1-5/8" x 18 ga. Brad	Chisel	100	5.0 M	60.0 M
23190	PX-134 AX19	1-3/4" x 18 ga. Brad	Chisel	100	5.0 M	50.0 M
23195	PX-2 AX21	2" x 18 ga. Brad	Chisel	100	5.0 M	50.0 M

The tool pictures may vary from actual tool.

The information in this catalog represents current information related to the compatibility between the fasteners and the pneumatic or cordless tools.

Use this information as a guideline only.

18 Gauge Brads

APPLICATIONS: Decorative mouldings, picture frame assembly, trim and cabinet building.



SENCO
FinishPro 2N1, FinishPro 25XP



SENCO
LS4, LS5, SLP20/LS1, SLP20XP



SENCO
FUSION F-18



FASCO
F2B GN50, F21P GN-31, F21T GN-40CT

18 Gauge Slight Head Brads - PY Series (Similar to Senco AY Series)

Made of Galvanized Wire (Plating before nails are manufactured)

ORDER NO.	DESCRIPTION CODE	DESCRIPTION	POINT	QTY/STRIP	M/BOX	M/CTN
23020	PY-58 AY10	5/8" x 18 ga. Brad	Chisel	100	5.0 M	140.0 M
23030	PY-34 AY11	3/4" x 18 ga. Brad	Chisel	100	5.0 M	120.0 M
23050	PY-1 AY13	1" x 18 ga. Brad	Chisel	100	5.0 M	100.0 M



SENCO
LS1



SENCO
SLP20XP



DUO-FAST
SURE SHOT 2232



FASCO
F21P GA15/31A

18 Gauge Headless Pins - PZ Series (Similar to Senco AZ Series)

Made of Galvanized Wire (Plating before nails are manufactured)

ORDER NO.	DESCRIPTION CODE	DESCRIPTION	POINT	QTY/STRIP	M/BOX	M/CTN
23210	PZ-12 AZ08	1/2" x 18 ga. Pin	Chisel	100	5.0 M	180.0 M
23215	PZ-34 AZ11	3/4" x 18 ga. Pin	Chisel	100	5.0 M	120.0 M
23216	PZ-1 AZ13	1" x 18 ga. Pin	Chisel	100	5.0 M	100.0 M

Your COMPLETE Pneumatic Fastening Program!



These INTERCHANGE nails are designed to fit the brands of tools shown. Not all tools accept the full range of fastener sizes listed. Refer to the tool model's specifications for the fastener size recommendations.

Additional sizes may be available.

Some of the items may be available by special order only.

For information, contact your INTERCHANGE Brands representative.

16 Gauge Finish Nails

APPLICATIONS: Paneling and trim, frame assembly, door and window casings and cabinet building.



INTERCHANGE
NF6516



PASLODE
3200-F16, 3250-F16,
IM250-F16, IM250, IM250II



PASLODE
F16200, MU-212-F,
T215-F16, T250-F16, T250S-F16



HITACHI
NT65, NT65A, NT65A2, NT65A3, NT65GB,
NT65GS, NT65M2, NT65M2(S)



BOSTITCH
FN16250K-2, FN1664K,
SB-1664-FN, T35, T35-40,
T36, T36-50, T40-B



BOSTITCH
GFN1664K



SENCO
Finish Pro 32, Finish Pro 32XP



SENCO
FUSION F-16S



MAX
NF352-ST/16-50, NF565/16



DUO-FAST
BFN-740, LFN-748A, LFN-764,
LFN-764A, SureShot 764



FASCO
F3P FN-50, F26AC FN-50,
F26C FN-50SS, FC FN50A,
R3C FN-50CT, R3T FN-70CT



OMER
14.50, 14.63, 14.63NS



PORTER CABLE
CFN250, FN200, FN250, FN250A,
FN250B, FN250C, FN250AK



SPOTNAILS
FB1632, HG1640, KB1564,
WB1650, WB1650LM, XB1564

16 Gauge Medium Head Finish Nails - PB Series (Similar to Paslode F16 Series)

Made of Galvanized Wire (Plating before nails are manufactured)

ORDER NO.	DESCRIPTION CODE	DESCRIPTION	POINT	QTY/STRIP	M/BOX	M/CTN
21206	PB16-34	3/4" x 16 ga. Finish Nail	Chisel	50	2.5 M	60.0 M
21211	PB16-1	1" x 16 ga. Finish Nail	Chisel	50	2.5 M	50.0 M
21231	PB16-114	1-1/4" x 16 ga. Finish Nail	Chisel	50	2.5 M	40.0 M
21241	PB16-112	1-1/2" x 16 ga. Finish Nail	Chisel	50	2.5 M	30.0 M
21251	PB16-134	1-3/4" x 16 ga. Finish Nail	Chisel	50	2.5 M	30.0 M
21261	PB16-2	2" x 16 ga. Finish Nail	Chisel	50	2.5 M	30.0 M
21262	PB16-2-SS	2" x 16 ga. Finish Nail Stainless Steel	Chisel	50	2.5 M	25.0 M
21271	PB16-214	2-1/4" x 16 ga. Finish Nail	Chisel	50	2.5 M	25.0 M
21281	PB16-212	2-1/2" x 16 ga. Finish Nail	Chisel	50	2.5 M	25.0 M

Not all tools referenced in this catalog accept the full range of fastener sizes. Some of the tools shown may be older versions of current tools and are no longer available for sale. The older models are listed to help our customers identify the fasteners their older tools may shoot. We recommend that you refer to your tool's operators manual for the fastener specifications and size information for your tool.



The tool pictures may vary from actual tool.

The information in this catalog represents current information related to the compatibility between the fasteners and the pneumatic or cordless tools.

Use this information as a guideline only.

15 Gauge Angled Finish Nails

APPLICATIONS: Paneling and trim, frame assembly, door and window casings and cabinet building.



INTERCHANGE
NF6515-34



SENCO
FinishPro 35, 35MG, FinishPro 41XP,
FinishPro 42XP, SFN1, SFN1+, SFN30,
SFN40, SN1, SFN2, SFN2B



SENCO
FUSION FN65DA,
FUSION F-15



SENCO
GT65DA



HITACHI
NT65AA, NT65GA, NT65MA,
NT65MA2,



NT65MA3, NT65MA4, NT65MA4(S)
BOSTITCH
DA1564K



DUO-FAST
DAFN-6480



FASCO
F3C BA-50, F4 BA-65, F4BA-65CT,
R3C BA-50C, R4 BA-65CT



MAKITA
AF631, AF632, AF633



MAX
NF510/15-50, NF550/15-65,
NF665/15



PORTER CABLE
CDA250, DA250, DA250A,
DA250B, DA250C, DAFN-6480



SPOTNAILS
KBA1564, XBA1564, XBFN64



15 Gauge 34° Angled Finish Nails - DA Series Tape Collation (Similar to Senco DA Series)

Made of Bright Wire (Galvanized plating after nails are manufactured) **unless specified otherwise. Galvanized items are Electro Galvanized.**

ORDER NO.	DESCRIPTION CODE	DESCRIPTION	POINT	QTY/STRIP	M/BOX	M/CTN
22115	DA13	1" x 15 ga. Finish Nail	Chisel	100	4.0 M	16.0 M
22125	DA15	1-1/4" x 15 ga. Finish Nail	Chisel	100	4.0 M	16.0 M
22135	DA17	1-1/2" x 15 ga. Finish Nail	Chisel	100	4.0 M	16.0 M
22136	DA17-G	1-1/2" x 15 ga. Electro-Galvanized Finish Nail	Chisel	100	4.0 M	16.0 M
22138	DA17-HT	1-1/2" x 15 ga. Heat Treated Finish Nail	Chisel	100	4.0 M	16.0 M
22145	DA19	1-3/4" x 15 ga. Finish Nail	Chisel	100	4.0 M	16.0 M
22146	DA19-G	1-3/4" x 15 ga. Electro-Galvanized Finish Nail	Chisel	100	4.0 M	16.0 M
22147	DA19-HT	1-3/4" x 15 ga. Heat Treated Finish Nail	Chisel	100	4.0 M	16.0 M
22155	DA21	2" x 15 ga. Finish Nail	Chisel	100	4.0 M	16.0 M
22156	DA21-G	2" x 15 ga. Electro-Galvanized Finish Nail	Chisel	100	4.0 M	16.0 M
22163	DA21-SS	2" x 15 ga. Stainless Steel Finish Nail	Chisel	100	4.0 M	16.0 M
22165	DA23	2-1/4" x 15 ga. Finish Nail	Chisel	100	4.0 M	16.0 M
22175	DA25	2-1/2" x 15 ga. Finish Nail	Chisel	100	4.0 M	16.0 M
22176	DA25-G	2-1/2" x 15 ga. Electro-Galvanized Finish Nail	Chisel	100	4.0 M	16.0 M
22177	DA25-SS	2-1/2" x 15 ga. Stainless Steel Finish Nail	Chisel	100	4.0 M	16.0 M



**Interchange
Industrial
Fasteners**

The tools shown on page IN-18 shoot both
Standard DA Brads and Industrial DA Brads.



15 Gauge 34° Angled Finish Nails - DA Series Tape Collation (Similar to Senco DA Series)

Made of Bright Wire (Galvanized plating after nails are manufactured) **unless specified otherwise. Galvanized items are Electro Galvanized.**

ORDER NO.	DESCRIPTION CODE	DESCRIPTION	POINT	QTY/STRIP	M/BOX	M/CTN
24110	DA15-I	1-1/4" x 15 ga. Finish Nail	Chisel	100	4.0 M	16.0 M
24115	DA17-I	1-1/2" x 15 ga. Finish Nail	Chisel	100	4.0 M	16.0 M
24130	DA21-I	2" x 15 ga. Finish Nail	Chisel	100	4.0 M	16.0 M
24135	DA21-G-I	2" x 15 ga. Electro-Galvanized Finish Nail	Chisel	100	4.0 M	16.0 M
24145	DA25-I	2-1/2" x 15 ga. Finish Nail	Chisel	100	4.0 M	16.0 M
24150	DA25-G-I	2-1/2" x 15 ga. Electro-Galvanized Finish Nail	Chisel	100	4.0 M	16.0 M



These INTERCHANGE nails are designed to fit the brands of tools shown. Not all tools accept the full range of fastener sizes listed. Refer to the tool model's specifications for the fastener size recommendations.

Additional sizes may be available.

Some of the items may be available by special order only.

For information, contact your INTERCHANGE Brands representative.

15 Gauge Angled Finish Nails

APPLICATIONS: Paneling and trim, frame assembly, door and window casings and cabinet building.



BOSTITCH
N60FN, N62FN, N62FNK-2



MAX
NF510/15-50



SPOTNAILS
XBA1564



Angled Finish Nails

15 Gauge 25° Angled Finish Nails - BA Series Glue Collation

Made of Galvanized Wire (Plating before nails are manufactured)

ORDER NO.	DESCRIPTION CODE	DESCRIPTION	POINT	QTY/STRIP	M/BOX	M/CTN
22030	BA-114	1-1/4" x 15 ga. Finish Nail	Chisel	50	3.5 M	14.0 M
22040	BA-112	1-1/2" x 15 ga. Finish Nail	Chisel	50	3.5 M	14.0 M
22050	BA-134	1-3/4" x 15 ga. Finish Nail	Chisel	50	3.5 M	14.0 M
22060	BA-2	2" x 15 ga. Finish Nail	Chisel	50	3.5 M	14.0 M
22070	BA-214	2-1/4" x 15 ga. Finish Nail	Chisel	50	3.5 M	14.0 M
22080	BA-212	2-1/2" x 15 ga. Finish Nail	Chisel	50	3.5 M	14.0 M

23 Gauge Micro Pins

APPLICATIONS: Finish, trim, cabinets, mirror and picture frames.



INTERCHANGE
NP3523



GREX
P635



CADEX
CPB23.50



SENCO
FINISH PRO 10,
FINISH PRO 11, SHP10



MAX
NF235A23-25

Micro Pins



BOSTITCH
HP118K



HITACHI
NP35A



DUO-FAST
SURE SHOT 2336



FASCO
F1B A64 12/18,
F23 A64-35PB,
F23C A64-50PB



PORTER CABLE
PIN100
PIN138



SPOTNAILS
SP2340



Interchange Industrial Fasteners

23 Gauge Galvanized Headless Micro Pins - MP23 Series (Similar to Senco CZ Series)

Made of Galvanized Wire

ORDER NO.	DESCRIPTION CODE	DESCRIPTION	POINT	QTY/STRIP	M/BOX	M/CTN
23220	MP23-12-I	1/2" x 23 ga. Micro Pin	Diamond	120	10.0 M	100.0 M
23225	MP23-58-I	5/8" x 23 ga. Micro Pin	Diamond	120	10.0 M	100.0 M
23219	MP23-34-I	3/4" x 23 ga. Micro Pin	Diamond	120	10.0 M	100.0 M
23234	MP23-1-I	1" x 23 ga. Micro Pin	Diamond	120	10.0 M	100.0 M
23235	MP23-1316-I	1-3/16" x 23 ga. Micro Pin	Diamond	120	10.0 M	100.0 M
23236	MP23-114-I	1-1/4" x 23 ga. Micro Pin	Diamond	120	10.0 M	100.0 M
23238	MP23-138-I	1-3/8" x 23 ga. Micro Pin	Diamond	120	10.0 M	100.0 M
23240	MP23-112-I	1-1/2" x 23 ga. Micro Pin	Diamond	120	10.0 M	100.0 M
23242	MP23-2-I	2" x 23 ga. Micro Pin	Diamond	120	10.0 M	100.0 M



The tool pictures may vary from actual tool.

The information in this catalog represents current information related to the compatibility between the fasteners and the pneumatic or cordless tools.

Use this information as a guideline only.

Pneumatic Tools



Keep your tools working for you with Interchange Parts Kits!

Replacement parts kits are available for most of the Interchange tools.

Kit #1	O-Ring/Gasket Kit
Kit #2	Piston/Driver Assembly Kit
Kit #3	Head Cap Assembly Kit
Kit #4	Trigger Valve Assembly Kit
Kit #5	Magazine Assembly Kit
Kit #6	Guide Body Assembly Kit
Kit #7	Safety Kit
Kit #8	Feeder Kit
Kit #9	Bumper Kit



Oils & Lubricants

Interchange Brands lubricants for compressors and pneumatic tools are the highest quality available on the market. All sizes, except the gallon, are packed 12 bottles per carton. The gallon bottles are packed 4 bottles per carton.

- CEOQ 95500 4-Cycle engine oil, all-season, 32 oz. (quart)
- CPOQS 95510 Compressor pump oil, summer weight, 32 oz. (quart)
- CPOQW 95520 Compressor pump oil, winter weight, 32 oz. (quart)
- CPOGS 95515 Compressor pump oil, summer weight, 128 oz. (gallon)
- PTOHP 95540 Pneumatic tool oil, 8 oz. (half pint)
- PTOHPW 95545 Pneumatic tool oil, Anti-Freeze winter weight, 8 oz. (half pint)
- PTOQ 95550 Pneumatic tool oil, 32 oz. (quart)
- PTOG 95530 Pneumatic tool oil, 128 oz. (gallon)



For more information on the Interchange Oils and Lubricants go to: www.interchangebrands.com

Fine Wire Staples - 22 Gauge

APPLICATIONS: Screening, light trim and mouldings, picture frames, cabinet backing, weather stripping, insulation, roofing felt, upholstery, building paper and carpet and pad.



SENCO
SFW10XP-A



SENCO
SJ10 A04-A08, SJ10 A06-D10



SENCO
SJS-A



SENCO
SFT10XP

3/16" Crown, 22 Gauge, Galvanized (Similar to Senco A Series)

ORDER NO.	DESCRIPTION CODE	DESCRIPTION	POINT	QTY/CLIP	M/BOX	M/CTN
30005	A04	3/16" Crown x 1/4" Leg	Chisel	157	10.0 M	200.0 M
30007	A06	3/16" Crown x 3/8" Leg	Chisel	157	10.0 M	200.0 M
30010	A08	3/16" Crown x 1/2" Leg	Chisel	157	10.0 M	200.0 M



SENCO
SFW10XP-D



SENCO
SJ10 A06-D10



SENCO
SJS-D



SENCO
SFT10XP

3/16" Crown, 22 Gauge, Galvanized (Similar to Senco D Series)

ORDER NO.	DESCRIPTION CODE	DESCRIPTION	POINT	QTY/CLIP	M/BOX	M/CTN
30015	D10	3/16" Crown x 5/8" Leg	Chisel	167	10.0 M	200.0 M

Fine Wire Staples - 20 Gauge

APPLICATIONS: Screening, light trim and mouldings, picture frames, cabinet backing, weather stripping, insulation, roofing felt, upholstery, building paper and carpet and pad.



SENCO
SFW10XP-E



SENCO
SJ10 E06-E10



SENCO
SFT10XP



3/16" Crown, 20 Gauge, Galvanized (Similar to Senco E Series)

ORDER NO.	DESCRIPTION CODE	DESCRIPTION	POINT	QTY/CLIP	M/BOX	M/CTN
30330	E06	3/16" Crown x 3/8" Leg	Chisel	84	10.0 M	200.0 M
30332	E08	3/16" Crown x 1/2" Leg	Chisel	84	10.0 M	200.0 M
30334	E10	3/16" Crown x 5/8" Leg	Chisel	84	10.0 M	200.0 M



DUO-FAST
A-5418, ENC-5418 electric, ENC-5418A



DUO-FAST
BN-5424, SureShot 5424



FASCO
F1A 54DF-18, F1B 54DF-18

20 Ga. Narrow Crown
Fine Wire Staples
(available in both Chisel
and Divergent Point)

3/16" Crown, 20 Gauge, Galvanized (Similar to Duo-Fast 5400 Series)

ORDER NO.	DESCRIPTION CODE	DESCRIPTION	POINT	QTY/CLIP	M/BOX	M/CTN
30609	5412C	3/16" Crown x 3/8" Leg	Chisel	84	5.0 M	100.0 M
30612	5416C	3/16" Crown x 1/2" Leg	Chisel	84	5.0 M	100.0 M
30614	5418D	3/16" Crown x 9/16" Leg	Divergent	84	5.0 M	100.0 M

The tool pictures
may vary from
actual tool.

The information
in this catalog
represents current
information
related to the
compatibility
between the
fasteners and
the pneumatic or
cordless tools.
Use this
information as a
guideline only.

Hammer Tackers Staples

APPLICATIONS: Screening, light trim and mouldings, picture frames, cabinet backing, weather stripping, insulation, roofing felt, upholstery, building paper and carpet and pad.

3/8" Crown, 23 Gauge, Galvanized (Similar to Rapid A19 Series)

ORDER NO.	DESCRIPTION CODE	DESCRIPTION	POINT	QTY/CLIP	M/BOX	M/CTN
30506	A19-14	3/8" Crown x 1/4" Leg	Chisel	125	5.0 M	250.0 M



Rapid A-19, R-19

Carton Quantity
May Vary



ARROW
HT-50, HT-55, T-50, ETFX50,
ETG50BN, ETF50PBN, T50PBN,
RAPID 54



BOSTITCH
PHT150C, TR100, TR200, TRE500

FASCO F1A A11-16 Auto L/M,
F1B A11-16 Auto L/M, T-R11



INTERCHANGE ICB-A11-Tacker

A11 is the same as Arrow
T50 Series



SENCO PC0705
SPOTNAILS BSA116AF, JSA1116,
85000, 85060

3/8" Crown, 20 Gauge, Galvanized (Similar to Rapid A11 Series)

ORDER NO.	DESCRIPTION CODE	DESCRIPTION	POINT	QTY/CLIP	M/BOX	M/CTN
30516	A11-14	3/8" Crown x 1/4" Leg	Chisel	84	5.0 M	100.0 M
30517	A11-516	3/8" Crown x 5/16" Leg	Chisel	84	5.0 M	100.0 M
30519	A11-38	3/8" Crown x 3/8" Leg	Chisel	84	5.0 M	100.0 M
30521	A11-12	3/8" Crown x 1/2" Leg	Chisel	84	5.0 M	100.0 M

BOSTITCH
H30-6, P6C-6, PC3000-0C2,
T5-6, T5-60C2



3/8" Crown (.026"x.019") Galvanized (Similar to Bostitch STCR2619 Series)

ORDER NO.	DESCRIPTION CODE	DESCRIPTION	POINT	QTY/CLIP	M/BOX	M/CTN
30716	STCR2619S16	3/8" Crown x 5/16" Leg	Chisel	157	5.0 M	100.0 M
30717	STCR261938	3/8" Crown x 3/8" Leg	Chisel	157	5.0 M	100.0 M



3/8" Crown (.050"x.019") Galvanized (Similar to Bostitch SHCR5019 Series)

ORDER NO.	DESCRIPTION CODE	DESCRIPTION	POINT	QTY/CLIP	M/BOX	M/CTN
30710	SHCR501938	3/8" Crown x 3/8" Leg	Chisel	84	5.0 M	100.0 M



BOSTITCH
H2B, SHCR-5019

BOSTITCH
H30-8, P6C-8, PC1000, PC2000, PC4000,
PC4000-0C2, PC5000, T5-8D4, T5-80C2,
T6-8, T6-80C2, T15C



3/8" Crown (.050"x.019") Galvanized (Similar to Bostitch STCR5019 Series)

ORDER NO.	DESCRIPTION CODE	DESCRIPTION	POINT	QTY/CLIP	M/BOX	M/CTN
30719	STCR501914	3/8" Crown x 1/4" Leg	Chisel	84	5.0 M	100.0 M
30720	STCR501938	3/8" Crown x 3/8" Leg	Chisel	84	5.0 M	100.0 M
30730	STCR5019916	3/8" Crown x 9/16" Leg	Chisel	84	5.0 M	100.0 M



7/16" Crown, 19 Gauge, Galvanized (Similar to Duo-Fast 7500 Series)

ORDER NO.	DESCRIPTION CODE	DESCRIPTION	POINT	QTY/CLIP	M/BOX	M/CTN
30845	7512C	7/16" Crown x 3/8" Leg	Chisel	84	5.0 M	100.0 M
30850	7512D	7/16" Crown x 3/8" Leg	Divergent	84	5.0 M	100.0 M
30880	7518C	7/16" Crown x 9/16" Leg	Chisel	84	5.0 M	100.0 M
30890	7518D	7/16" Crown x 9/16" Leg	Divergent	84	5.0 M	100.0 M

DUO-FAST
HT-755M, HT-755



These INTERCHANGE staples are designed to fit the brands of tools shown. Not all tools accept the full range of fastener sizes listed. Refer to the tool model's specifications for the fastener size recommendations.

Additional sizes may be available.

Some of the items may be available by special order only.

For information, contact your INTERCHANGE Brands representative.

Fine Wire Staples - 22 Gauge

APPLICATIONS: Screening, light trim and mouldings, picture frames, cabinet backing, weather stripping, insulation, roofing felt, upholstery, building paper and carpet and pad.



3/8" Crown, 22 Gauge, Galvanized (unless specified otherwise)
(Similar to Senco C Series, 3G Series and European Type 71 Series)

ORDER NO.	DESCRIPTION CODE	DESCRIPTION	POINT	QTY/CLIP	M/BOX	M/CTN
30304	C02	3/8" Crown x 5/32" Leg	Chisel	157	10.0 M	320.0 M
30305	C03	3/8" Crown x 3/16" Leg	Chisel	157	10.0 M	300.0 M
30306	C04	3/8" Crown x 1/4" Leg	Chisel	157	10.0 M	300.0 M
30307	C05	3/8" Crown x 5/16" Leg	Chisel	157	10.0 M	300.0 M
30309	C06	3/8" Crown x 3/8" Leg	Chisel	157	10.0 M	120.0 M
30308	C06-SS	3/8" Crown x 3/8" Leg, Stainless Steel	Chisel	157	10.0 M	120.0 M
30311	C07	3/8" Crown x 7/16" Leg	Chisel	157	10.0 M	120.0 M
30312	C08	3/8" Crown x 1/2" Leg	Chisel	157	10.0 M	120.0 M
30314	C09	3/8" Crown x 9/16" Leg	Chisel	157	10.0 M	120.0 M
30316	C10	3/8" Crown x 5/8" Leg	Chisel	157	10.0 M	120.0 M



1/2" Crown, 22 Gauge, Galvanized (Similar to Senco B Series)

ORDER NO.	DESCRIPTION CODE	DESCRIPTION	POINT	QTY/CLIP	M/BOX	M/CTN
30017	B03	1/2" Crown x 3/16" Leg	Chisel	157	10.0 M	200.0 M
30018	B04	1/2" Crown x 1/4" Leg	Chisel	157	10.0 M	200.0 M
30020	B06	1/2" Crown x 3/8" Leg	Chisel	157	10.0 M	200.0 M
30030	B08	1/2" Crown x 1/2" Leg	Chisel	157	10.0 M	200.0 M



The tool pictures may vary from actual tool.

The information in this catalog represents current information related to the compatibility between the fasteners and the pneumatic or cordless tools.

Use this information as a guideline only.

Fine Wire Staples - 20 Gauge

APPLICATIONS: Screening, light trim and mouldings, picture frames, cabinet backing, weather stripping, insulation, roofing felt, upholstery, building paper and carpet and pad.




SENCO
SFW10XP-G



SENCO
SJ10 G06-G10



SENCO
SFT10XP



3/8" Crown, 20 Gauge, Galvanized (Similar to Senco G Series)

ORDER NO.	DESCRIPTION CODE	DESCRIPTION	POINT	QTY/CLIP	M/BOX	M/CTN
30065	G08	3/8" Crown x 1/2" Leg	Chisel	84	5.0 M	100.0 M
30448	G10	3/8" Crown x 5/8" Leg	Chisel	84	5.0 M	100.0 M



SENCO
SFW10XP-F, SFT10XP



SENCO
SJS-F, SJ10-F, JS



SENCO
DFP



FASCO
F1A SR5-16, F1B SR5-16

1/2" Crown, 20 Gauge, Galvanized (Similar to Senco F Series)

ORDER NO.	DESCRIPTION CODE	DESCRIPTION	POINT	QTY/CLIP	M/BOX	M/CTN
30405	F04	1/2" Crown x 1/4" Leg	Chisel	84	5.0 M	100.0 M
30409	F06	1/2" Crown x 3/8" Leg	Chisel	84	5.0 M	100.0 M
30412	F08	1/2" Crown x 1/2" Leg	Chisel	84	5.0 M	100.0 M



INTERCHANGE S5016AL

INTERCHANGE ICB-50HT



DUO-FAST
A-5020, HT550,
HT550C, SureShot 5020



DUO-FAST
E5-018, EWC-5018A



DUO-FAST
CT-859, CS-5000



BEA
95/16-425



FASCO
F1B 50-16, F1A 50-60, T-HT550,
T-R19



OMER
50.16, 50.16 CL, 50.16 CLV,
50.16 OC, 50.16 RB, 50.16 S,
50.16 SCL



SPOTNAILS
BS5018



SPOTNAILS
DS5016, JS5016, JS5016LN,
BS5016AF

1/2" Crown, 20 Gauge, Galvanized

(Similar to Duo-Fast 5000 Series and European Type 95 Series)

ORDER NO.	DESCRIPTION CODE	DESCRIPTION	POINT	QTY/CLIP	M/BOX	M/CTN
30810	5008C	1/2" Crown x 1/4" Leg	Chisel	84	5.0 M	100.0 M
30820	5010C	1/2" Crown x 5/16" Leg	Chisel	84	5.0 M	100.0 M
30830	5012C	1/2" Crown x 3/8" Leg	Chisel	84	5.0 M	100.0 M
30835	5016C	1/2" Crown x 1/2" Leg	Chisel	84	5.0 M	100.0 M

These INTERCHANGE staples are designed to fit the brands of tools shown. Not all tools accept the full range of fastener sizes listed. Refer to the tool model's specifications for the fastener size recommendations.

Additional sizes may be available.

Some of the items may be available by special order only.

For information, contact your INTERCHANGE Brands representative.

Medium Wire Staples - 19 Gauge

APPLICATIONS: Cabinet building, underlayment, mouldings, aluminum and steel siding, soffit and fascia.



SENCO
SLS20-K, SLS20XP-K

1/4" Crown, 19 Gauge, Galvanized (Similar to Senco K Series)

ORDER NO.	DESCRIPTION CODE	DESCRIPTION	POINT	QTY/CLIP	M/BOX	M/CTN
30035	K08	1/4" Crown x 1/2" Leg	Chisel	84	5.0 M	60.0 M
30040	K10	1/4" Crown x 5/8" Leg	Chisel	84	5.0 M	60.0 M
30045	K11	1/4" Crown x 3/4" Leg	Chisel	84	5.0 M	60.0 M
30050	K12	1/4" Crown x 7/8" Leg	Chisel	84	5.0 M	60.0 M
30055	K13	1/4" Crown x 1" Leg	Chisel	84	5.0 M	60.0 M

Not all tools referenced in this catalog accept the full range of fastener sizes. Some of the tools shown may be older versions of current tools and are no longer available for sale. The older models are listed to help our customers identify the fasteners their older tools may shoot. We recommend that you refer to your tool's operators manual for the fastener specifications and size information for your tool.

Air Accessories

DURA
by **INTERCHANGE** **FLO**
Professional Grade Air Accessories



Interchange Brands features a complete line of accessories for pneumatic tools and air equipment used in construction and industrial applications. Most of these air accessories are available in either bulk or retail packaging.

- Bushing Adapters
 - Circle Clamps
 - Coupler Plugs
 - Coupler Plug Sets
 - Crosses and Tees
 - Gauges
 - Filters
 - Hex Manifolds
 - Hex Manifold Kits
 - Hex Nipples
 - Hose Accessory Kits
 - Hose Repair Kits
 - Lubricators
 - Reducer Bushings
 - Regulators
 - Regulator Repair Kits
 - Three Way Manifold
 - Three Way Manifold Kits
- and more!*


For more information on the Interchange Air Accessories, go to: www.interchangebrands.com

The tool pictures may vary from actual tool.

The information in this catalog represents current information related to the compatibility between the fasteners and the pneumatic or cordless tools. Use this information as a guideline only.

Medium Wire Staples - 18 Gauge

APPLICATIONS: Cabinet building, underlayment, mouldings, aluminum and steel siding, soffit and fascia.



The tools shown on page IS-8 shoot both Standard L Staples and Industrial L Staples



INTERCHANGE
SL4018



SENCO
LN4450, KMN4450, KN4450, SKS-L,
SKS N4450, SKSXP-L



SENCO
FinishPro 2N1, SLS15, SLS20-L, SLS20XP-L,
SLS25-L, SLS25XP-L



SENCO
SLS18, SLS18MG



HITACHI
N3804, N3804A, N3804AB, N3804AB2,
N3804AB3, N3804AB3S



MAX
TA238/18-6, TA238A/18-6



DUO-FAST
BN-1832, DNS-1840, KB-1836, KG-1836,
KN-1848, KN-1848A, KN-1848F,
ST-18 (Manual-HIT), SURESHOT 1820, 1832,
1848, 1848F & 1848SL



FASCO
F2B 90-40 CT, F3C 90-40 LN, F20-40,
F20P 90/25, F20T 90-30 CT, F20T 90-40 CT,
F21T 90-40A, F21P 90-25A, F25A 90-40,
F26C 90-30 SS, F26C 90-40SS, R3C 90-40



MAKITA
AT638



PORTER CABLE
NS100 (to 1"), NS100A, NS100B, NS150,
NS150A, NS150B, NSS150



SPOTNAILS
HL3852, TRL3852, WS4840, WS4840W2,
WS4840LM, WS4840W5, 4800



SPOTNAILS
Striker TS4825, FS4825

1/4" Crown, 18 Gauge, Galvanized (unless specified otherwise)
(Similar to Senco L Series, Duo-Fast 1800 Series and European Type 90 Series)

ORDER NO.	DESCRIPTION CODE	DESCRIPTION	POINT	QTY/CLIP	M/BOX	M/CTN
32302	L06	1/4" Crown x 3/8" Leg	Chisel	79	5.0 M	80.0 M
32305	L08	1/4" Crown x 1/2" Leg	Chisel	79	5.0 M	80.0 M
32310	L10	1/4" Crown x 5/8" Leg	Chisel	79	5.0 M	60.0 M
32320	L11	1/4" Crown x 3/4" Leg	Chisel	79	5.0 M	60.0 M
32330	L12	1/4" Crown x 7/8" Leg	Chisel	79	5.0 M	60.0 M
32340	L13	1/4" Crown x 1" Leg	Chisel	79	5.0 M	45.0 M
32345	L14	1/4" Crown x 1-1/8" Leg	Chisel	79	5.0 M	40.0 M
32350	L15	1/4" Crown x 1-1/4" Leg	Chisel	79	5.0 M	40.0 M
32360	L17	1/4" Crown x 1-1/2" Leg	Chisel	79	5.0 M	30.0 M



Interchange
Industrial
Fasteners

ORDER NO.	DESCRIPTION CODE	DESCRIPTION	POINT	QTY/CLIP	M/BOX	M/CTN
32260	L06-I	1/4" Crown x 3/8" Leg	Chisel	104	5.0 M	60.0 M
32261	L08-I	1/4" Crown x 1/2" Leg	Chisel	104	5.0 M	60.0 M
32263	L10-I	1/4" Crown x 5/8" Leg	Chisel	104	5.0 M	60.0 M
32264	L11-I	1/4" Crown x 3/4" Leg	Chisel	104	5.0 M	50.0 M
32265	L12-I	1/4" Crown x 7/8" Leg	Chisel	104	5.0 M	50.0 M
32266	L13-I	1/4" Crown x 1" Leg	Chisel	104	5.0 M	40.0 M
32267	L14-I	1/4" Crown x 1-1/8" Leg	Chisel	104	5.0 M	30.0 M
32268	L15-I	1/4" Crown x 1-1/4" Leg	Chisel	104	5.0 M	30.0 M
32270	L17-I	1/4" Crown x 1-1/2" Leg	Chisel	104	5.0 M	30.0 M

These INTERCHANGE staples are designed to fit the brands of tools shown. Not all tools accept the full range of fastener sizes listed. Refer to the tool model's specifications for the fastener size recommendations.

Additional sizes may be available.

Some of the items may be available by special order only.

For information, contact your INTERCHANGE Brands representative.

Medium Wire Staples - 18 Gauge

APPLICATIONS: Cabinet building, underlayment, mouldings, aluminum and steel siding, soffit and fascia.



BOSTITCH
S32SX, S32SX-BHF-2, SX5035,
T28-5, T29-30, T31, T35-15,
T40SX-CT



BOSTITCH
SB150SX, SB150SX-HD, SB156SX,
SB2IN1, SL150



BOSTITCH
SX150, SX150-BHF, SX150-BHF2,
SX150K, SX150K-1, SX150K-2,
SX150LM, SX1838K



BOSTITCH
EHF1838K



OMER
90.38

7/32" Crown, 18 Gauge, Galvanized (Similar to Bostitch SX5035 Series)

ORDER NO.	DESCRIPTION CODE	DESCRIPTION	POINT	QTY/CLIP	M/BOX	M/CTN
30210	SX5035-58	7/32" Crown x 5/8" Leg	Chisel	100	5.0 M	60.0 M
30220	SX5035-34	7/32" Crown x 3/4" Leg	Chisel	100	5.0 M	60.0 M
30230	SX5035-78	7/32" Crown x 7/8" Leg	Chisel	100	5.0 M	50.0 M
30240	SX5035-1	7/32" Crown x 1" Leg	Chisel	100	5.0 M	45.0 M
30245	SX5035-118	7/32" Crown x 1-1/8" Leg	Chisel	100	3.0 M	24.0 M
30248	SX5035-1316	7/32" Crown x 1-3/16" Leg	Chisel	100	3.0 M	24.0 M
30249	SX5035-114	7/32" Crown x 1-1/4" Leg	Chisel	100	3.0 M	24.0 M
30251	SX5035-138	7/32" Crown x 1-3/8" Leg	Chisel	100	3.0 M	24.0 M



PASLODE
2118-N18, 2125-N18, 3150-N18,
5150-N18



FASCO
F3 38-30 CT



SPOTNAILS
FS3820, TS3832

3/16" Crown, 18 Gauge, Galvanized (Similar to Paslode GSN Series)

ORDER NO.	DESCRIPTION CODE	DESCRIPTION	POINT	QTY/CLIP	M/BOX	M/CTN
32110	GSN18-58	3/16" Crown x 5/8" Leg	Chisel	100	5.0 M	60.0 M
32120	GSN18-34	3/16" Crown x 3/4" Leg	Chisel	100	5.0 M	60.0 M
32130	GSN18-78	3/16" Crown x 7/8" Leg	Chisel	100	5.0 M	50.0 M
32140	GSN18-1	3/16" Crown x 1" Leg	Chisel	100	5.0 M	45.0 M
32145	GSN18-118	3/16" Crown x 1-1/8" Leg	Chisel	100	5.0 M	40.0 M
32150	GSN18-114	3/16" Crown x 1-1/4" Leg	Chisel	100	5.0 M	40.0 M
32160	GSN18-112	3/16" Crown x 1-1/2" Leg	Chisel	100	5.0 M	30.0 M

The tool pictures may vary from actual tool.

The information in this catalog represents current information related to the compatibility between the fasteners and the pneumatic or cordless tools. Use this information as a guideline only.

INTERCHANGE

Medium Wire Staples - 18 Gauge

APPLICATIONS: Cabinet building, underlayment, mouldings, aluminum and steel siding, soffit and fascia.



INTERCHANGE
SM4018V (Vinyl Siding)



SENCO
SKS-M, SKSXP-M



SENCO
SLS20-M, SLS20XP-M



SENCO
SLS25-M, SLS25XP-M



DUO-FAST
SS W1832, SS W1848



SPOTNAILS
TS6825, TS6825S, 6800

3/8" Crown, 18 Gauge, Galvanized (Similar to Senco M and Duo-Fast W1800 Series)

ORDER NO.	DESCRIPTION CODE	DESCRIPTION	POINT	QTY/CLIP	M/BOX	M/CTN
32416	M06	3/8" Crown x 3/8" Leg	Chisel	79	5.0 M	100.0 M
32405	M08	3/8" Crown x 1/2" Leg	Chisel	79	5.0 M	100.0 M
32411	M10	3/8" Crown x 5/8" Leg	Chisel	79	5.0 M	60.0 M
32415	M11	3/8" Crown x 3/4" Leg	Chisel	79	5.0 M	60.0 M
32417	M12	3/8" Crown x 7/8" Leg	Chisel	79	5.0 M	50.0 M
32420	M13	3/8" Crown x 1" Leg	Chisel	79	5.0 M	40.0 M
32422	M14	3/8" Crown x 1-1/8" Leg	Chisel	79	5.0 M	40.0 M
32425	M15	3/8" Crown x 1-1/4" Leg	Chisel	79	5.0 M	30.0 M
32430	M17	3/8" Crown x 1-1/2" Leg	Chisel	79	5.0 M	30.0 M

Medium Wire Staples - 18 Gauge

APPLICATIONS: Screening, light trim and mouldings, picture frames, cabinet backing, weather stripping, insulation, roofing felt, upholstery, building paper and carpet and pad.



SENCO F75

7/16" Crown, 18 Gauge, Galvanized (Similar to Senco J Series)

ORDER NO.	DESCRIPTION CODE	DESCRIPTION	POINT	QTY/CLIP	M/BOX	M/CTN
30415	J06	7/16" Crown x 3/8" Leg	Chisel	70	5.0 M	100.0 M
30070	J08	7/16" Crown x 1/2" Leg	Chisel	70	5.0 M	100.0 M
30075	J10	7/16" Crown x 5/8" Leg	Chisel	70	5.0 M	100.0 M

These INTERCHANGE staples are designed to fit the brands of tools shown. Not all tools accept the full range of fastener sizes listed. Refer to the tool model's specifications for the fastener size recommendations.

Additional sizes may be available.

Some of the items may be available by special order only.

For information, contact your INTERCHANGE Brands representative.

Heavy Wire Staples - 16 Gauge

APPLICATIONS: Cedar and shake shingles; subflooring; wall sheathing; roof decking; aluminum, steel and composition siding; lathing; bridging; component assembly and fencing.



INTERCHANGE
SN5016



SENCO
M1, M2, M2+



SENCO
SKS N12-N17, SKSXP-N



SENCO
SNS40, SNS41, SNS41XP, SNS44XP,
SNS45, SNS45XP, SNS50, SNS50XP



SENCO
SNS200XP,
SNS200XP-BST



HITACHI
N5008AA, N5008AB, N5008AC,
N5008AC2, N5008ACN, N5008AI,
N5008AC/P



MAX
TA551/16-11, TA551A/16-11



FASCO
F4P G-50, F45C G-55TL,
R3 CG-40CT, R4 PG-50CT



PORTER CABLE
MS200



SPOTNAILS
MS76-8651, XS76-8650, XS6650

7/16" Crown, 16 Gauge, Galvanized (unless specified otherwise)

(Similar to Senco N Series and ISM 100 Series)

ORDER NO.	DESCRIPTION CODE	DESCRIPTION	POINT	QTY/CLIP	M/CTN
34220	N08	7/16" Crown x 1/2" Leg	Chisel	70	10.0 M
34227	N10	7/16" Crown x 5/8" Leg	Chisel	70	10.0 M
34228	N11	7/16" Crown x 3/4" Leg	Chisel	70	10.0 M
34232	N12	7/16" Crown x 7/8" Leg	Chisel	70	10.0 M
34241	N13	7/16" Crown x 1" Leg	Chisel	70	10.0 M
34246	N14	7/16" Crown x 1-1/8" Leg	Chisel	70	10.0 M
34251	N15	7/16" Crown x 1-1/4" Leg	Chisel	70	10.0 M
34256	N16	7/16" Crown x 1-3/8" Leg	Chisel	70	10.0 M
34261	N17	7/16" Crown x 1-1/2" Leg	Chisel	70	10.0 M
34262	N17-SS	7/16" Crown x 1-1/2" Leg, Stainless Steel	Chisel	70	10.0 M
34265	N18	7/16" Crown x 1-5/8" Leg	Chisel	70	10.0 M
34271	N19	7/16" Crown x 1-3/4" Leg	Chisel	70	10.0 M
34272	N19-SS	7/16" Crown x 1-3/4" Leg, Stainless Steel	Chisel	70	10.0 M
34281	N21	7/16" Crown x 2" Leg	Chisel	70	10.0 M
34282	N21-SS	7/16" Crown x 2" Leg, Stainless Steel	Chisel	70	10.0 M

STAPLES

STANDARD: Staples are Galvanized Wire and Chisel Point unless otherwise specified.

Other Finishes:

Red	highlighted items are Stainless Steel (SS) 304 Grade
Gray	highlighted items are Heat Treated (HT) or High Carbon (HC)



The tool pictures may vary from actual tool.

The information in this catalog represents current information related to the compatibility between the fasteners and the pneumatic or cordless tools.

Use this information as a guideline only.

Heavy Wire Staples - 16 Gauge

APPLICATIONS: Cedar and shake shingles; subflooring; wall sheathing; roof decking; aluminum, steel and composition siding; lathing; bridging; component assembly and fencing.



BOSTITCH
S4



DUO-FAST
DS-7656P, DS-7664P



DUO-FAST
KS-7648, MS-7664E



DUO-FAST
SM-7648, SM-7664



MAKITA
AT1150A



MAX
TA551/76



PORTER CABLE
MS200



SPOTNAILS
7600, MS6650, MS6650i, MS76-8650i,
XS6650

7/16" Crown, 16 Gauge, Galvanized (Similar to Duo-Fast 7600 Series)

ORDER NO.	DESCRIPTION CODE	DESCRIPTION	POINT	QTY/CLIP	M/CTN
34341	7632	7/16" Crown x 1" Leg	Chisel	70	10.0 M
34351	7640	7/16" Crown x 1-1/4" Leg	Chisel	70	10.0 M
34361	7648	7/16" Crown x 1-1/2" Leg	Chisel	70	10.0 M
34371	7656	7/16" Crown x 1-3/4" Leg	Chisel	70	10.0 M
34381	7664	7/16" Crown x 2" Leg	Chisel	70	10.0 M



BOSTITCH
43854, 53854, 65054, 65054-1,
75054, 85054



SPOTNAILS
HL7616A, HL7616A(P), HS6616,
XS76-8650,

1/2" Crown, 16 Gauge, Galvanized (Similar to Bostitch BCS Series)

ORDER NO.	DESCRIPTION CODE	DESCRIPTION	POINT	QTY/CLIP	M/CTN
34441	BCS1105	1/2" Crown x 1" Leg	Chisel	70	10.0 M
34451	BCS1107	1/2" Crown x 1-1/4" Leg	Chisel	70	10.0 M
34461	BCS1109	1/2" Crown x 1-1/2" Leg	Chisel	70	10.0 M
34471	BCS1111	1/2" Crown x 1-3/4" Leg	Chisel	70	10.0 M
34481	BCS1112	1/2" Crown x 2" Leg	Chisel	70	10.0 M



PASLODE
IM200-S16, MA-S16L, PA-200



PASLODE
3150-S16, 3200-S16P, S200-S16



HITACHI
N5010A



FASCO
F45C GC/16-SS, F45C GS16-55-SS(CT),
R3C HD-40 VIL-SID

1/2" Crown, 16 Gauge, Galvanized (Similar to Paslode GS Series)

ORDER NO.	DESCRIPTION CODE	DESCRIPTION	POINT	QTY/CLIP	M/CTN
34141	GS16-1	1/2" Crown x 1" Leg	Chisel	70	10.0 M
34151	GS16-114	1/2" Crown x 1-1/4" Leg	Chisel	70	10.0 M
34161	GS16-112	1/2" Crown x 1-1/2" Leg	Chisel	70	10.0 M
34171	GS16-134	1/2" Crown x 1-3/4" Leg	Chisel	70	10.0 M
34181	GS16-2	1/2" Crown x 2" Leg	Chisel	70	10.0 M

These INTERCHANGE staples are designed to fit the brands of tools shown. Not all tools accept the full range of fastener sizes listed. Refer to the tool model's specifications for the fastener size recommendations.

Additional sizes may be available.

Some of the items may be available by special order only.

For information, contact your INTERCHANGE Brands representative.

Heavy Wire Staples - 15 Gauge

APPLICATIONS: Cedar and shake shingles; subflooring; wall sheathing; roof decking; aluminum, steel and composition siding; lathing; bridging; component assembly and fencing.



SENCO
SQS55, SQS55XP



SPOTNAILS
MS6564

7/16" Crown, 15 Gauge, Galvanized (unless specified otherwise) (Similar to Senco Q Series)

ORDER NO.	DESCRIPTION CODE	DESCRIPTION	POINT	QTY/CLIP	M/CTN
38255	Q15	7/16" Crown x 1-1/4" Leg	Chisel	57	5.0 M
38260	Q17	7/16" Crown x 1-1/2" Leg	Chisel	57	5.0 M
38270	Q19	7/16" Crown x 1-3/4" Leg	Chisel	57	5.0 M
38280	Q21	7/16" Crown x 2" Leg	Chisel	57	5.0 M
38285	Q23	7/16" Crown x 2-1/4" Leg	Chisel	57	5.0 M
38290	Q25	7/16" Crown x 2-1/2" Leg	Chisel	57	5.0 M

Heavy Wire Staples - 10-1/2 Gauge for Fence Stapling Applications

APPLICATIONS: Fencing.



INTERCHANGE
SFNC4010

1/2" Crown, 10-1/2 Gauge Fence Staples

ORDER NO.	DESCRIPTION CODE	DESCRIPTION	M/BOX
36410	FNC40-315	1/2" Crown x 1-9/16" Leg, Barbed, Hot Dip Galvanized	1.5 M

Air Hose

A complete line of high quality air hose:

Professional Grade Reinforced Polyurethane Air Hose

- Polyurethane Air Hose with 1/4" M-NPT Male Fittings

Available Packaged in Titanium, Orange or Green

Commercial Quality Thermoplastic PVC Air Hose

- Thermoplastic Air Hose with various fitting options

Available: Packaged or Bulk Reels

Self Storing Air Hose

- Nylon or Polyurethane with 1/4" or 3/8" M-NPT Male Swivel Fittings

Premium Quality Heavy Duty Rubber Air Hose

- Black Rubber Hose with 1/4" M-NPT Male Reusable Fittings

Available: Packaged or Bulk Reels

- Gray Rubber Push On Hose with various fitting options

Available: Packaged or Bulk Reels

- Red Rubber Air Hose with 1/4" or 3/8" M-NPT Male Fittings

Available: Packaged or Bulk Reels

For more information on the Interchange Air Hose go to:

www.interchangebrands.com

DURA
by **INTERCHANGE** **FLX**
Professional Grade Hose



The tool pictures may vary from actual tool.

The information in this catalog represents current information related to the compatibility between the fasteners and the pneumatic or cordless tools. Use this information as a guideline only.

Heavy Wire Staples - 16 Gauge

APPLICATIONS: Asphalt shingles, roofing felt, foam sheathing, stucco, butt joining wood, lathing and insulation.



15/16" Crown, 16 Gauge, Galvanized (Similar to Paslode GSW Series)

ORDER NO.	DESCRIPTION CODE	DESCRIPTION	POINT	QTY/CLIP	M/CTN
36100	GSW16-58	15/16" Crown x 5/8" Leg	Chisel	70	10.0 M
36116	GSW16-34	15/16" Crown x 3/4" Leg	Chisel	70	10.0 M
36121	GSW16-78	15/16" Crown x 7/8" Leg	Chisel	70	10.0 M
36125	GSW16-1	15/16" Crown x 1" Leg	Chisel	70	10.0 M
36133	GSW16-114	15/16" Crown x 1-1/4" Leg	Chisel	70	10.0 M
36137	GSW16-112	15/16" Crown x 1-1/2" Leg	Chisel	70	10.0 M
36144	GSW16-134	15/16" Crown x 1-3/4" Leg	Chisel	70	5.0 M
36150	GSW16-2	15/16" Crown x 2" Leg	Chisel	70	5.0 M.



1" Crown, 16 Gauge, Galvanized (Similar to Bostitch BCS Series)

ORDER NO.	DESCRIPTION CODE	DESCRIPTION	POINT	QTY/CLIP	M/CTN
36019	BCS1097	1" Crown x 3/4" Leg	Chisel	70	10.0 M
36021	BCS1098	1" Crown x 7/8" Leg	Chisel	70	10.0 M
36025	BCS1099	1" Crown x 1" Leg	Chisel	70	10.0 M
36033	BCS1101	1" Crown x 1-1/4" Leg	Chisel	70	10.0 M
36039	BCS1102	1" Crown x 1-1/2" Leg	Chisel	70	10.0 M
36044	BCS1116	1" Crown x 1-3/4" Leg	Chisel	70	5.0 M
36050	BCS1117	1" Crown x 2" Leg	Chisel	70	5.0 M

These INTERCHANGE staples are designed to fit the brands of tools shown. Not all tools accept the full range of fastener sizes listed. Refer to the tool model's specifications for the fastener size recommendations. Additional sizes may be available.

Some of the items may be available by special order only.

For information, contact your INTERCHANGE Brands representative.

INTERCHANGE

Heavy Wire Staples - 16 Gauge

APPLICATIONS: Asphalt shingles, roofing felt, foam sheathing, butt joining wood, lathing and insulation.



INTERCHANGE
SP4016



SENCO
MW, MWXP, PW, PW-2, PW150, PW150R,
PW200, PW-R, SPS, SPS-RFR



SENCO
WC150XP, WC200XP



HITACHI
N3824A, N5024A, N5024A2



DUO-FAST
KW-1748, KWR-1748, RNS-1748,
RS-1748, SW-1748



FASCO
F3C SNW-38R, F3 SNW-38CTR,
F30 SNW-50R, R3C SNW-38TL,
R3 SNW-38CTR



MAKITA
AT2550A



OMER
WP.38



SPOTNAILS
HL1612AT, XS3640, XS3640LM,
XS3640RFH, XS3650

1" Crown, 16 Gauge, Galvanized (unless specified otherwise)

(Similar to Senco P Series and Duo-Fast 1700 Series)

ORDER NO.	DESCRIPTION CODE	DESCRIPTION	POINT	QTY/CLIP	M/CTN
36205	P06	1" Crown x 3/8" Leg	Chisel	70	10.0 M
36206	P08	1" Crown x 1/2" Leg	Chisel	70	10.0 M
36211	P10	1" Crown x 5/8" Leg	Chisel	70	10.0 M
36221	P11	1" Crown x 3/4" Leg	Chisel	70	10.0 M
36231	P12	1" Crown x 7/8" Leg	Chisel	70	10.0 M
36241	P13	1" Crown x 1" Leg	Chisel	70	10.0 M
36251	P15	1" Crown x 1-1/4" Leg	Chisel	70	10.0 M
36262	P17	1" Crown x 1-1/2" Leg	Chisel	70	10.0 M
36270	P19	1" Crown x 1-3/4" Leg	Chisel	70	5.0 M
36280	P21	1" Crown x 2" Leg	Chisel	70	5.0 M



Heavy Wire Staples - 14 Gauge

APPLICATIONS: Truss construction, crates, shipping containers and manufactured housing.



PASLODE
4150-W14



SPOTNAILS
MS2440

15/16" Crown, 14 Gauge

(Similar to Paslode GSW14 Series)

ORDER NO.	DESCRIPTION CODE	DESCRIPTION	POINT	QTY/CLIP	M/CTN
36105	GSW14-78	15/16" Crown x 7/8" Leg, High Carbon	Chisel	70	5.0 M

Heavy Wire
Wide Crown Staples

The tool pictures may vary from actual tool.

The information in this catalog represents current information related to the compatibility between the fasteners and the pneumatic or cordless tools. Use this information as a guideline only.

Fasteners for Flooring Applications

APPLICATIONS: Solid and engineered hardwood flooring installation.



**BOSTITCH
M111FS**



**DUO-FAST FLOORMASTER
FM245S, FM250ASR**



**SPOTNAILS
FS7550**

T & G HARDWOOD FLOORING STAPLERS

1/2" Crown, 15 Gauge, Galvanized Hardwood Flooring Staples (Similar to Bostitch BCS Series)

ORDER NO.	DESCRIPTION CODE	DESCRIPTION	POINT	QTY/CLIP	M/CTN
38165	BCS1512	1/2" Crown x 1-1/2" Leg	Chisel	46	9.660 M
38185	BCS1516	1/2" Crown x 2" Leg	Chisel	46	7.728 M

L Cleats for Flooring Applications

APPLICATIONS: Hardwood Flooring.



**DUO-FAST FLOORMASTER
FM245L, FM250ALR**



**BOSTITCH
MFN200, MFN201**



**SENCO
SHF10, SHF15, SHF50,
SHF200**

L Cleats (Similar to Bostitch FLN Series)

ORDER NO.	DESCRIPTION CODE	DESCRIPTION	QTY/BOX	M/CTN
25298	LCN-112	1-1/2" x 16 ga.	1.0 M	5.0 M
25300	LCN-2	2" x 16 ga.	1.0 M	5.0 M

These INTERCHANGE staples are designed to fit the brands of tools shown. Not all tools accept the full range of fastener sizes listed. Refer to the tool model's specifications for the fastener size recommendations.

Additional sizes may be available.

Some of the items may be available by special order only.

For information, contact your INTERCHANGE Brands representative.

Carton Closing

APPLICATIONS: Carton closing.



INTERCHANGE SAB150-C & SHB150-C



BOSTITCH
BTFP12180,
F84-114



BOSTITCH
D19AD, DS-3219



ISM
HB/HC 150T C 58,
HB/HC 150T C 34



ISM
AB/AC 150T C 58,
AB/AC 150T C 34

1-1/4" Crown, Copperized Staples (Similar to ISM C Series)

ORDER NO.	DESCRIPTION CODE	DESCRIPTION	POINT	QTY/CLIP	M/BOX	M/CTN
38430	C58	1-1/4" Crown x 5/8" Leg, Copperized	Chisel	50	2.5 M	25.0
38425	C34	1-1/4" Crown x 3/4" Leg, Copperized	Chisel	50	2.0 M	20.0



INTERCHANGE SAB100-A & SHB100-A



BOSTITCH
BTFP12181,
F84, F84-138



BOSTITCH
D16-2,
D16-2AD,
DS-3522



ISM
HB/HC 100T A 58,
HB/HC 100T A 34,
HB 100T A 78



ISM
AB/AC 100T A 58,
AB/AC 100T A 34,
AB 100T A 78

1-3/8" Crown, Copperized Staples (Similar to ISM A Series)

ORDER NO.	DESCRIPTION CODE	DESCRIPTION	POINT	QTY/CLIP	M/BOX	M/CTN
38435	A58	1-3/8" Crown x 5/8" Leg, Copperized	Chisel	50	2.5 M	25.0
38437	A34	1-3/8" Crown x 3/4" Leg, Copperized	Chisel	50	2.0 M	20.0
38439	A78	1-3/8" Crown x 7/8" Leg, Copperized	Chisel	50	2.0 M	20.0



BOSTITCH
P50-10B,
P51-10B



1/2" Crown, Galvanized Clinch Type Carton Closing Staples

ORDER NO.	DESCRIPTION CODE	DESCRIPTION	POINT	QTY/CLIP	M/BOX	M/CTN
30100	SB103020-38	1/2" Crown x 3/8" Leg, Galvanized	Chisel	50	2.5 M	25.0
30105	SB103020-12	1/2" Crown x 1/2" Leg, Galvanized	Chisel	50	2.5 M	25.0
30110	SB103020-58	1/2" Crown x 5/8" Leg, Galvanized	Chisel	50	2.5 M	25.0



INTERCHANGE SRB-GR



ISM
RC 1000T 58,
RC1000T 34



1-1/4" Crown, Copperized Roll Staples

ORDER NO.	DESCRIPTION CODE	DESCRIPTION	QTY/ROLL	ROLLS/CTN	M/CTN
38445	GR158	1-1/4" Crown x 5/8" Leg, Copperized	1.0 M	24	24.0
38440	RR158	1-1/4" Crown x 5/8" Leg, Copperized	1.0 M	24	24.0
38450	GR134	1-1/4" Crown x 3/4" Leg, Copperized	1.0 M	24	24.0
38465	RR134	1-1/4" Crown x 3/4" Leg, Copperized	1.0 M	24	24.0



BOSTITCH
D60ADC,
D61ADC,
D62ADC

BOSTITCH
FC95EC,
FC95EC-ARM,
FC96EC

1-3/8" Crown, Copperized Roll Staples

ORDER NO.	DESCRIPTION CODE	DESCRIPTION	QTY/ROLL	ROLLS/CTN	M/CTN
38475	SWC7437-12-1M	1-3/8" Crown x 1/2" Leg, Copperized	1.0 M	24	24.0
38480	SWC7437-12-4M	1-3/8" Crown x 1/2" Leg, Copperized	4.0 M	6	24.0
38485	SWC7437-58-1M	1-3/8" Crown x 5/8" Leg, Copperized	1.0 M	24	24.0
38490	SWC7437-58-4M	1-3/8" Crown x 5/8" Leg, Copperized	4.0 M	6	24.0
38500	SWC7437-34-1M	1-3/8" Crown x 3/4" Leg, Copperized	1.0 M	24	24.0
38505	SWC7437-34-4M	1-3/8" Crown x 3/4" Leg, Copperized	4.0 M	6	24.0



The tool pictures may vary from actual tool.

The information in this catalog represents current information related to the compatibility between the fasteners and the pneumatic or cordless tools. Use this information as a guideline only.

Screw Fastening Systems

Screw Gun Feeder Attachment Kit for Collated Screws



These Attachment Kits are shown with a Hitachi W6V4 Screwdriver: 6.6 Amp, 4,500 RPM and 7.5M (26.4') power cord.

**Nose Piece Applications

Straight Claw Nose Piece - primarily for Subflooring and Decking
L Nose Piece - primarily for Drywall - can be used for Subflooring, Decking and other applications (helps to reduce damage to the material surface)
Spring Nose Piece (with screw guide function) - primarily for softer receiving materials, such as: cedar, redwood and composite decking materials; **do not use screws shorter than 1-3/4" (45mm)**. Good for stainless steel screws.



The spring nose piece shown on this screw gun feeder attachment is used primarily for 2" to 3" screw lengths.
 ** Other options are shown below.




Screw Gun Attachment with Feed Track, shown with Straight Claw Nose Piece

ORDER NO.	DESCRIPTION CODE	DESCRIPTION	FITS THESE TOOLS & OTHERS
98701	CW75FDHCW6V4-KIT	Screw Gun Attachment Kit with Extension (see contents below)	
98704	CW75N	Screw Gun Attachment Kit (see contents below)	
98750	ISS-H2600	Auto-Feed Screw System with 2600 VSR Screwdriver (see contents below)	
98760	ISS-H4500	Auto-Feed Screw System with 4500 VSR Screwdriver (see contents below)	
98710	DHCW6V4B	Screw Gun Attachment Coupler	Hitachi W6V4, W6VA4, W6VB3
98720	DHCWH14DM	Screw Gun Attachment Coupler	Hitachi Impact Drivers
98715	DHC6805BV	Screw Gun Attachment Coupler	Makita 6805 & 6807 Gun
98725	DHC6825	Screw Gun Attachment Coupler	Makita 6823, 6824
98705	DHC2125	Screw Gun Attachment Coupler	Dewalt 274K Plus
98830	PH2-2PK	Phillips Drive Bits - #2 x 178mm	
98835	SQ2-2PK	Square Drive Bits - #2 x 178mm	
98741	WKT-005	Straight Claw Nose Piece**	for 5/8"-2" Subfloor Screws
98742	WKT-007	L Nose Piece**	for 5/8"-2" Drywall Screws
98743	WKT-009	Spring Nose Piece **	for Screwing soft woods (1-3/4"+)



Kit #98704



Kit #98701

All Screw Gun Attachment Kits Contain Kit #98704:

- CW75N Screw Gun Attachment with Feed Track and Straight Claw Nose Piece
- 178mm PH2 Phillips Drive Bit
- 178mm SQ2 Square Drive Bit
- L Nose Piece
- Spring Nose Piece

Kit #98701 Also Contains:

- DHCW6V4B Coupler
- Handle Extension Kit
- Long Bit Holder

Kit #98750 Also Contains:


- 2600 VSR Screwdriver Model #W6VB3
- DHCW6V4B Coupler*
- Handle Extension Kit
- Long Bit Holder
- Nylon Case

Kit #98760 Also Contains:

- 4500 VSR Screwdriver Model #W6V4
- DHCW6V4B Coupler*
- Handle Extension Kit
- Long Bit Holder
- Nylon Case

*additional coupler options are available to fit other makes/models of tools

Collated Screws



DRYWALL SCREWS

Drywall to Wood

Page ISC-3

Bugle Head, #2 Phillips Drive, Coarse Thread, Sharp Point, Gray Phosphate

Drywall to Light Gauge Steel

Page ISC-3

Bugle Head, #2 Phillips Drive, Fine Thread, Sharp Point, Gray Phosphate

FLOORING SCREWS

Interior Wood to Wood

Page ISC-4

Flat Head, #2 Square Drive, Full Coarse Thread, Sharp Point, Yellow Zinc

Flat Head, #2 Square Drive, Coarse 2/3 Waxed Thread, Sharp Point, Yellow Zinc

METAL SCREWS

Metal to Metal

Page ISC-4

Modified Flat Pan Head, #3 Square Recess Drive, Fine Thread, Self-Drilling Point, Yellow Zinc

SHEATHING SCREWS

Sheathing to Light Gauge Steel

Page ISC-5

Flat Head, #2 Square Drive, Fine Thread, Sharp Point, Clear Zinc

Sheathing to Heavy Gauge Steel

Page ISC-5

Modified Wafer Head with Nibs, #2 Square Drive, Fine Thread, Winged Drill Point, Clear Zinc

UNDERLAYMENT SCREWS

Cement Backer Board to Wood

Page ISC-5

Flat Modified Wafer Head with Nibs, #2 Square Drive, High-Low Thread, Spoon Point, E-coating

COMPOSITE OR WOOD DECKING SCREWS

Trim Head - Wood or Composite with Wax Lube

Page ISC-6

Modified Trim Head, #2 Square Drive, Coarse 2/3 Waxed Thread, Type 17 Cut Point, E-coating

Composite Anti-Mushroom Head

Page ISC-6

Cupped Anti-Mushroom Pan Head, #2 Square Drive, Dual Threads-Coarse and Fine, Sharp Point, E-coating: Gray, Tan, Red or Brown


WOOD DECKING SCREWS

All Purpose Exterior Wood to Wood with Wax Lube

Page ISC-7

Flat Head, #2 Square Drive, Coarse 2/3 Waxed Thread, Type 17 Cut Point, E-coating

Flat Head, #2 Square Drive, Coarse 2/3 Waxed Thread, Type 17 Cut Point, Stainless Steel



Collated Screws

For best results, Interchange Brands recommends that stainless steel fasteners be used for corrosion resistance in exterior use and for ACQ treated lumber applications.

Our E-coated fasteners meet or exceed the minimum requirements for coating weight and thickness as outlined in ASTM A 641: Standard Specifications for Zinc-Coated (Galvanized) Carbon Steel Wire.





INTERCHANGE
Collated Screws also fit
TyREX™
Tools



DURASPIN
DS212-18V, DS215-18V, D3212-18V



DURASPIN
DS232-AC, DS235-AC, DS332-AC



DURASPIN
DS425-AC, DS440-AC



DURASPIN
DS220 2" Auto-feed Screwdriver Attachment



DURASPIN
DS320 3" Auto-feed Screwdriver Attachment

GRABBER.



GRABBER 05 SERIES



GRABBER 55 SERIES



GRABBER 75 SERIES



GRABBER 80 SERIES



GRABBER 85 SERIES



FASTENING TECHNOLOGY, INC.



PAM P13K



PAM PC12



PAM SX2K



PAM P13KDE



PAM P13KUE

Tools	Primary Applications
Grabber	
SuperDrive 05 Series	Metal Framing
SuperDrive 55 Series	Drywall and Subfloor
SuperDrive 75 Series	Subfloor and Decking
SuperDrive 80 Series	Drywall and Metal Framing
SuperDrive 85 Series	Metal Roof Deck and Metal Framing
Pam Fastening	
P13K	Drywall to Wood or Steel: Decking, Roof Tile, Crating, Subfloor, Fiber Cement, Steel Framing
P13KDE	Decking, Subfloor
P13KUE	Drywall to Wood or Steel: Decking, Subfloor, Roof Tile, Siding
PC12	Drywall to Wood or Steel
SX2K	Subfloor, Drywall
Senco DuraSpin	
DS162-14V*	Drywall
DS200*	Cement Board, Drywall, Underlayment, Floor Sheathing, Wood
DS200-14V*	Drywall, Underlayment, Floor Sheathing
DS200-AC*	Cement Board, Decking, Drywall, Fencing, Underlayment, Floor Sheathing
DS200-S2*	Cement Board, Drywall, Underlayment, Floor Sheathing
DS200-S4*	Drywall, Wood
DS202-14V*	Drywall, Wood
DS205-14V*	Drywall
DS212-18V	Metal Framing, Cement Board, Drywall to Wood or Steel, Subfloor, Underlayment, Wood Decking, Sheathing to Steel
DS215-18V	Drywall to Wood or Steel, Underlayment, Cement Board,
DS232-AC	Metal Framing, Cement Board, Drywall to Wood or Steel, Subfloor, Underlayment, Wood or Composite Decking

Tools	Primary Applications
DS235-AC	Drywall to Wood or Steel, Underlayment, Cement Board, Subfloor, Wood Decking
DS275-18V*	Cement Board, Decking, Drywall, Fencing, Underlayment, Floor Sheathing
DS300*	Exterior Decks, Cement Board, Floor Sheathing
DS300-AC*	Subfloor, Wood Decking, Composite Decking, Cement Board, Underlayment, Sheathing to Steel, Metal Framing, Structural Steel Decking, Rigid Foam Installation
DS300-S2*	Exterior Decks, Cement Board, Floor Sheathing, Wood
DS300-S4*	Floor Sheathing
DS300-24V*	Cement Board, Decking, Underlayment, Floor Sheathing
DS312-18V	Wood Decking, Drywall to Wood or Steel, Subfloor, Underlayment, Metal Framing, Composite Decking, Cement Board, Sheathing to Steel
DS322-AC*	Drywall to Wood or Steel, Subfloor, Wood Decking, Composite Decking, Cement Board, Underlayment, Sheathing to Steel, Metal Framing, Structural Steel Decking, Rigid Foam Installation
DS332-AC	Wood Decking, Composite Decking, Sheathing to Steel, Drywall to Wood or Steel, Subfloor, Underlayment, Metal Framing, Cement Board
DS425-AC	Metal Framing, Wood Decking, Composite Decking, Cement Board, Sheathing to Steel, Drywall to Wood or Steel, Subfloor, Underlayment
DS440-AC	Subfloor, Underlayment, Wood Decking, Cement Board, Drywall to Wood or Steel

Tools	Primary Applications
Tyrex <i>these tools have been discontinued</i>	
D404-14V*	Drywall/Densglass®, Cement Board, Sheathing, Underlayment, Wire Lath, Crating/Pallet Manufacturing, Drywall/Densglass®
D550-18V*	Sheathing, Cement Board, Fencing, Decking, Underlayment, Drywall/Densglass®
D600-AC*	Decking, Subfloor, Cement Board, Sheathing, Underlayment
D600ATT*	Decking, Subfloor, Cement Board, Sheathing, Underlayment
DCF5000*	Sheathing, Cement Board, Underlayment, Crating/Pallet Manufacturing, Steel Fastening, Drywall/Densglass®, Wire Lath
TY0100*	Metal To Metal, Metal Roofing & Siding, Truss Manufacturing
TY0200*	Metal To Metal, Sheathing, Drywall/Densglass®
TY0300*	Metal To Metal, Metal Roofing & Siding, Metal Decking, Subfloor Sheathing, Decking
TY5100*	Drywall/Densglass®, Sheathing, Cement Board, Underlayment, Crating/Pallet Manufacturing
TY5300*	Sheathing, Decking, Cement Board, Underlayment, Crating/Pallet Manufacturing, Drywall/Densglass®
TY9000*	Drywall/Densglass®, Cement Board, Sheathing, Underlayment, Wire Lath

* discontinued models

Drywall Screws

APPLICATION: Drywall to wood, light gauge steel and heavy gauge steel.

Drywall to Wood



ORDER NO.	DESCRIPTION CODE	DESCRIPTION	QTY/BUCKET	QTY/CTN
46300	IS06A125P	#6x1-1/4" Bugle Head, #2 Phillips Drive, Coarse Thread, Sharp Point, Gray Phosphate	1,000	6,000
46301	IS06A125PB	#6x1-1/4" Bugle Head, #2 Phillips Drive, Coarse Thread, Sharp Point, Gray Phosphate	NA	4,000
46305	IS06A162P	#6x1-5/8" Bugle Head, #2 Phillips Drive, Coarse Thread, Sharp Point, Gray Phosphate	1,000	6,000
46306	IS06A162PB	#6x1-5/8" Bugle Head, #2 Phillips Drive, Coarse Thread, Sharp Point, Gray Phosphate	NA	4,000

Fits These Tools and Others...

DURASPIN

DS232-AC, DS235-AC, DS322-AC,
DS300-AC, DS440-AC, DS425-AC,
DS200, DS200-AC, DS200-S2,
DS200-S4, DS300-S2, DS300-S4

DURASPIN

DS215-18V, DS212-18V,
DS312-18V, DS162-14V,
DS200-14V, DS202-14V,
DS205-14V, DS275-18V, DS300-24V

TYREX

D404-14V, D550-18V, DCF5000,
TY0200, TY0300, TY5100, TY5300,
TY9000

GRABBER

SuperDrive 55 SERIES, SuperDrive
75 SERIES,
SuperDrive 80 SERIES (to 1-1/4")

PAM

P13K, PC12, SX2K

ORDER NO.	DESCRIPTION CODE	DESCRIPTION	QTY/BUCKET	QTY/CTN
46355	IS07A200P	#7x2" Bugle Head, #2 Phillips Drive, Coarse Thread, Sharp Point, Gray Phosphate	1,000	6,000

Fits These Tools and Others...

DURASPIN

DS235-AC, DS232-AC, DS322-AC,
DS300-AC, DS440-AC, DS425-AC,
DS200, DS200-AC, DS200-S2,
DS200-S4, DS300-S2, DS300-S4

DURASPIN

DS215-18V, DS212-18V,
DS312-18V, DS162-14V,
DS200-14V, DS202-14V,
DS205-14V, DS275-18V, DS300-24V

TYREX

D404-14V, D550-18V, DCF5000,
TY0200, TY0300, TY5100, TY5300,
TY9000

GRABBER

SuperDrive 55 SERIES, SuperDrive
75 SERIES

PAM

P13K, PC12, SX2K

Drywall to Light Gauge Steel



ORDER NO.	DESCRIPTION CODE	DESCRIPTION	QTY/BUCKET	QTY/CTN
46265	IS06B125P	#6x1-1/4" Bugle Head, #2 Phillips Drive, Fine Thread, Sharp Point, Gray Phosphate	1,000	6,000
46270	IS06B162P	#6x1-5/8" Bugle Head, #2 Phillips Drive, Fine Thread, Sharp Point, Gray Phosphate	1,000	6,000

Fits These Tools and Others...

DURASPIN

DS235-AC, DS232-AC, DS322-AC,
DS300-AC, DS440-AC, DS425-AC,
DS200, DS200-AC, DS200-S2,
DS200-S4, DS300, DS300-S2,
DS300-S4

DURASPIN

DS212-18V, DS312-18V,
DS162-14V, DS200-14V,
DS202-14V, DS205-14V,
DS275-18V, DS300-24V

TYREX

D404-14V, D550-18V, DCF5000,
TY0200, TY0300, TY5100, TY5300,
TY9000

GRABBER

SuperDrive 55 SERIES,
SuperDrive 75 SERIES,
SuperDrive 80 SERIES
(to 1-1/4")

PAM

P13K, PC12, SX2K

SCREWS

Red highlighted items are Stainless Steel (SS) 304 Grade

Yellow highlighted items are Galvanized (G) ASTM A641



Bulk Screws to fit your application's specifications are also available. Ask your Account Manager for more details.

The tool pictures shown on page ISC-2 may vary from actual tool.

The information in this catalog represents current information related to the compatibility between the fasteners and the tools. Use this information as a guideline only.

For information, contact your INTERCHANGE Brands representative.

Flooring Screws

APPLICATIONS: Interior wood to wood.

Interior Wood to Wood



ORDER NO.	DESCRIPTION CODE	DESCRIPTION	QTY/BUCKET	QTY/CTN
46370	IS08F150Y	#8x1-1/2" Flat Head, #2 Square Drive, Full Coarse Thread, Sharp Point, Yellow Zinc	1,000	6,000



ORDER NO.	DESCRIPTION CODE	DESCRIPTION	QTY/BUCKET	QTY/CTN
46325	IS08F175Y	#8x1-3/4" Flat Head, #2 Square Drive, Coarse 2/3 Waxed Thread, Sharp Point, Yellow Zinc	1,000	6,000
46320	IS08F200Y	#8x2" Flat Head, #2 Square Drive, Coarse 2/3 Waxed Thread, Sharp Point, Yellow Zinc	1,000	6,000
46330	IS10F200Y	#10x2" Flat Head, #2 Square Drive, Coarse 2/3 Waxed Thread, Sharp Point, Yellow Zinc	1,000	6,000

Fits These Tools and Others...

DURASPIN

DS325-AC, DS232-AC, DS322-AC,
DS300-AC, DS440-AC, DS425-AC,
DS200, DS200-AC, DS200-S2,
DS200-S4, DS300, DS300-S2,
DS300-S4

DURASPIN

DS212-18V, DS312-18V,
DS200-14V, DS202-14V,
DS275-18V, DS300-24V

TYREX

D404-14V, D550-18V, D600-AC,
D600ATT, DCF5000, TY0300,
TY5100, TY5300, TY9000

GRABBER

SuperDrive 55 SERIES
SuperDrive 75 SERIES

PAM

P13KDE, P13KUE, SX2K

ORDER NO.	DESCRIPTION CODE	DESCRIPTION	QTY/BUCKET	QTY/CTN
46180	IS08F250Y	#8x2-1/2" Flat Head, #2 Square Drive, Coarse 2/3 Waxed Thread, Sharp Point, Yellow Zinc	800	4,800

Fits These Tools and Others...

DURASPIN

DS322-AC, DS300-AC, DS440-AC,
DS425-AC, DS300, DS300-S2,
DS300-S4,

DURASPIN

DS312-18V, DS275-18V, DS300-24V

TYREX

D550-18V, D600-AC, D600ATT,
TY0300, TY5300

GRABBER

SuperDrive 75 SERIES

PAM

P13KDE, P13KUE

ORDER NO.	DESCRIPTION CODE	DESCRIPTION	QTY/BUCKET	QTY/CTN
46185	IS08F300Y	#8x3" Flat Head, #2 Square Drive, Coarse 2/3 Waxed Thread, Sharp Point, Yellow Zinc	800	4,800

Fits These Tools and Others...

DURASPIN

DS322-AC, DS300-AC, DS440-AC,
DS425-AC, DS300, DS300-S2,
DS300-S4,

DURASPIN

DS312-18V, DS275-18V, DS300-24V

TYREX

D550-18V, D600-AC, D600ATT,
TY0300, TY5300

GRABBER

SuperDrive 75 SERIES

PAM

P13KDE, P13KUE

Interior Wood to Wood
Screws and Metal Screws

These INTERCHANGE screws are designed to fit the brands of tools shown. Not all tools accept the full range of fastener sizes listed. Refer to the tool model's specifications for the fastener size recommendations.


Additional sizes may be available.

Some of the items may be available by special order only.

Metal Screws

APPLICATION: Metal to metal.

Metal to Metal



ORDER NO.	DESCRIPTION CODE	DESCRIPTION	QTY/BUCKET	QTY/CTN
46227	ISFD0075	#10 x 3/4" Flat Pan Head, Modified, #3 Square Recess Drive, Fine Thread, Self-Drilling Point, Yellow Zinc	NA	4M



Fits These Tools and Others...

DURASPIN

DS200-AC

TYREX

TY0100, TY0200, TY0300

GRABBER

SuperDrive 05 SERIES,
SuperDrive 55 SERIES,
SuperDrive 75 SERIES,
SuperDrive 80 SERIES (to 1-1/4"),
SuperDrive 85 SERIES

PAM

P13K



The screws with the Three-Squared recess provide superior bit fit.

Sheathing Screws

APPLICATIONS: Sheathing to light gauge steel or heavy gauge steel.

Sheathing to Light Gauge Steel



ORDER NO.	DESCRIPTION CODE	DESCRIPTION	QTY/BUCKET	QTY/CTN
46230	ISFSS8150C	#8x1-1/2" Flat Head, #2 Square Drive, Fine Thread, Sharp Point, Clear Zinc	1,000	6,000

Fits These Tools and Others...

DURASPIN

DS322-AC, DS300-AC, DS425-AC,
DS200, DS200-AC, DS200-S2,
DS200-S4, DS300, DS300-S2,
DS300-S4

DURASPIN

DS212-18V, DS312-18V,
DS162-14V, DS200-14V,
DS202-14V, DS205-14V,
DS275-18V, DS300-24V

TYREX

D404-14V, D550-18V, DCF5000,
TY0200, TY5100, TY9000


GRABBER

SuperDrive 55 SERIES, SuperDrive
75 SERIES

PAM

P13K

Sheathing to Heavy Gauge Steel



ORDER NO.	DESCRIPTION CODE	DESCRIPTION	QTY/BUCKET	QTY/CTN
46235	ISWSW8162C	#8x1-5/8" Modified Wafer Head with Nibs, #2 Square Drive, Fine Thread, Winged Drill Point, Clear Zinc	1,000	6,000

Fits These Tools and Others...

DURASPIN

DS232-AC, DS322-AC, DS300-AC,
DS425-AC, DS300-S2

DURASPIN

DS212-18V, DS312-18V, DS300-24V

TYREX

D550-18V, D600-AC, D600ATT,
TY0300, TY5300

GRABBER

SuperDrive 55 SERIES, SuperDrive
75 SERIES

PAM

P13K

Underlayment Screws

APPLICATIONS: Cement backer board to wood.

Cement Backer Board to Wood



ORDER NO.	DESCRIPTION CODE	DESCRIPTION	QTY/BUCKET	QTY/CTN
46200	IS08T125W	#8x1-1/4" Flat Modified Wafer Head with Nibs, #2 Square Drive, High-Low Thread, Spoon Point, E-coating	1,000	6,000

Fits These Tools and Others...

DURASPIN

DS235-AC, DS232-AC, DS322-AC,
DS300-AC, DS440-AC, DS425-AC,
DS200, DS200-AC, DS200-S2,
DS200-S4, DS300-S2,

DURASPIN

DS215-18V, DS212-18V,
DS312-18V, DS200-14V,
DS202-14V, DS275-18V, DS300-24V

TYREX

D404-14V, D550-18V, D600-AC,
D600ATT, DCF5000, TY0200,
TY0300, TY5300, TY9000

GRABBER

SuperDrive 55 SERIES,
SuperDrive 75 SERIES, SuperDrive

PAM

P13K

SCREWS

Red highlighted items are Stainless Steel (SS) 304 Grade

Yellow highlighted items are Galvanized (G) ASTM A641

The tool pictures shown on page ISC-2 may vary from actual tool.

The information in this catalog represents current information related to the compatibility between the fasteners and the tools. Use this information as a guideline only.

For information, contact your INTERCHANGE Brands representative.

Decking Screws

APPLICATION: Wood or composite decking.

Trim Head - Wood or Composite with Wax Lube



ORDER NO.	DESCRIPTION CODE	DESCRIPTION	QTY/BUCKET	QTY/CTN
46205	IS08R250W	#8x2-1/2" Modified Trim Head, #2 Square Drive, Coarse 2/3 Waxed Thread, Type 17 Cut Point, E-coating	800	4,800

Fits These Tools and Others...

DURASPIN

DS322-AC, DS300-AC, DS425-AC, DS300, DS300-S2, DS300-S4

DURASPIN

DS312-18V, DS275-18V, DS300-24V

TYREX

D550-18V, D600-AC, D600ATT, TY0300, TY5300

GRABBER

SuperDrive 75 SERIES

PAM

P13K, P13KDE, P13KUE

ORDER NO.	DESCRIPTION CODE	DESCRIPTION	QTY/BUCKET	QTY/CTN
46275	IS08R300W	#8x3" Modified Trim Head, #2 Square Drive, Coarse 2/3 Waxed Thread, Type 17 Cut Point, E-coating	800	4,800

Fits These Tools and Others...

DURASPIN

DS322-AC, DS300-AC, DS425-AC, DS300, DS300-S2, DS300-S4

DURASPIN

DDS312-18V, S300-24V

TYREX

D550-18V, D600-AC, D600ATT, TY0300, TY5300


GRABBER

SuperDrive 75 SERIES

PAM

P13K, P13KDE, P13KUE

Composite Anti-Mushroom Head



ORDER NO.	DESCRIPTION CODE	DESCRIPTION	QTY/BUCKET	QTY/CTN
46240	IS08S250WGRY	#8x2-1/2" Cupped Anti-Mushroom Pan Head, #2 Square Drive, Dual Threads-Coarse and Fine, Sharp Point, Gray E-coating	800	4,800
46245	IS08S250WTAN	#8x2-1/2" Cupped Anti-Mushroom Pan Head, #2 Square Drive, Dual Threads-Coarse and Fine, Sharp Point, Tan E-coating	800	4,800
46250	IS08S250WRED	#8x2-1/2" Cupped Anti-Mushroom Pan Head, #2 Square Drive, Dual Threads-Coarse and Fine, Sharp Point, Red E-coating	800	4,800
46280	IS08S250WBRN	#8x2-1/2" Cupped Anti-Mushroom Pan Head, #2 Square Drive, Dual Threads-Coarse and Fine, Sharp Point, Brown E-coating	800	4,800

Fits These Tools and Others...

DURASPIN

DS322-AC, DS300-AC, DS425-AC, DS300, DS300-S2, DS300-S4

DURASPIN

DDS312-18V, S300-24V

TYREX

D600-AC, D600ATT, TY5300

GRABBER

SuperDrive 75 SERIES

PAM

P13K, P13KDE, P13KUE

ORDER NO.	DESCRIPTION CODE	DESCRIPTION	QTY/BUCKET	QTY/CTN
46190	IS08S300WGRY	#8x3" Cupped Anti-Mushroom Pan Head, #2 Square Drive, Dual Threads-Coarse and Fine, Sharp Point, Gray E-coating	800	4,800
46255	IS08S300WTAN	#8x3" Cupped Anti-Mushroom Pan Head, #2 Square Drive, Dual Threads-Coarse and Fine, Sharp Point, Tan E-coating	800	4,800
46260	IS08S300WRED	#8x3" Cupped Anti-Mushroom Pan Head, #2 Square Drive, Dual Threads-Coarse and Fine, Sharp Point, Red E-coating	800	4,800
46195	IS08S300WBRN	#8x3" Cupped Anti-Mushroom Pan Head, #2 Square Drive, Dual Threads-Coarse and Fine, Sharp Point, Brown E-coating	800	4,800

Fits These Tools and Others...

DURASPIN

DS322-AC, DS300-AC, DS425-AC, DS300, DS300-S2, DS300-S4

DURASPIN

DDS312-18V, S300-24V

TYREX

D600-AC, D600ATT, TY5300

GRABBER

SuperDrive 75 SERIES

PAM

P13K, P13KDE, P13KUE

For best results, Interchange Brands recommends that stainless steel fasteners be used for corrosion resistance in exterior use and for ACQ treated lumber applications.

Our E-coating fasteners meet or exceed the minimum requirements for coating weight and thickness as outlined in ASTM A641: Standard Specifications for Zinc-Coated (Galvanized) Carbon Steel Wire.

Wood or Composite
Decking Screws

These INTERCHANGE screws are designed to fit the brands of tools shown. Not all tools accept the full range of fastener sizes listed. Refer to the tool model's specifications for the fastener size recommendations.

Additional sizes may be available.

Some of the items may be available by special order only.

Decking Screws

APPLICATION: Wood to wood decking.

All Purpose Exterior Wood to Wood with Wax Lube



ORDER NO.	DESCRIPTION CODE	DESCRIPTION	QTY/BUCKET	QTY/CTN
46335	IS08D175W	#8x1-3/4" Flat Head, #2 Square Drive, Coarse 2/3 Waxed Thread, Type 17 Cut Point, E-coating	1,000	6,000
46340	IS08D200W	#8x2" Flat Head, #2 Square Drive, Coarse 2/3 Waxed Thread, Type 17 Cut Point, E-coating	1,000	6,000

Fits These Tools and Others...

DURASPIN

DS322-AC, DS300-AC, DS425-AC, DS200, DS200-AC, DS200-S2, DS200-S4, DS300, DS300-S2, DS300-S4,

DURASPIN

DS312-18V, DS200-14V, DS202-14V, DS275-18V, DS300-24V

TYREX

D550-18V, D600-AC, D600ATT, TY0300, TY5300

GRABBER

SuperDrive 55 SERIES, SuperDrive 75 SERIES

PAM

P13K, P13KDE, P13KUE

ORDER NO.	DESCRIPTION CODE	DESCRIPTION	QTY/BUCKET	QTY/CTN
46145	IS08D250W	#8x2-1/2" Flat Head, #2 Square Drive, Coarse 2/3 Waxed Thread, Type 17 Cut Point, E-coating	800	4,800

Fits These Tools and Others...

DURASPIN

DS322-AC, DS300-AC, DS425-AC, DS300, DS300-AC, DS300-S2, DS300-S4

DURASPIN

DS312-18V, DS275-18V, DS300-24V

TYREX

D550-18V, D600-AC, D600ATT, TY0300, TY5300

GRABBER

SuperDrive 75 SERIES

PAM

P13K, P13KDE, P13KUE

ORDER NO.	DESCRIPTION CODE	DESCRIPTION	QTY/BUCKET	QTY/CTN
46150	IS08D300W	#8x3" Flat Head, #2 Square Drive, Coarse 2/3 Waxed Thread, Type 17 Cut Point, E-coating	800	4,800

Fits These Tools and Others...

DURASPIN

DS322-AC, DS300-AC, DS425-AC, DS300, DS300-S2, DS300-S4,

DURASPIN

DS312-18V, DS300-24V

TYREX

D550-18V, D600-AC, D600ATT, TY0300, TY5300

GRABBER

SuperDrive 75 SERIES


PAM

P13K, P13KDE, P13KUE

Decking Screws - Stainless Steel

APPLICATION: Wood to wood decking.

All Purpose Exterior Wood to Wood with Wax Lube



ORDER NO.	DESCRIPTION CODE	DESCRIPTION	QTY/BUCKET	QTY/CTN
46147	IS08D250S	#8x2-1/2" Flat Head, #2 Square Drive, Coarse 2/3 Waxed Thread, Type 17 Cut Point, Stainless Steel	800	4,800

Fits These Tools and Others...

DURASPIN

DS322-AC, DS300-AC, DS425-AC, DS300, DS300-S2

DURASPIN

DS312-18V, DS275-18V, DS300-24V

TYREX

D550-18V, TY5300

GRABBER

SuperDrive 75 SERIES

PAM

P13K, P13KDE, P13KUE

ORDER NO.	DESCRIPTION CODE	DESCRIPTION	QTY/BUCKET	QTY/CTN
46380	IS09D300S	#9x3" Flat Head, #2 Square Drive, Coarse 2/3 Waxed Thread, Type 17 Cut Point, Stainless Steel	800	4,800

Fits These Tools and Others...

DURASPIN

DS322-AC, DS300-AC, DS425-AC, DS300, DS300-S2

DURASPIN

DS312-18V, DS300-24V, DS300-24V

TYREX

D550-18V, TY0300

GRABBER

SuperDrive 75 SERIES

PAM

P13K, P13KDE, P13KUE

Wood-to-Wood
Decking Screws

The tool pictures shown on page ISC-2 may vary from actual tool.

The information in this catalog represents current information related to the compatibility between the fasteners and the tools. Use this information as a guideline only.

For information, contact your INTERCHANGE Brands representative.

Interchange Brands fasteners are unconditionally guaranteed with a "no questions asked" replacement of any Interchange fasteners that prove to be incompatible for the tool they are designed to fit or prove to be defective.

GENUINE

INTERCHANGE
BRANDS, LLC
CONSTRUCTION
SUPPLIES



Interchange
Industrial
Fasteners

for your toughest jobs!



Some fasteners are now available in industrial grade for more demanding applications.

Contact your Interchange Brands Representative for more information.



Fasteners and Corrosion

The performance of fasteners in wood is primarily determined by three factors:

- the fastener metal and any coating;
- chemical composition of the wood;
- and the environment they live in.

Galvanizing adds rust resistance to carbon steel. Galvanized fasteners and many woods work well together outdoors. Salt air, high humidity and industrial air pollution may eventually cause a breakdown of the zinc to allow rust and bleeding.

Some woods contain chemicals that react with certain metals to produce a chemical precipitate. Redwood and cedar contain tannin which reacts with zinc galvanizing producing brown to black stains. The natural acidity of some woods can cause metal deterioration. The chemical composition of woods may change with the addition of chemical preservatives and fire retardants which contain salts that can destroy certain fasteners.

Common sense and experience will dictate the proper fastener in most applications. Really tough conditions may call for aluminum or stainless steel fasteners. Special, unusual or untried applications may require consultation with your lumber dealer. Local or national building associates, wood product manufacturers or engineers at your insurance company may provide good information at no cost.

Hot Dipped Galvanized Nails

Interchange Brands hot dipped galvanized PT and PTOR nails meet the requirements of the 1991 ICBO Uniform Building Code (UBC) standards for power driven nails as specified in Table 25-17-T in Part IV. Furthermore, they exceed ASTM A641-91, Class II specifications for coating weight, which calls for a .5 ounce/ft².

Interchange hot dipped galvanized nail specification calls for a minimum thickness of 1.0 ounce/ft², doubling Class II specifications, exceeding ASTM A641-91, Class III.

RedLock Nails

Interchange Brands **RedLock** red coating fasteners have increased withdrawal values and are tested to exceed most standard coating holding power by at least 40%.



A Note On ACQ (Alkaline Copper Quaternary) and Fastener Recommendations when using Pressure Treated Lumber

On January 1, 2004, government mandates went into effect requiring companies engaged in pressure-treating lumber as a form of preservative to cease using chemical compounds that contain arsenic. Chromated Copper Arsenic, or CCA, was the most common compound used in the market and its use will nearly cease as a result.

In response to this mandate, several formulations have been and will be hitting the market. While they all will conform to the new government standards for toxicity, almost all of them will be extremely corrosive to any form of metal that comes in contact with wood preserved with them. This includes fasteners, framing hardware, strapping and any other metallic objects. Testing to determine proper recommendations for products

that tolerate this corrosive environment have been confusing, contradictory and lacking consensus for the most part.

Until more is understood about the effects of the various formulations on the market with metallic objects in general and fasteners in particular, Interchange Brands, LLC recommends the use of stainless steel as the basis material for fasteners used in pressure-treated lumber. The peace of mind afforded by using stainless steel far outweighs the cost in what is currently an uncertain situation. Fastener failures caused by accelerated corrosion in the applications where preserved lumber is used could have significant consequences that can be avoided by using stainless steel.

Not all tools referenced in this catalog accept the full range of fastener sizes. Some of the tools shown may be older versions of current tools and are no longer available for sale. The older models are listed to help our customers identify the fasteners their older tools may shoot. We recommend that you refer to your tool's operators manual for the fastener specifications and size information for your tool.

Index: Nails and Nailers

Nails		Page
STRIP NAILS: Clipped Head & Offset Round Head		
BW	28° Clipped Head Wire Collated Nails	IN-3
PT	34° Clipped Head Paper Tape Collated Nails	IN-4/5
PTOR	34° Offset Round Head Paper Tape Collated Nails	IN-4/5
STRIP NAILS: Round Head		
DPS	21° Round Head Plastic Collated Nails	IN-6/7
DPS	21° Joist Hanger/Plywood Plastic Collated Nails	IN-8
PTJH	34° Joist Hanger/Plywood Paper Tape Collated Nails	IN-8
COIL NAILS: Round Head		
HWCF	15° Wire Collated Framing and Decking Nails (Flat Coil)	IN-9
HWCF	15° Wire Collated Pallet Nails (Flat Coil)	IN-10
HWCC	15° Wire Collated Mini Nails (Cone Coil)	IN-11
MWCL	15° Large Coil Wire Collated Pallet Nails (High Load, Flat Coil)	IN-11
HWCF	15° Wire Collated Siding and Fencing Nails (Flat Coil)	IN-12
MPC	15° Plastic Sheet Collated Siding and Fencing Nails	IN-13
DPC	0° Plastic Sheet Collated Siding and Fencing Nails	IN-13
COIL ROOFING NAILS		
CR	Wire Collated Roofing Nails	IN-14

Not all tools accept the full range of fastener sizes. Some of the tools shown in this catalog may be older versions of current tools that are no longer available for sale. The older models are listed to help our customers identify the fasteners their older tools may shoot. We recommend that you refer to your tool's operators manual for the fastener specifications and size information for your tool.

Some fasteners may be only available regionally. Contact your Interchange Dealer to verify availability in your area.



Interchange Brands fasteners are unconditionally guaranteed with a "no questions asked" replacement of any Interchange fasteners that prove to be incompatible for the tool they are designed to fit or prove to be defective.

Tool	Type	Page
Bostitch		
Bostitch F21PL, F21PL2	Round Head Strip Nailer	IN-6/7, 8
Bostitch F28WW	Clipped Head Strip Nailer	IN-3
Bostitch F33PT	Clipped or Offset Round Head Strip Nailer	IN-4/5
Bostitch KN85PP-1	Round Head Strip Nailer	IN-6/7
Bostitch LPF21PL	Round Head Strip Nailer	IN-6/7
Bostitch LPF33PT	Clipped or Offset Round Head Strip Nailer	IN-4/5
Bostitch MCN150, MCN250	Round Head Strip Nailer	IN-8
Bostitch N12, N12B, N12-40	Coil Roofing Nailer	IN-14
Bostitch N16	Clipped Head Strip Nailer	IN-3
Bostitch N50C, N55C	Round Head Coil Nailer	IN-11, 12
Bostitch N57C, N58C-1	Round Head Coil Nailer	IN-10
Bostitch N63CP	Round Head Coil Nailer	IN-10, 13
Bostitch N63CP-1, N63CP-2	Round Head Coil Nailer	IN-13
Bostitch N64C	Round Head Coil Nailer	IN-10, 11, 12
Bostitch N64CP	Round Head Coil Nailer	IN-10
Bostitch N65C	Round Head Coil Nailer	IN-11
Bostitch N65CP	Round Head Coil Nailer	IN-11, 12
Bostitch N65CP-1, N65CP-2	Round Head Coil Nailer	IN-11, 12
Bostitch N65CRP	Round Head Coil Nailer	IN-13
Bostitch N66C	Round Head Coil Nailer	IN-9, 13
Bostitch N70C, N70CB	Round Head Coil Nailer	IN-10
Bostitch N70S	Clipped Head Strip Nailer	IN-3
Bostitch N75C-1	Round Head Coil Nailer	IN-9
Bostitch N79PT	Clipped or Offset Round Head Strip Nailer	IN-4/5
Bostitch N79RH	Round Head Strip Nailer	IN-6/7
Bostitch N79WW	Clipped Head Strip Nailer	IN-3
Bostitch N80C	Round Head Coil Nailer	IN-9
Bostitch N80CB	Round Head Coil Nailer	IN-9, 10
Bostitch N80S, N80SB	Clipped Head Strip Nailer	IN-3
Bostitch N86C	Round Head Coil Nailer	IN-9
Bostitch N86S	Clipped Head Strip Nailer	IN-3
Bostitch N88RH	Round Head Strip Nailer	IN-6/7
Bostitch N88RH-MCN-2	Round Head Strip Nailer	IN-6/7, 8
Bostitch N88WW, N88WWB	Clipped Head Strip Nailer	IN-3
Bostitch N89C	Round Head Coil Nailer	IN-9
Bostitch N90PT	Clipped or Offset Round Head Strip Nailer	IN-4/5
Bostitch N90RH	Round Head Strip Nailer	IN-6/7
Bostitch N95-162, N95RH	Round Head Strip Nailer	IN-6/7
Bostitch N100C	Round Head Coil Nailer	IN-9, 10
Bostitch N100CPP	Round Head Coil Nailer	IN-9
Bostitch N100S	Clipped Head Strip Nailer	IN-3
Bostitch N400C-1	Round Head Coil Nailer	IN-9
Bostitch RN45, RN45B, RN45B-1	Coil Roofing Nailer	IN-14
Bostitch RN46, RN46-1	Coil Roofing Nailer	IN-14
Bostitch RN90	Round Head Strip Nailer	IN-6/7
Duo-Fast		
Duo-Fast CN-137	Round Head Strip Nailer	IN-6/7
Duo-Fast CN-325B	Clipped Head Strip Nailer	IN-3
Duo-Fast CN-350, CN-350B	Round Head Strip Nailer	IN-6/7
Duo-Fast CN-350B-SH	Round Head Strip Nailer	IN-6/7
Duo-Fast CNW-75	Round Head Coil Nailer	IN-9
Duo-Fast DCN-325/BSL	Round Head Coil Nailer	IN-9
Duo-Fast DF350CN	Round Head Strip Nailer	IN-6/7
Duo-Fast DRN-45	Coil Roofing Nailer	IN-14
Duo-Fast NSP-350F1, NSP-350F2	Round Head Strip Nailer	IN-6/7
Duo-Fast RN-175A	Coil Roofing Nailer	IN-14
Duo-Fast SNP-83	Round Head Strip Nailer	IN-6/7
Fasco		
Fasco F3C CN15W-32CT Roof	Coil Roofing Nailer	IN-14
Fasco F4 CN15W-45	Coil Roofing Nailer	IN-14
Fasco F5C	Clipped or Offset Round Head Strip Nailer	IN-4/5
Fasco F5 CN15W-65	Round Head Coil Nailer	IN-10
Fasco F5 CN15W-65SK	Round Head Coil Nailer	IN-10
Fasco F5 CN15W-90	Round Head Coil Nailer	IN-10
Fasco F5C HHN 28-90	Clipped Head Strip Nailer	IN-3
Fasco F5C HHN 20-83	Round Head Strip Nailer	IN-6/7
Fasco F6 HHN 28-90	Clipped Head Strip Nailer	IN-3
Fasco F6 HHN 31-90	Clipped or Offset Round Head Strip Nailer	IN-4/5
Fasco F6 HHN 20-90	Round Head Strip Nailer	IN-6/7
Fasco F6AC HHN31	Clipped or Offset Round Head Strip Nailer	IN-4/5
Fasco F6AC CN15W-90B	Round Head Coil Nailer	IN-9, 10, 11
Fasco F6C HHN20-100	Round Head Strip Nailer	IN-6/7
Fasco F45C CN15W	Round Head Coil Nailer	IN-12
Fasco F45C CN15W-PS 65-CT/SS	Round Head Coil Nailer	IN-13
Fasco F48C CN15W-55	Round Head Coil Nailer	IN-9, 10, 11
Fasco F48 CN15W-45	Coil Roofing Nailer	IN-14
Fasco F58 CN15W-70	Round Head Coil Nailer	IN-9, 10, 12
Fasco F58 CN15W-80	Round Head Coil Nailer	IN-9, 10, 12
Fasco R4 CN15W-45CT	Coil Roofing Nailer	IN-14
Fasco R4 CN15W-50	Round Head Coil Nailer	IN-12
Fasco R5 CN15W-65	Round Head Coil Nailer	IN-10
Fasco R5C HHN 28-90SS-CT	Clipped Head Strip Nailer	IN-3
Fasco R5C HHN 31-90SS-CT	Clipped or Offset Round Head Strip Nailer	IN-4/5
Fasco R5C HHN20-90SS-CT	Round Head Strip Nailer	IN-6/7


Tool	Type	Page
Hitachi		
Hitachi NR65AK, NR65AK(S)	Round Head Strip Nailer	IN-8
Hitachi NR83A	Round Head Strip Nailer	IN-6/7
Hitachi NR83A2, NR83A2S	Round Head Strip Nailer	IN-6/7
Hitachi NR83A2S(1), NR83A2(Y)	Round Head Strip Nailer	IN-6/7
Hitachi NR83AA, NR83AA2	Clipped or Offset Round Head Strip Nailer	IN-4/5
Hitachi NR83AA3, NR83AA3(S)	Clipped or Offset Round Head Strip Nailer	IN-4/5
Hitachi NR90AA	Clipped or Offset Round Head Strip Nailer	IN-4/5
Hitachi NR90AC, NR90AC2	Round Head Strip Nailer	IN-6/7, 8
Hitachi NR90AC3	Round Head Strip Nailer	IN-6/7, 8
Hitachi NR90AD, NR90AD(S)	Clipped or Offset Round Head Strip Nailer	IN-4/5
Hitachi NR90ADPR	Clipped or Offset Round Head Strip Nailer	IN-4/5
Hitachi NR90AE, NR90AE(S)	Round Head Strip Nailer	IN-6/7, 8
Hitachi NR90AEP	Round Head Strip Nailer	IN-6/7, 8
Hitachi NR90AF	Clipped Head Strip Nailer	IN-3
Hitachi NR90GC	Clipped or Offset Round Head Strip Nailer	IN-4/5
Hitachi NR90GR, NR90GR2	Round Head Strip Nailer	IN-6/7
Hitachi NV45AB	Coil Roofing Nailer	IN-14
Hitachi NV45AB2, NV45AB2(S)	Coil Roofing Nailer	IN-14
Hitachi NV45AC, NV45AE	Coil Roofing Nailer	IN-14
Hitachi NV50A1	Round Head Coil Nailer	IN-11
Hitachi NV65AB	Round Head Coil Nailer	IN-9, 12
Hitachi NV65AC, NV65AE	Round Head Coil Nailer	IN-9, 12
Hitachi NV65AH, NV75AG	Round Head Coil Nailer	IN-12, 13
Hitachi NV83A, NV83A2, NV83A3	Round Head Coil Nailer	IN-9
Interchange		
Interchange CN55-15	Round Head Coil Nailer	IN-10, 12
Interchange CN57-1	Industrial Round Head Coil Nailer	IN-10, 12
Interchange CN70-15	Round Head Coil Nailer	IN-9, 10, 12
Interchange CN70-1	Industrial Round Head Coil Nailer	IN-9, 10, 12
Interchange CN70-PAL	Round Head Coil Pallet Nailer	IN-11
Interchange CN80-15	Round Head Coil Nailer	IN-9, 10, 12
Interchange CN80-1	Industrial Round Head Coil Nailer	IN-9, 10, 12
Interchange CN80F-15	Round Head Coil Framing Nailer	IN-9
Interchange CN565-15	Round Head Coil Siding Nailer	IN-12, 13
Interchange CRN45-15	Coil Roofing Nailer	IN-14
Interchange CRN4500	Coil Roofing Nailer	IN-14
Interchange MPN	Mini Palm Nailer	IN-8
Interchange NSC83-28	Clipped Head Strip Nailer	IN-3
Interchange NSC83-34	Clipped Head Strip Nailer	IN-4/5
Interchange NSJH38-34	Round Head Strip Nailer (Joist Hanger)	IN-8
Interchange NSJH64-34	Round Head Strip Nailer (Joist Hanger)	IN-8
Interchange NSR83-21	Round Head Strip Nailer	IN-6/7
Interchange NSR83-21HD	Round Head Strip Nailer (Heavy Duty)	IN-6/7
Interchange NSR83-21SPS	Round Head Strip Nailer (Single Piece Safety)	IN-6/7
Interchange NSR83-21XP	Round Head Strip Nailer (Fixed Trigger)	IN-6/7
Magnum		
WCP-57, WCP-57AE	Round Head Coil Nailer	IN-10
WCP-64, WCP-70	Round Head Coil Nailer	IN-10
Makita		
Makita AN451, AN453	Coil Roofing Nailer	IN-14
Makita AN611	Round Head Coil Nailer	IN-13
Makita AN621, AN901	Round Head Coil Nailer	IN-9
Makita AN922, AN923	Round Head Strip Nailer	IN-6/7
Makita AN942, AN943	Clipped or Offset Round Head Strip Nailer	IN-4/5
Makita AN8300	Round Head Strip Nailer	IN-6/7
Max		
Max CN55	Round Head Coil Nailer	IN-10, 12
Max CN70, CN80, CN80F, CN100	Round Head Coil Nailer	IN-9, 10
Max CN445R, CN445R2, CN450R	Coil Roofing Nailer	IN-14
Max CN550S	Round Head Coil Nailer	IN-11, 12
Max CN565D, CN565S	Round Head Coil Nailer	IN-12, 13
Max CN665	Round Head Coil Nailer	IN-9, 12
Max CN890H	Round Head Coil Nailer	IN-9, 12
Max CN890S	Round Head Coil Nailer	IN-9, 12, 13
Max CS683CH-EX	Clipped or Offset Round Head Strip Nailer	IN-4/5
Max CS683RH-EX	Round Head Strip Nailer	IN-6/7
Max HN90 High Pressure	Round Head Coil Nailer	IN-9
Max SN80, SN90, SN90A	Round Head Strip Nailer	IN-6/7
Max SN883CH/28	Clipped Head Strip Nailer	IN-3
Max SN883CH/34	Clipped or Offset Round Head Strip Nailer	IN-4/5
Max SN883RH, SN883RH2	Round Head Strip Nailer	IN-6/7
Max SN890CH/28	Clipped Head Strip Nailer	IN-3
Max SN890CH/34, SN890CH2/34	Clipped or Offset Round Head Strip Nailer	IN-4/5
Max SN890RH	Round Head Strip Nailer	IN-6/7
Paslode		
Paslode 3175/44RCU	Coil Roofing Nailer	IN-14
Paslode 5250S PP, 5250/65S PP	Round Head Strip Nailer	IN-8
Paslode 5300, 5325	Clipped or Offset Round Head Strip Nailer	IN-4/5
Paslode 5325/CN80	Round Head Coil Nailer	IN-9
Paslode 5325/SRH	Round Head Strip Nailer	IN-6/7
Paslode 5350, 5350S	Clipped or Offset Round Head Strip Nailer	IN-4/5
Paslode 5350/SRH-20	Round Head Strip Nailer	IN-6/7
Paslode 5350-90S Power Master	Clipped or Offset Round Head Strip Nailer	IN-4/5
Paslode 900420	Clipped or Offset Round Head Strip Nailer	IN-4/5
Paslode CF325 (9022200)	Clipped or Offset Round Head Strip Nailer	IN-4/5

Index: Nails and Nailers

Tool	Type	Page
Paslode (continued)		
Paslode F250S-PP	Round Head Strip Nailer	IN-8
Paslode F275C, F325C	Round Head Coil Nailer	IN-9
Paslode F350S Power Master+	Clipped or Offset Round Head Strip Nailer	IN-4/5
Paslode F400S Power Master+	Clipped or Offset Round Head Strip Nailer	IN-4/5
Paslode F4250/65CP	Round Head Coil Nailer	IN-9
Paslode F4275/CN70	Round Head Coil Nailer	IN-9
Paslode GK312, GN212	Clipped or Offset Round Head Strip Nailer	IN-4/5
Paslode IMCT	Clipped or Offset Round Head Strip Nailer	IN-4/5
Paslode Impulse 300	Clipped or Offset Round Head Strip Nailer	IN-4/5
Paslode Impulse 325, 325CT	Clipped or Offset Round Head Strip Nailer	IN-4/5
Paslode Impulse 325-PP	Round Head Strip Nailer	IN-8
Paslode Impulse 350	Clipped or Offset Round Head Strip Nailer	IN-4/5
Paslode PF150S-PP	Round Head Strip Nailer	IN-8
Paslode PF250S, PF350S	Clipped or Offset Round Head Strip Nailer	IN-4/5
Paslode R-175C	Coil Roofing Nailer	IN-14
Paslode SK312	Clipped or Offset Round Head Strip Nailer	IN-4/5
Porter Cable		
Porter Cable 134R	Coil Roofing Nailer	IN-14
Porter Cable COIL350	Round Head Coil Nailer	IN-9
Porter Cable FC350, FC350A	Clipped or Offset Round Head Strip Nailer	IN-4/5
Porter Cable FM350, FM350A	Clipped Head Strip Nailer	IN-3
Porter Cable FR350, FR350A	Round Head Strip Nailer	IN-6/7
Porter Cable FR350MAG	Round Head Strip Nailer	IN-6/7
Porter Cable FR350NC	Round Head Strip Nailer	IN-6/7
Porter Cable RN175, RN175A	Coil Roofing Nailer	IN-14
Senco		
Senco FramePro 502	Round Head Strip Nailer	IN-6/7
Senco FramePro 600	Round Head Strip Nailer	IN-6/7
Senco FramePro 601/651	Clipped or Offset Round Head Strip Nailer	IN-4/5
Senco FramePro 602	Round Head Strip Nailer	IN-6/7
Senco FramePro 650	Round Head Strip Nailer	IN-6/7
Senco FramePro 652	Round Head Strip Nailer	IN-6/7

Tool	Type	Page
Senco (continued)		
Senco FramePro 700XL	Round Head Strip Nailer	IN-6/7
Senco FramePro 701XP/751XP	Clipped or Offset Round Head Strip Nailer	IN-4/5
Senco FramePro 702XP	Round Head Strip Nailer	IN-6/7
Senco FramePro 750XL	Round Head Strip Nailer	IN-6/7
Senco FramePro 752XP	Round Head Strip Nailer	IN-6/7
Senco GT90CH	Clipped or Offset Round Head Strip Nailer	IN-4/5
Senco GT90FRH	Round Head Strip Nailer	IN-6/7
Senco PalletPro 57, 70, 90	Round Head Coil Nailer	IN-10
Senco PalletPro 100, 130	Round Head Coil Nailer	IN-10
Senco RoofPro 450, 455XP	Coil Roofing Nailer	IN-14
Senco SCN40R	Coil Roofing Nailer	IN-14
Senco SCN45	Round Head Coil Nailer	IN-12
Senco SCN49	Round Head Coil Nailer	IN-9, 10, 12, 13
Senco SCN55S	Round Head Coil Nailer	IN-11, 12, 13
Senco SCN56	Round Head Coil Nailer	IN-10, 12, 13
Senco SCN60	Round Head Coil Nailer	IN-9, 10
Senco SCN60XP	Round Head Coil Nailer	IN-10
Senco SCN65	Round Head Coil Nailer	IN-9, 10
Senco SCN65XP	Round Head Coil Nailer	IN-10
Senco SCN70	Round Head Coil Nailer	IN-10
Senco SCN200R	Coil Roofing Nailer	IN-14
Senco SCN300	Round Head Coil Nailer	IN-9
Senco SN2, SN2+, SN3, SN4	Clipped or Offset Round Head Strip Nailer	IN-4/5
Senco SN60	Round Head Strip Nailer	IN-6/7
Senco SN60MC	Round Head Strip Nailer	IN-8
Senco SN65, SN65C	Round Head Strip Nailer	IN-6/7
Senco SN70	Clipped or Offset Round Head Strip Nailer	IN-4/5
Senco SN200	Round Head Coil Nailer	IN-9
Senco SN325, SN325+	Clipped or Offset Round Head Strip Nailer	IN-4/5
Senco SN901XP	Clipped or Offset Round Head Strip Nailer	IN-4/5
Senco SN902XP	Round Head Strip Nailer	IN-6/7
Senco SN951XP	Clipped or Offset Round Head Strip Nailer	IN-4/5
Senco SN952XP	Round Head Strip Nailer	IN-6/7

Tool	Type	Page
Spotnails		
Spotnails CRN114	Coil Roofing Nailer	IN-14
Spotnails KRN45	Coil Roofing Nailer	IN-14
Spotnails LCN57	Round Head Coil Nailer	IN-12
Spotnails NRP90	Round Head Strip Nailer	IN-6/7
Spotnails NTD90	Clipped or Offset Round Head Strip Nailer	IN-4/5
Spotnails UCNM65	Round Head Coil Nailer	IN-12
Spotnails VCN50	Round Head Coil Nailer	IN-11
Spotnails VRN45	Coil Roofing Nailer	IN-14
Spotnails YCN83	Round Head Coil Nailer	IN-9
Spotnails YPR90	Round Head Strip Nailer	IN-6/7
Spotnails YTD90	Clipped or Offset Round Head Strip Nailer	IN-4/5



NAILS

STANDARD - Nails are Bright Wire, Smooth Shank and Diamond Point unless otherwise specified

Other Finishes:

Red highlighted items are Stainless Steel (SS) 304 Grade

Blue highlighted items are Hot Dip Galvanized (HDG) ASTM A153

Yellow highlighted items are Electro-Galvanized (G) ASTM A641

Gray highlighted items are Heat Treated (HT) or High Carbon (HC)

Interchange Brands Nails - Description Code Explanation

1st Digit	2nd Digit	3rd Digit (optional)	4th - 5th- 6th Digits	7th - 8th - 9th Digits	10th - 11th Digit	12th Digit	13th Digit	14th Digit
Brand	Method of Collation	Type of Collation	Penny Weight (d)/ Length	Shank Size (inch)	Finish	Deformed Shank	Head	Point
A - Atro	P - Plastic	S - Strip	02d - 1"	080 - .080	G - Electro-Galvanized (ASTM A641)	R - Ring	CH - Clipped Head	C - Chisel
B - Bostitch	T - Tape	CF - Coil	03d - 1-1/4"	086 - .086	HC - High Carbon	S - Screw	OR - Offset Round Head	BC - Blunt Chisel
D - Duo-Fast	W - Wire	Flat	04d - 1-1/2"	097 - .097	HDG - Hot Dip Galvanized (ASTM A153)		RH - Round Head	BD - Blunt Diamond
H - Hitachi		CC - Coil	05d - 1-3/4"	099 - .099	HT - Heat Treated			D - Diamond
P - Paslode		Cone	06d - 2"	105 - .105	SS - Stainless Steel (304 Grade)			DP - Divergent Point
S - Spotnails			07d - 2-1/4"	113 - .113				NP - No Point
			08d - 2-3/8"	120 - .120				
			09d - 2-3/4"	121 - .121				
			10d - 3"	128 - .128				
			12d - 3-1/4"	131 - .131				
			16d - 3-1/2"	148 - .148				
			18d - 3-3/4"	162 - .162				
			20d - 4"					

Index: Brads, Finish Nails, Pins and Nailers

Nails		Page
BRADS, FINISH NAILS & PINS		
PX	18 Gauge Medium Head Brads	IN-15
PY	18 Gauge Slight Head Brads	IN-16
PZ	18 Gauge Headless Pins	IN-16
PB16	16 Gauge Medium Head Finish Nails	IN-17
DA	15 Gauge 34° Angled Finish Nails	IN-18
DA-Industrial	15 Gauge 34° Angled Finish Nails	IN-18
BA	15 Gauge 25° Angled Finish Nails	IN-19
MP23	23 Gauge Headless Micro Pins	IN-19

Not all tools accept the full range of fastener sizes. Some of the tools shown in this catalog may be older versions of current tools that are no longer available for sale. The older models are listed to help our customers identify the fasteners their older tools may shoot. We recommend that you refer to your tool's operators manual for the fastener specifications and size information for your tool.

Some fasteners may be only available regionally. Contact your Interchange Dealer to verify availability in your area.



**Interchange
Industrial
Fasteners**

for your toughest jobs!

*Some fasteners are now available
in industrial grade for more
demanding applications.*

**Contact your Interchange Brands
Representative for more information.**



*Interchange Brands fasteners are unconditionally
guaranteed with a "no questions asked" replace-
ment of any Interchange fasteners that prove to
be incompatible for the tool they are designed to
fit or prove to be defective.*

Tool	Type	Page
Bostitch		
Bostitch BT31-18	18 Ga. Medium Head Brad Nailer	IN-15
Bostitch BT35B	18 Ga. Medium Head Brad Nailer	IN-15
Bostitch BT50B	18 Ga. Medium Head Brad Nailer	IN-15
Bostitch BT125K-2, BT125K	18 Ga. Medium Head Brad Nailer	IN-15
Bostitch BT1850K	18 Ga. Medium Head Brad Nailer	IN-15
Bostitch BT200K, BT200K-2	18 Ga. Medium Head Brad Nailer	IN-15
Bostitch DA1564K	15 Ga. 34° Angled Finish Nailer	IN-18
Bostitch FN16250K-2	16 Ga. Medium Head Finish Nailer	IN-17
Bostitch FN1664K	16 Ga. Medium Head Finish Nailer	IN-17
Bostitch GFN1664K	16 Ga. Medium Head Finish Nailer	IN-17
Bostitch HP118K	23 Ga. Micro Pinner	IN-19
Bostitch N60FN	15 Ga. 34° Angled Finish Nailer	IN-19
Bostitch N62FN, N62FNK-2	15 Ga. 34° Angled Finish Nailer	IN-19
Bostitch SB-21N1	18 Ga. Medium Head Brad Nailer	IN-15
Bostitch SB-1664-FN	16 Ga. Medium Head Finish Nailer	IN-17
Bostitch SB-1842BN, SB-1850BN	18 Ga. Medium Head Brad Nailer	IN-15
Bostitch T29-30, T31-1	18 Ga. Medium Head Brad Nailer	IN-15
Bostitch T35, T35-40	16 Ga. Medium Head Finish Nailer	IN-17
Bostitch T36, T36-50	16 Ga. Medium Head Finish Nailer	IN-17
Bostitch T40-B	16 Ga. Medium Head Finish Nailer	IN-17
Cadex		
Cadex CPB23.50	23 Ga. Micro Pinner	IN-19
Duo-Fast		
Duo-Fast BB-4440	18 Ga. Medium Head Brad Nailer	IN-15
Duo-Fast BFN-740	16 Ga. Medium Head Finish Nailer	IN-17
Duo-Fast DAFN-6480	15 Ga. 34° Angled Finish Nailer	IN-18
Duo-Fast DBN-4440, DBN-4450	18 Ga. Medium Head Brad Nailer	IN-15
Duo-Fast DBN-4052SC	18 Ga. Medium Head Brad Nailer	IN-15
Duo-Fast LFN-748A, 764, 764A	16 Ga. Medium Head Finish Nailer	IN-17
Duo-Fast PRO-5	18 Ga. Medium Head Brad Nailer	IN-15
Duo-Fast SureShot 764	16 Ga. Medium Head Finish Nailer	IN-17
Duo-Fast SureShot 2232	18 Ga. Headless Pin Nailer	IN-16
Duo-Fast SureShot 2336	23 Ga. Micro Pinner	IN-19
Duo-Fast SureShot 4450, 4450ST	18 Ga. Medium Head Brad Nailer	IN-15
Fasco		
Fasco FC FN50A	16 Ga. Medium Head Finish Nailer	IN-17
Fasco F1B A64 12/18	23 Ga. Micro Pinner	IN-19
Fasco F2B GN-50	18 Ga. Slight Head Brad Nailer	IN-16
Fasco F2B GN-50 F.S.	18 Ga. Medium Head Brad Nailer	IN-15
Fasco F3C BA-50	15 Ga. 34° Angled Finish Nailer	IN-18
Fasco F3P FN-50	16 Ga. Medium Head Finish Nailer	IN-17
Fasco F4 BA-65, F4BA-65CT	15 Ga. 34° Angled Finish Nailer	IN-18
Fasco F20 PGN-31CT	18 Ga. Medium Head Brad Nailer	IN-15
Fasco F20 TGN-40CT	18 Ga. Medium Head Brad Nailer	IN-15
Fasco F21P GA-15/31A	18 Ga. Headless Pin Nailer	IN-16
Fasco F21P GN-31	18 Ga. Slight Head Brad Nailer	IN-16
Fasco F21T GN-40CT	18 Ga. Slight Head Brad Nailer	IN-16
Fasco F23 A64-35PB	23 Ga. Micro Pinner	IN-19
Fasco F23C A64-50PB	23 Ga. Micro Pinner	IN-19
Fasco F25A GN-40	18 Ga. Medium Head Brad Nailer	IN-15
Fasco F26AC FN-50	16 Ga. Medium Head Finish Nailer	IN-17
Fasco F26C FN-50SS	16 Ga. Medium Head Finish Nailer	IN-17
Fasco F26C GN-50SS	18 Ga. Medium Head Brad Nailer	IN-15
Fasco R3C BA-50C	15 Ga. 34° Angled Finish Nailer	IN-18
Fasco R3C FN-50CT	16 Ga. Medium Head Finish Nailer	IN-17
Fasco R3C GN-50CT	18 Ga. Medium Head Brad Nailer	IN-15
Fasco R3T FN-70CT	16 Ga. Medium Head Finish Nailer	IN-17
Fasco R4 BA-65CT	15 Ga. 34° Angled Finish Nailer	IN-18
Grex		
Grex P635	23 Ga. Micro Pinner	IN-19
Hitachi		
Hitachi NP35A	23 Ga. Micro Pinner	IN-19
Hitachi NT32AE, NT32AE2	18 Ga. Medium Head Brad Nailer	IN-15
Hitachi NT45A	18 Ga. Medium Head Brad Nailer	IN-15
Hitachi NT50AD, NT50AE	18 Ga. Medium Head Brad Nailer	IN-15
Hitachi NT50AE2, NT50AE2(S)	18 Ga. Medium Head Brad Nailer	IN-15
Hitachi NT50GS	18 Ga. Medium Head Brad Nailer	IN-15
Hitachi NT65, NT65A, NT65A2	16 Ga. Medium Head Finish Nailer	IN-17
Hitachi NT65A3	16 Ga. Medium Head Finish Nailer	IN-17
Hitachi NT65AA, NT65GA	15 Ga. 34° Angled Finish Nailer	IN-18
Hitachi NT65GB, NT65GS	16 Ga. Medium Head Finish Nailer	IN-17
Hitachi NT65M2, NT65M2(S)	16 Ga. Medium Head Finish Nailer	IN-17
Hitachi NT65MA, NT65MA2	15 Ga. 34° Angled Finish Nailer	IN-18
Hitachi NT65MA3, NT65MA4	15 Ga. 34° Angled Finish Nailer	IN-18
Hitachi NT65MA4(S)	15 Ga. 34° Angled Finish Nailer	IN-18
Interchange		
Interchange NB3518C	18 Ga. Medium Head Brad Nailer	IN-15
Interchange NB5018	18 Ga. Medium Head Brad Nailer	IN-15
Interchange NF6516	16 Ga. Medium Head Finish Nailer	IN-17
Interchange NF6515-34	15 Ga. 34° Angled Finish Nailer	IN-18
Interchange NP3523	23 Ga. Micro Pinner	IN-19
Makita		
Makita AF501, AF502	18 Ga. Medium Head Brad Nailer	IN-15
Makita AF503, AF505	18 Ga. Medium Head Brad Nailer	IN-15
Makita AF631, AF632, AF633	15 Ga. 34° Angled Finish Nailer	IN-18

Tool	Type	Page
Max		
Max NF211/18-25, NF211/18-50	18 Ga. Medium Head Brad Nailer	IN-15
Max NF221/18-55	18 Ga. Medium Head Brad Nailer	IN-15
Max NF235A23-25	23 Ga. Micro Pinner	IN-19
Max NF235-F/18, NF255-ST/18	18 Ga. Medium Head Brad Nailer	IN-15
Max NF352-ST/16-50	16 Ga. Medium Head Finish Nailer	IN-17
Max NF510/15-50	15 Ga. 34° Angled Finish Nailer	IN-18, 19
Max NF550/15-65	15 Ga. 34° Angled Finish Nailer	IN-18
Max NF565/16	16 Ga. Medium Head Finish Nailer	IN-17
Max NF665/15	15 Ga. 34° Angled Finish Nailer	IN-18
Omer		
Omer 12.20, 12.20D	18 Ga. Medium Head Brad Nailer	IN-15
Omer 12.40	18 Ga. Medium Head Brad Nailer	IN-15
Omer 12.50	18 Ga. Medium Head Brad Nailer	IN-15
Omer 14.50	16 Ga. Medium Head Finish Nailer	IN-17
Omer 14.63, 14.63NS	16 Ga. Medium Head Finish Nailer	IN-17
Paslode		
Paslode 2138-F18, 2138-F18II	18 Ga. Medium Head Brad Nailer	IN-15
Paslode 3200-F16	16 Ga. Medium Head Finish Nailer	IN-17
Paslode 3250-F16	16 Ga. Medium Head Finish Nailer	IN-17
Paslode Cordless 90100	18 Ga. Medium Head Brad Nailer	IN-15
Paslode F16200	16 Ga. Medium Head Finish Nailer	IN-17
Paslode IM200-F18	18 Ga. Medium Head Brad Nailer	IN-15
Paslode IM250, IM250II	16 Ga. Medium Head Finish Nailer	IN-17
Paslode IM250-F16	16 Ga. Medium Head Finish Nailer	IN-17
Paslode MU-212-F	16 Ga. Medium Head Finish Nailer	IN-17
Paslode T125-F18, T200-F18	18 Ga. Medium Head Brad Nailer	IN-15
Paslode T215-F16	16 Ga. Medium Head Finish Nailer	IN-17
Paslode T250-F16, T250S-F16	16 Ga. Medium Head Finish Nailer	IN-17
Porter Cable		
Porter Cable BN125, BN125A	18 Ga. Medium Head Brad Nailer	IN-15
Porter Cable BN138	18 Ga. Medium Head Brad Nailer	IN-15
Porter Cable BN200, BN200A	18 Ga. Medium Head Brad Nailer	IN-15
Porter Cable BN200B, BN200V12	18 Ga. Medium Head Brad Nailer	IN-15
Porter Cable CDA250	15 Ga. 34° Angled Finish Nailer	IN-18
Porter Cable CFN250	16 Ga. Medium Head Finish Nailer	IN-17
Porter Cable DA250, DA250A	15 Ga. 34° Angled Finish Nailer	IN-18
Porter Cable DA250B, DA250C	15 Ga. 34° Angled Finish Nailer	IN-18
Porter Cable DAFN-6480	15 Ga. 34° Angled Finish Nailer	IN-18
Porter Cable FN200	16 Ga. Medium Head Finish Nailer	IN-17
Porter Cable FN250, FN250A	16 Ga. Medium Head Finish Nailer	IN-17
Porter Cable FN250AK	16 Ga. Medium Head Finish Nailer	IN-17
Porter Cable FN250B, FN250C	16 Ga. Medium Head Finish Nailer	IN-17
Porter Cable PIN100, PIN138	23 Ga. Micro Pinner	IN-19
Senco		
Senco FinishPro 2N1	18 Ga. Slight & Medium Head Brad Nailer	IN-15, 16
Senco FinishPro 10, FinishPro 11	23 Ga. Micro Pinner	IN-19
Senco FinishPro 15, 15XP	18 Ga. Medium Head Brad Nailer	IN-15
Senco FinishPro 15Mg	18 Ga. Medium Head Brad Nailer	IN-15
Senco FinishPro 18, 18XP, 18Mg	18 Ga. Medium Head Brad Nailer	IN-15
Senco FinishPro 25XP	18 Ga. Slight & Medium Head Brad Nailer	IN-15, 16
Senco FinishPro 32, 32XP	16 Ga. Medium Head Finish Nailer	IN-17
Senco FinishPro 35, 35MG	15 Ga. 34° Angled Finish Nailer	IN-18
Senco FinishPro 41XP, 42XP	15 Ga. 34° Angled Finish Nailer	IN-18
Senco FN55AX	18 Ga. Medium Head Brad Nailer	IN-15
Senco Fusion F-15	15 Ga. 34° Angled Finish Nailer	IN-18
Senco Fusion F-16S	16 Ga. Medium Head Finish Nailer	IN-17
Senco Fusion F-18	18 Ga. Slight & Medium Head Brad Nailer	IN-15, 16
Senco Fusion FN65DA	15 Ga. 34° Angled Finish Nailer	IN-18
Senco GT65DA	15 Ga. 34° Angled Finish Nailer	IN-18
Senco LS1	18 Ga. Headless Pin Nailer	IN-16
Senco LS4	18 Ga. Slight & Medium Head Brad Nailer	IN-15, 16
Senco LS5	18 Ga. Slight & Medium Head Brad Nailer	IN-15, 16
Senco SDN18BR	18 Ga. Medium Head Brad Nailer	IN-15
Senco SFN1, SFN1+	15 Ga. 34° Angled Finish Nailer	IN-18
Senco SFN2, SFN2B	15 Ga. 34° Angled Finish Nailer	IN-18
Senco SFN30, SFN40	15 Ga. 34° Angled Finish Nailer	IN-18
Senco SHP10	23 Ga. Micro Pinner	IN-19
Senco SLP20	18 Ga. Medium Head Brad Nailer	IN-15
Senco SLP20/LS1	18 Ga. Slight & Medium Head Brad Nailer	IN-15, 16
Senco SLP20XP	18 Ga. Slight & Medium Head Brad Nailer	IN-15, 16
Senco SN1	15 Ga. 34° Angled Finish Nailer	IN-18
Spotnails		
Spotnails CB1820, CB1832	18 Ga. Medium Head Brad Nailer	IN-15
Spotnails CB1850	18 Ga. Medium Head Brad Nailer	IN-15
Spotnails DB1825	18 Ga. Medium Head Brad Nailer	IN-15
Spotnails FB1632, HG1640	16 Ga. Medium Head Finish Nailer	IN-17
Spotnails HLB1520BP	18 Ga. Medium Head Brad Nailer	IN-15
Spotnails KB1564	16 Ga. Medium Head Finish Nailer	IN-17
Spotnails KBA1564	15 Ga. 34° Angled Finish Nailer	IN-18
Spotnails SP2340	23 Ga. Micro Pinner	IN-19
Spotnails TB1840	18 Ga. Medium Head Brad Nailer	IN-15
Spotnails WB1650, WB1650LM	16 Ga. Medium Head Finish Nailer	IN-17
Spotnails WB1850, WB1850LM	18 Ga. Medium Head Brad Nailer	IN-15
Spotnails XB1564	16 Ga. Medium Head Finish Nailer	IN-17
Spotnails XBA1564	15 Ga. 34° Angled Finish Nailer	IN-18, 19
Spotnails XBFN64	15 Ga. 34° Angled Finish Nailer	IN-18

Index: Staples and Staplers

Staples		Page
Fine Wire Staples		
A	3/16" Crown, 22 Ga. Staples	IS-3
D	3/16" Crown, 22 Ga. Staples	IS-3
E	3/16" Crown, 20 Ga. Staples	IS-3
5400	3/16" Crown, 20 Ga. Staples	IS-3
C	3/8" Crown, 22 Ga. Staples	IS-5
B	1/2" Crown, 22 Ga. Staples	IS-5
G	3/8" Crown, 20 Ga. Staples	IS-6
F	1/2" Crown, 20 Ga. Staples	IS-6
5000	1/2" Crown, 20 Ga. Staples	IS-6
Hammer Tacker Staples		
A19	3/8" Crown, 23 Ga. Staples	IS-4
A11	3/8" Crown, 20 Ga. Staples	IS-4
STCR2619	3/8" Crown Staples	IS-4
SHCR5019	3/8" Crown Staples	IS-4
STCR5019	3/8" Crown Staples	IS-4
7500	7/16" Crown, 19 Ga. Staples	IS-4
Medium Wire Staples		
K	1/4" Crown, 19 Ga. Staples	IS-7
L	1/4" Crown, 18 Ga. Staples	IS-8
SX5035	7/32" Crown, 18 Ga. Staples	IS-9
GSN18	3/16" Crown, 18 Ga. Staples	IS-9
M	3/8" Crown, 18 Ga. Staples	IS-10
J	7/16" Crown, 18 Ga. Staples	IS-10
Heavy Wire Staples		
N	7/16" Crown, 16 Ga. Staples	IS-11
7600	7/16" Crown, 16 Ga. Staples	IS-12
BCS	1/2" Crown, 16 Ga. Staples	IS-12
GS16	1/2" Crown, 16 Ga. Staples	IS-12
Q	7/16" Crown, 15 Ga. Staples	IS-13
FCN	1/2" Crown, 10-1/2 Ga. Staples	IS-13
GSW16	15/16" Crown, 16 Ga. Staples	IS-14
BCS	1" Crown, 16 Ga. Staples	IS-14
P	1" Crown, 16 Ga. Staples	IS-15
GSW14	15/16" Crown, 14 Ga. Staples	IS-15
Hardwood Flooring Fasteners		
BCS	1/2" Crown, 15 Ga. Staples	IS-16
L Cleats		
LCN	16 Ga. Staples	IS-16
Carton Closing Fasteners		
C	1-1/4" Crown Staples	IS-17
A	1-3/8" Crown Staples	IS-17
SB103020	1/2" Crown Staples	IS-17
GR	1-1/4" Crown Roll Staples	IS-17
RR	1-1/4" Crown Roll Staples	IS-17
SWC7437	1-3/8" Crown Roll Staples	IS-17

STAPLES

STANDARD: Staples are Galvanized Wire and Chisel Point unless otherwise specified

Other Finishes:

Red	highlighted items are Stainless Steel (SS) 304 Grde
Gray	highlighted items are Heat Treated (HT) or High Carbon (HC)

Tool	Type	Page
Arrow		
Arrow ETF50PBN	Hammer Tacker Stapler-20 Ga. MC	IS-4
Arrow ETFX50	Hammer Tacker Stapler-20 Ga. MC	IS-4
Arrow ETG50BN	Hammer Tacker Stapler-20 Ga. MC	IS-4
Arrow HT-50, HT-55	Hammer Tacker Stapler-20 Ga. MC	IS-4
Arrow T-50, T50PBN	Hammer Tacker Stapler-20 Ga. MC	IS-4
BeA		
BeA 71/16-421	Fine Wire Stapler-22 Ga. MC	IS-5
BeA 95/16-425	Fine Wire Stapler-20 Ga. MC	IS-6
Bostitch		
Bostitch 438S2	Heavy Wire Stapler-16 Ga. WC	IS-14
Bostitch 438S2R, 438S2R-1	Heavy Wire Stapler-16 Ga. WC	IS-14
Bostitch 438S4	Heavy Wire Stapler-16 Ga. MC	IS-12
Bostitch 450S2, 450S2R	Heavy Wire Stapler-16 Ga. WC	IS-14
Bostitch 538S4	Heavy Wire Stapler-16 Ga. MC	IS-12
Bostitch 650S4, 650S4-1	Heavy Wire Stapler-16 Ga. MC	IS-12
Bostitch 750S4, 850S4	Heavy Wire Stapler-16 Ga. MC	IS-12
Bostitch BTFF12180	Carton Closing Stapler - Strip	IS-17
Bostitch BTFF12181	Carton Closing Stapler - Strip	IS-17
Bostitch D16-2, D16-2AD	Carton Closing Stapler - Strip	IS-17
Bostitch D19AD	Carton Closing Stapler - Strip	IS-17
Bostitch D60ADC, D61ADC	Carton Closing Stapler - Roll	IS-17
Bostitch D62ADC	Carton Closing Stapler - Roll	IS-17
Bostitch DS-3219	Carton Closing Stapler - Strip	IS-17
Bostitch DS-3522	Carton Closing Stapler - Strip	IS-17
Bostitch EHF1838K	Medium Wire Stapler-18 Ga. NC	IS-9
Bostitch F84-114	Carton Closing Stapler - Strip	IS-17
Bostitch F84, F84-138	Carton Closing Stapler - Strip	IS-17
Bostitch FC95EC, FC96EC	Carton Closing Stapler - Roll	IS-17
Bostitch FC95EC-ARM	Carton Closing Stapler - Roll	IS-17
Bostitch H2B	Hammer Tacker Stapler-20 Ga. MC	IS-4
Bostitch H30-6	Hammer Tacker Stapler-19 Ga. MC	IS-4
Bostitch H30-8	Hammer Tacker Stapler-19 Ga. MC	IS-4
Bostitch M11FS	Hardwood Flooring Stapler	IS-16
Bostitch MFN200, MFN201	L Cleats	IS-16
Bostitch PC1000, PC2000	Hammer Tacker Stapler-19 Ga. MC	IS-4
Bostitch PC3000-OC2	Hammer Tacker Stapler-19 Ga. MC	IS-4
Bostitch PC4000, PC4000-OC2	Hammer Tacker Stapler-19 Ga. MC	IS-4
Bostitch PC5000	Hammer Tacker Stapler-19 Ga. MC	IS-4
Bostitch PHT150C	Hammer Tacker Stapler-20 Ga. MC	IS-4
Bostitch P6C-6	Hammer Tacker Stapler-19 Ga. MC	IS-4
Bostitch P6C-8	Hammer Tacker Stapler-19 Ga. MC	IS-4
Bostitch P50-10B, P51-10B	Carton Closing Stapler - Strip	IS-17
Bostitch S4	Heavy Wire Stapler-16 Ga. MC	IS-12
Bostitch S32SX, S32SX-BHF-2	Medium Wire Stapler-18 Ga. NC	IS-9
Bostitch SB150SX, SB150SX-HD	Medium Wire Stapler-18 Ga. NC	IS-9
Bostitch SB156SX	Medium Wire Stapler-18 Ga. NC	IS-9
Bostitch SB21N1	Medium Wire Stapler-18 Ga. NC	IS-9
Bostitch SHCR-5019	Hammer Tacker Stapler-19 Ga. MC	IS-4
Bostitch SL150	Medium Wire Stapler-18 Ga. NC	IS-9
Bostitch SX150, SX150LM	Medium Wire Stapler-18 Ga. NC	IS-9
Bostitch SX150-BHF, SX150-BHF2	Medium Wire Stapler-18 Ga. NC	IS-9
Bostitch SX150K	Medium Wire Stapler-18 Ga. NC	IS-9
Bostitch SX150K-1, SX150K-2	Medium Wire Stapler-18 Ga. NC	IS-9
Bostitch SX1838K	Medium Wire Stapler-18 Ga. NC	IS-9
Bostitch SX5035	Medium Wire Stapler-18 Ga. NC	IS-9
Bostitch T5-6, T5-60C2	Hammer Tacker Stapler-19 Ga. MC	IS-4
Bostitch T5-804, T5-80C2	Hammer Tacker Stapler-19 Ga. MC	IS-4
Bostitch T6-8, T6-80C2	Hammer Tacker Stapler-19 Ga. MC	IS-4
Bostitch T15C	Hammer Tacker Stapler-19 Ga. MC	IS-4
Bostitch T28-5	Medium Wire Stapler-18 Ga. NC	IS-9
Bostitch T29-30	Medium Wire Stapler-18 Ga. NC	IS-9
Bostitch T31, T35-15	Medium Wire Stapler-18 Ga. NC	IS-9
Bostitch T40SX-CT	Medium Wire Stapler-18 Ga. NC	IS-9
Bostitch TR100, TR200	Hammer Tacker Stapler-20 Ga. MC	IS-4
Bostitch TRE500	Hammer Tacker Stapler-20 Ga. MC	IS-4

Duo-Fast		
Duo-Fast A-5020	Fine Wire Stapler-20 Ga. MC	IS-6
Duo-Fast A-5418	Fine Wire Stapler-20 Ga. NC	IS-3
Duo-Fast BN-1832	Medium Wire Stapler-18 Ga. NC	IS-8
Duo-Fast BN-5424	Fine Wire Stapler-20 Ga. NC	IS-3
Duo-Fast CS-5000	Fine Wire Stapler-20 Ga. MC	IS-6
Duo-Fast CT-859	Fine Wire Stapler-20 Ga. MC	IS-6
Duo-Fast DNS-1840	Medium Wire Stapler-18 Ga. NC	IS-8
Duo-Fast DS-7656P	Heavy Wire Stapler-16 Ga. MC	IS-12
Duo-Fast DS-7664P	Heavy Wire Stapler-16 Ga. MC	IS-12
Duo-Fast ES-018	Fine Wire Stapler-20 Ga. MC	IS-6
Duo-Fast ENC-5418 electric	Fine Wire Stapler-20 Ga. NC	IS-3
Duo-Fast ENC-5418A	Fine Wire Stapler-20 Ga. NC	IS-3
Duo-Fast EWC-5018A	Fine Wire Stapler-20 Ga. MC	IS-6
Duo-Fast FloorMaster FM2455	Hardwood Flooring Stapler	IS-16
Duo-Fast FloorMaster FM250ASR	Hardwood Flooring Stapler	IS-16
Duo-Fast HT550, HT550C	Fine Wire Stapler-20 Ga. MC	IS-6
Duo-Fast HT-755, HT-755M	Hammer Tacker Stapler-19 Ga. MC	IS-4

Tool	Type	Page
Duo-Fast (continued)		
Duo-Fast KB-1836	Medium Wire Stapler-18 Ga. NC	IS-8
Duo-Fast KG-1836	Medium Wire Stapler-18 Ga. NC	IS-8
Duo-Fast KN-1848	Medium Wire Stapler-18 Ga. NC	IS-8
Duo-Fast KN-1848A, KN-1848F	Medium Wire Stapler-18 Ga. NC	IS-8
Duo-Fast KS-7648	Heavy Wire Stapler-16 Ga. MC	IS-12
Duo-Fast KW-1748	Heavy Wire Stapler-16 Ga. WC	IS-15
Duo-Fast KWR-1748	Heavy Wire Stapler-16 Ga. WC	IS-15
Duo-Fast MS-7664E	Heavy Wire Stapler-16 Ga. MC	IS-12
Duo-Fast RNS-1748	Heavy Wire Stapler-16 Ga. WC	IS-15
Duo-Fast RS-1748	Heavy Wire Stapler-16 Ga. WC	IS-15
Duo-Fast SlapShot	Hammer Tacker Stapler-20 Ga. MC	IS-4
Duo-Fast SM-7648	Heavy Wire Stapler-16 Ga. MC	IS-12
Duo-Fast SM-7664	Heavy Wire Stapler-16 Ga. MC	IS-12
Duo-Fast SS W1832	Medium Wire Stapler-18 Ga. MC	IS-10
Duo-Fast SS W1848	Medium Wire Stapler-18 Ga. MC	IS-10
Duo-Fast ST-18 (Manual-HIT)	Medium Wire Stapler-18 Ga. NC	IS-8
Duo-Fast SureShot 1820	Medium Wire Stapler-18 Ga. NC	IS-8
Duo-Fast SureShot 1832	Medium Wire Stapler-18 Ga. NC	IS-8
Duo-Fast SureShot 1848	Medium Wire Stapler-18 Ga. NC	IS-8
Duo-Fast SureShot 1848F	Medium Wire Stapler-18 Ga. NC	IS-8
Duo-Fast SureShot 1848SL	Medium Wire Stapler-18 Ga. NC	IS-8
Duo-Fast SureShot 5020	Fine Wire Stapler-20 Ga. MC	IS-6
Duo-Fast SureShot 5424	Fine Wire Stapler-20 Ga. NC	IS-3
Duo-Fast SW-1748	Heavy Wire Stapler-16 Ga. WC	IS-15
Fasco		
Fasco F1A 50-60	Fine Wire Stapler-20 Ga. MC	IS-6
Fasco F1A 54DF-18	Fine Wire Stapler-20 Ga. NC	IS-3
Fasco F1A 7C-16	Fine Wire Stapler-22 Ga. MC	IS-5
Fasco F1A A11-16 Auto L/M	Fine Wire Stapler-20 Ga. MC	IS-4
Fasco F1A S3G-16	Fine Wire Stapler-22 Ga. MC	IS-5
Fasco F1A SR5-16	Fine Wire Stapler-20 Ga. MC	IS-6
Fasco F1B 50-16	Fine Wire Stapler-20 Ga. MC	IS-6
Fasco F1B 54DF-18	Fine Wire Stapler-20 Ga. NC	IS-3
Fasco F1B 7C-16	Fine Wire Stapler-22 Ga. MC	IS-5
Fasco F1B S3G-16	Fine Wire Stapler-22 Ga. MC	IS-5
Fasco F1B SR3-16	Fine Wire Stapler-22 Ga. MC	IS-5
Fasco F1B SR5-16	Fine Wire Stapler-20 Ga. MC	IS-6
Fasco F1B A11-16 Auto L/M	Fine Wire Stapler-20 Ga. MC	IS-4
Fasco F2B 90-40 CT	Medium Wire Stapler-18 Ga. NC	IS-8
Fasco F3 SNW-38CTR	Heavy Wire Stapler-16 Ga. WC	IS-15
Fasco F3 38-30 CT	Medium Wire Stapler-18 Ga. NC	IS-9
Fasco F3C 90-40 LN	Medium Wire Stapler-18 Ga. NC	IS-8
Fasco F3C ATW-38	Heavy Wire Stapler-16 Ga. WC	IS-14
Fasco F3C ATW-38 TL Roof	Heavy Wire Stapler-16 Ga. WC	IS-14
Fasco F3C PSW-38R	Heavy Wire Stapler-16 Ga. WC	IS-14
Fasco F3C SNW-38R	Heavy Wire Stapler-16 Ga. WC	IS-15
Fasco F4P G-50	Heavy Wire Stapler-16 Ga. MC	IS-11
Fasco F20-40	Medium Wire Stapler-18 Ga. NC	IS-8
Fasco F20P 90/25	Medium Wire Stapler-18 Ga. NC	IS-8
Fasco F20T 90-30 CT	Medium Wire Stapler-18 Ga. NC	IS-8
Fasco F20T 90-40 CT	Medium Wire Stapler-18 Ga. NC	IS-8
Fasco F21P 90-25A	Medium Wire Stapler-18 Ga. NC	IS-8
Fasco F21T 90-40A	Medium Wire Stapler-18 Ga. NC	IS-8
Fasco F25A 90-40	Medium Wire Stapler-18 Ga. NC	IS-8
Fasco F26C 90-30SS	Medium Wire Stapler-18 Ga. NC	IS-8
Fasco F26C 90-40SS	Medium Wire Stapler-18 Ga. NC	IS-8
Fasco F30 SNW-50R	Heavy Wire Stapler-16 Ga. WC	IS-15
Fasco F4SC G-55TL	Heavy Wire Stapler-16 Ga. MC	IS-11
Fasco F4SC GC/16-SS	Heavy Wire Stapler-16 Ga. MC	IS-12
Fasco F4SC GS16-55-SS(CT)	Heavy Wire Stapler-16 Ga. MC	IS-12
Fasco R3 ATW-38 Roof	Heavy Wire Stapler-16 Ga. WC	IS-14
Fasco R3 CG-40CT	Heavy Wire Stapler-16 Ga. MC	IS-11
Fasco R3 SNW-38CTR	Heavy Wire Stapler-16 Ga. WC	IS-15
Fasco R3C 90-40	Medium Wire Stapler-18 Ga. NC	IS-8
Fasco R3C HD-40 VIL-SID	Heavy Wire Stapler-16 Ga. MC	IS-12
Fasco R3C PSW-38CT	Heavy Wire Stapler-16 Ga. WC	IS-14
Fasco R3C PSW-38CT Roof	Heavy Wire Stapler-16 Ga. WC	IS-14
Fasco R3C SNW-38TL	Heavy Wire Stapler-16 Ga. WC	IS-15
Fasco R4 PG-50CT	Heavy Wire Stapler-16 Ga. MC	IS-11
Fasco T-HT550	Fine Wire Stapler-20 Ga. MC	IS-6
Fasco T-R11	Fine Wire Stapler-20 Ga. NC	IS-4
Fasco T-R19	Fine Wire Stapler-20 Ga. MC	IS-6


Hitachi		
Hitachi N3804, N3804A	Medium Wire Stapler-18 Ga. NC	IS-8
Hitachi N3804AB, N3804AB2	Medium Wire Stapler-18 Ga. NC	IS-8
Hitachi N3804AB3, N3804AB3S	Medium Wire Stapler-18 Ga. NC	IS-8
Hitachi N3824A	Heavy Wire Stapler-16 Ga. WC	IS-15
Hitachi N5008AA, N5008AB	Heavy Wire Stapler-16 Ga. MC	IS-11
Hitachi N5008AC, N5008AC2	Heavy Wire Stapler-16 Ga. MC	IS-11
Hitachi N5008AC/P, N5008ACN	Heavy Wire Stapler-16 Ga. MC	IS-11
Hitachi N5008AI	Heavy Wire Stapler-16 Ga. MC	IS-11
Hitachi N5010A	Heavy Wire Stapler-16 Ga. MC	IS-12
Hitachi N5021A	Heavy Wire Stapler-16 Ga. WC	IS-14
Hitachi N5024A, N5024A2	Heavy Wire Stapler-16 Ga. WC	IS-15

Interchange Brands fasteners are unconditionally guaranteed with a “no questions asked” replacement of any Interchange fasteners that prove to be incompatible for the tool they are designed to fit or prove to be defective.

Index: Staples and Staplers

Tool	Type	Page
Interchange		
Interchange ICB-50HT	Hammer Tacker Stapler-20 Ga. MC	IS-6
Interchange ICB-A11-Tacker	Hammer Tacker Stapler-20 Ga. MC	IS-4
Interchange SBCS5016	Heavy Wire Stapler-16 Ga. WC	IS-14
Interchange SFWC4010	Heavy Wire Stapler-10-1/2 Ga. MC	IS-13
Interchange S6SW5016	Heavy Wire Stapler-16 Ga. WC	IS-14
Interchange SL4018	Medium Wire Stapler-18 Ga. MC	IS-8
Interchange SM4018V	Medium Wire Vinyl Siding Stapler-18 Ga. MC	IS-10
Interchange S5016AL	Fine Wire Stapler-20 Ga. MC	IS-6
Interchange S7116	Fine Wire Stapler-22 Ga. MC	IS-5
Interchange S7116AL	Fine Wire Stapler-22 Ga. MC	IS-5
Interchange SA1116AL	Hammer Tacker Stapler-20 Ga. MC	IS-4
Interchange SNS016	Heavy Wire Stapler-16 Ga. MC	IS-11
Interchange SP4016	Heavy Wire Stapler-16 Ga. WC	IS-15
Interchange SAB100-A	Carton Closing Stapler	IS-17
Interchange SAB150-C	Carton Closing Stapler	IS-17
Interchange SHB100-A	Carton Closing Stapler (Manual)	IS-17
Interchange SHB150-C	Carton Closing Stapler (Manual)	IS-17
Interchange SRB-GR	Carton Closing Roll Stapler	IS-17
ISM		
ISM AB 100T A 78	Carton Closing Stapler - Strip	IS-17
ISM AB/AC 100T A 58	Carton Closing Stapler - Strip	IS-17
ISM AB/AC 100T A 34	Carton Closing Stapler - Strip	IS-17
ISM AB/AC 150T C 58	Carton Closing Stapler - Strip	IS-17
ISM AB/AC 150T C 34	Carton Closing Stapler - Strip	IS-17
ISM HB 100T A 78	Carton Closing Stapler - Strip	IS-17
ISM HB/HC 100T A 58	Carton Closing Stapler - Strip	IS-17
ISM HB/HC 100T A 34	Carton Closing Stapler - Strip	IS-17
ISM HB/HC 150T C 58	Carton Closing Stapler - Strip	IS-17
ISM HB/HC 150T C 34	Carton Closing Stapler - Strip	IS-17
ISM RC 1000T 58	Carton Closing Stapler - Roll	IS-17
ISM RC 1000T 34	Carton Closing Stapler - Roll	IS-17
Makita		
Makita AT638	Medium Wire Stapler-18 Ga. NC	IS-8
Makita AT1150A	Heavy Wire Stapler-16 Ga. WC	IS-12
Makita AT2550A	Heavy Wire Stapler-16 Ga. WC	IS-15
Max		
Max TA238/18-6, TA238A/18-6	Medium Wire Stapler-18 Ga. NC	IS-8
Max TA551/16-11	Heavy Wire Stapler-16 Ga. MC	IS-11
Max TA551/76	Heavy Wire Stapler-16 Ga. MC	IS-12
Max TA551A/16-11	Heavy Wire Stapler-16 Ga. MC	IS-11
Omer		
Omer 50.16, 50.16 CL, 50.16 CLV	Fine Wire Stapler-20 Ga. MC	IS-6
Omer 50.16 OC, 50.16 RB	Fine Wire Stapler-20 Ga. MC	IS-6
Omer 50.16 S, 50.16 SCL	Fine Wire Stapler-20 Ga. MC	IS-6
Omer 90.38	Medium Wire Stapler-18 Ga. NC	IS-9
Omer WK.38	Heavy Wire Stapler-16 Ga. WC	IS-14
Omer WP.38	Heavy Wire Stapler-16 Ga. WC	IS-15
Omer WS.38	Heavy Wire Stapler-16 Ga. WC	IS-14
Paslode		
Paslode 2118-N18	Medium Wire Stapler-18 Ga. NC	IS-9
Paslode 2125-N18	Medium Wire Stapler-18 Ga. NC	IS-9
Paslode 3150-N18	Medium Wire Stapler-18 Ga. NC	IS-9
Paslode 3150-S16	Heavy Wire Stapler-16 Ga. MC	IS-12
Paslode 3150-W16	Heavy Wire Stapler-16 Ga. WC	IS-14
Paslode 3150-W16R	Heavy Wire Stapler-16 Ga. WC	IS-14
Paslode 3200-S16P	Heavy Wire Stapler-16 Ga. MC	IS-12
Paslode 3200-W16	Heavy Wire Stapler-16 Ga. WC	IS-14
Paslode 4150-W14	Heavy Wire Stapler-14 Ga. WC	IS-15
Paslode IM200-S16	Heavy Wire Stapler-16 Ga. MC	IS-12
Paslode MA-S16L	Heavy Wire Stapler-16 Ga. MC	IS-12
Paslode MU-112-W16R	Heavy Wire Stapler-16 Ga. WC	IS-14
Paslode PA-200	Heavy Wire Stapler-16 Ga. MC	IS-12
Paslode S150-N18	Medium Wire Stapler-18 Ga. NC	IS-9
Paslode S150-W16R	Heavy Wire Stapler-16 Ga. WC	IS-14
Paslode S200-S16	Heavy Wire Stapler-16 Ga. MC	IS-12
Paslode S200-W16	Heavy Wire Stapler-16 Ga. WC	IS-14
Porter Cable		
Porter Cable MS200	Heavy Wire Stapler-16 Ga. MC	IS-11, 12
Porter Cable NS100	Medium Wire Stapler-18 Ga. NC	IS-8
Porter Cable NS100A, NS100B	Medium Wire Stapler-18 Ga. NC	IS-8
Porter Cable NS150	Medium Wire Stapler-18 Ga. NC	IS-8
Porter Cable NS150A, NS150B	Medium Wire Stapler-18 Ga. NC	IS-8
Porter Cable NSS150	Medium Wire Stapler-18 Ga. NC	IS-8
Porter Cable USS8	Fine Wire Stapler-22 Ga. MC	IS-5
Rapid		
Rapid S4	Hammer Tacker Stapler-20 Ga. MC	IS-4
Rapid A-11	Hammer Tacker Stapler-20 Ga. MC	IS-4
Rapid A-19	Hammer Tacker Stapler-23 Ga. MC	IS-4
Rapid R-11	Hammer Tacker Stapler-20 Ga. MC	IS-4
Rapid R-19	Hammer Tacker Stapler-23 Ga. MC	IS-4
Senco		
Senco DFP	Fine Wire Stapler-20 Ga. MC	IS-6
Senco F75	Medium Wire Stapler-18 Ga. MC	IS-10
Senco FinishPro 2N1	Medium Wire Stapler-18 Ga. NC	IS-8
Senco H Slap Hammer	Hammer Tacker Stapler-20 Ga. MC	IS-4
Senco J5	Fine Wire Stapler-20 Ga. MC	IS-6
Senco JG	Fine Wire Stapler-22 Ga. MC	IS-5

Tool	Type	Page
Senco (continued)		
Senco KMN4450	Medium Wire Stapler-18 Ga. NC	IS-8
Senco KN4450	Medium Wire Stapler-18 Ga. NC	IS-8
Senco LN4450	Medium Wire Stapler-18 Ga. NC	IS-8
Senco M1, M2, M2+	Heavy Wire Stapler-16 Ga. MC	IS-11
Senco MW, MWXP	Heavy Wire Stapler-16 Ga. WC	IS-15
Senco PC0705	Hammer Tacker Stapler-20 Ga. MC	IS-4
Senco PW, PW-2"	Heavy Wire Stapler-16 Ga. WC	IS-15
Senco PW150, PW150R	Heavy Wire Stapler-16 Ga. WC	IS-15
Senco PW200	Heavy Wire Stapler-16 Ga. WC	IS-15
Senco PW-R	Heavy Wire Stapler-16 Ga. WC	IS-15
Senco SFT10-B08	Fine Wire Stapler-22 Ga. MC	IS-5
Senco SFT10-C	Fine Wire Stapler-22 Ga. MC	IS-5
Senco SFT10XP	Fine Wire Stapler-22 Ga. MC	IS-3, 5, 6
Senco SFW09-B	Fine Wire Stapler-22 Ga. MC	IS-5
Senco SFW09-C	Fine Wire Stapler-22 Ga. MC	IS-5
Senco SFW10XP-A	Fine Wire Stapler-22 Ga. NC	IS-3
Senco SFW10XP-B	Fine Wire Stapler-22 Ga. NC	IS-5
Senco SFW10XP-C	Fine Wire Stapler-22 Ga. NC	IS-5
Senco SFW10XP-D	Fine Wire Stapler-22 Ga. NC	IS-3
Senco SFW10XP-E	Fine Wire Stapler-20 Ga. NC	IS-3
Senco SFW10XP-F	Fine Wire Stapler-20 Ga. MC	IS-6
Senco SFW10XP-G	Fine Wire Stapler-20 Ga. MC	IS-6
Senco SHF10, SHF15	Hardwood Flooring Stapler	IS-16
Senco SHF50	Hardwood Flooring Stapler	IS-16
Senco SJ10 A04-A08	Fine Wire Stapler-22 Ga. NC	IS-3
Senco SJ10 A06-D10	Fine Wire Stapler-22 Ga. NC	IS-3
Senco SJ10 B06-B08	Fine Wire Stapler-22 Ga. MC	IS-5
Senco SJ10 C06-C10	Fine Wire Stapler-22 Ga. MC	IS-5
Senco SJ10 E06-E10	Fine Wire Stapler-22 Ga. MC	IS-3
Senco SJ10-F	Fine Wire Stapler-20 Ga. MC	IS-6
Senco SJ10 G06-G10	Fine Wire Stapler-20 Ga. MC	IS-6
Senco SJS-A	Fine Wire Stapler-22 Ga. NC	IS-3
Senco SJS-C	Fine Wire Stapler-22 Ga. MC	IS-5
Senco SJS-D	Fine Wire Stapler-22 Ga. MC	IS-3
Senco SJS-F	Fine Wire Stapler-20 Ga. MC	IS-6
Senco SKS N12-N17	Heavy Wire Stapler-16 Ga. MC	IS-11
Senco SKS N4450	Medium Wire Stapler-18 Ga. NC	IS-8
Senco SKS-L, SKSXP-L	Medium Wire Stapler-18 Ga. NC	IS-8
Senco SKS-M, SKSXP-M	Medium Wire Stapler-18 Ga. NC	IS-10
Senco SKSXP-N	Heavy Wire Stapler-16 Ga. MC	IS-11
Senco SLS15	Medium Wire Stapler-18 Ga. NC	IS-8
Senco SLS18, SLS18MG	Medium Wire Stapler-18 Ga. NC	IS-8
Senco SLS20-K, SLS20XP-K	Medium Wire Stapler-19 Ga. NC	IS-7
Senco SLS20-L, SLS20XP-L	Medium Wire Stapler-18 Ga. NC	IS-8
Senco SLS20-M, SLS20XP-M	Medium Wire Stapler-18 Ga. MC	IS-10
Senco SLS25-L, SLS25XP-L	Medium Wire Stapler-18 Ga. NC	IS-8
Senco SLS25-M, SLS25XP-M	Medium Wire Stapler-18 Ga. MC	IS-10
Senco SNS40	Heavy Wire Stapler-16 Ga. MC	IS-11
Senco SNS41	Heavy Wire Stapler-16 Ga. MC	IS-11
Senco SNS44XP	Heavy Wire Stapler-16 Ga. MC	IS-11
Senco SNS45, SNS45XP	Heavy Wire Stapler-16 Ga. MC	IS-11
Senco SNS50, SNS50XP	Heavy Wire Stapler-16 Ga. MC	IS-11
Senco SNS200XP	Heavy Wire Stapler-16 Ga. MC	IS-11
Senco SNS200XP-BST	Heavy Wire Stapler-16 Ga. MC	IS-11
Senco SPS, SPS-RFR	Heavy Wire Stapler-16 Ga. WC	IS-15
Senco SQ555	Heavy Wire Stapler-15 Ga. MC	IS-13
Senco SQ555XP	Heavy Wire Stapler-15 Ga. MC	IS-13
Senco WC150XP	Heavy Wire Stapler-16 Ga. WC	IS-15
Senco WC200XP	Heavy Wire Stapler-16 Ga. WC	IS-15



Not all tools accept the full range of fastener sizes. Some of the tools shown in this catalog may be older versions of current tools that are no longer available for sale. The older models are listed to help our customers identify the fasteners their older tools may shoot. We recommend that you refer to your tool's operators manual for the fastener specifications and size information for your tool.

Some fasteners may be only available regionally. Contact your Interchange Dealer to verify availability in your area.

Tool	Type	Page
Spotnails		
Spotnails 87	Fine Wire Stapler-22 Ga. MC	IS-5
Spotnails 4800	Medium Wire Stapler-18 Ga. NC	IS-8
Spotnails 6800	Medium Wire Stapler-18 Ga. MC	IS-10
Spotnails 7600	Heavy Wire Stapler-16 Ga. MC	IS-12
Spotnails 85000	Hammer Tacker Stapler-20 Ga. MC	IS-4
Spotnails 85060	Hammer Tacker Stapler-20 Ga. MC	IS-4
Spotnails BS5016AF	Fine Wire Stapler-20 Ga. MC	IS-6
Spotnails BS5018	Fine Wire Stapler-20 Ga. MC	IS-6
Spotnails BS7116AF	Fine Wire Stapler-22 Ga. MC	IS-5
Spotnails BS7118	Fine Wire Stapler-22 Ga. MC	IS-5
Spotnails BSA116AF	Hammer Tacker Stapler-20 Ga. MC	IS-4
Spotnails DS5016	Fine Wire Stapler-20 Ga. MC	IS-6
Spotnails DS7116	Fine Wire Stapler-22 Ga. MC	IS-5
Spotnails FS3820	Medium Wire Stapler-18 Ga. NC	IS-9
Spotnails FS4825	Medium Wire Stapler-18 Ga. NC	IS-8
Spotnails FS7550	Hardwood Flooring Stapler	IS-16
Spotnails HL1612A	Heavy Wire Stapler-16 Ga. WC	IS-14
Spotnails HL1612AT	Heavy Wire Stapler-16 Ga. WC	IS-15
Spotnails HL1612AW	Heavy Wire Stapler-16 Ga. WC	IS-14
Spotnails HL1616A	Heavy Wire Stapler-16 Ga. WC	IS-14
Spotnails HL1620	Heavy Wire Stapler-16 Ga. WC	IS-14
Spotnails HL3852	Medium Wire Stapler-18 Ga. NC	IS-8
Spotnails HL7616A	Heavy Wire Stapler-16 Ga. MC	IS-12
Spotnails HL7616A(P)	Heavy Wire Stapler-16 Ga. MC	IS-12
Spotnails HS6616	Heavy Wire Stapler-16 Ga. MC	IS-12
Spotnails JS5016, JS5016LN	Fine Wire Stapler-20 Ga. MC	IS-6
Spotnails JS7116, JS7116LN	Fine Wire Stapler-22 Ga. MC	IS-5
Spotnails JSA1116	Hammer Tacker Stapler-20 Ga. MC	IS-4
Spotnails MS76-865I	Heavy Wire Stapler-16 Ga. MC	IS-11
Spotnails MS76-865OI	Heavy Wire Stapler-16 Ga. MC	IS-12
Spotnails MS2440	Heavy Wire Stapler-14 Ga. WC	IS-15
Spotnails MS6650, MS6650I	Heavy Wire Stapler-16 Ga. MC	IS-12
Spotnails MS6564	Heavy Wire Stapler-15 Ga. MC	IS-13
Spotnails Striker TS4825	Medium Wire Stapler-18 Ga. NC	IS-8
Spotnails TRL3852	Medium Wire Stapler-18 Ga. NC	IS-8
Spotnails TS3832	Medium Wire Stapler-18 Ga. NC	IS-9
Spotnails TS6825, TS6825S	Medium Wire Stapler-18 Ga. MC	IS-10
Spotnails WS4840	Medium Wire Stapler-18 Ga. NC	IS-8
Spotnails WS4840LM	Medium Wire Stapler-18 Ga. NC	IS-8
Spotnails WS4840W2	Medium Wire Stapler-18 Ga. NC	IS-8
Spotnails WS4840W5	Medium Wire Stapler-18 Ga. NC	IS-8
Spotnails XS76-865O	Heavy Wire Stapler-16 Ga. MC	IS-11, 12
Spotnails XS1640	Heavy Wire Stapler-16 Ga. WC	IS-14
Spotnails XS1640RHF	Heavy Wire Stapler-16 Ga. WC	IS-14
Spotnails XS1650	Heavy Wire Stapler-16 Ga. WC	IS-14
Spotnails XS2640	Heavy Wire Stapler-16 Ga. WC	IS-14
Spotnails XS2650	Heavy Wire Stapler-16 Ga. WC	IS-14
Spotnails XS3640, XS3640LM	Heavy Wire Stapler-16 Ga. WC	IS-15
Spotnails XS3640RHF	Heavy Wire Stapler-16 Ga. WC	IS-15
Spotnails XS3650	Heavy Wire Stapler-16 Ga. WC	IS-15
Spotnails XS6650	Heavy Wire Stapler-16 Ga. MC	IS-11, 12

T & G Hardwood Flooring

T & G Hardwood Flooring Stapler	Hardwood Flooring Stapler	IS-16
---------------------------------	---------------------------	-------



Interchange Industrial Fasteners

for your toughest jobs!

Some fasteners are now available in industrial grade for more demanding applications.

Contact your Interchange Brands Representative for more information.

Your COMPLETE Pneumatic Fastening Program!



Tools & Parts Kits



Air Accessories



Screws & Adapter



For more information on
Interchange products or to
find a dealer near you, call

800.458.6635

